

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : C12N 15/54, 15/11, 9/10, C12Q 1/48, 1/68, A01H 1/00, 5/00, C08B 3/02	A1	(11) International Publication Number: WO 00/66745 (43) International Publication Date: 9 November 2000 (09.11.00)
(21) International Application Number: PCT/AU00/00385 (22) International Filing Date: 28 April 2000 (28.04.00) (30) Priority Data: PQ0052/99 29 April 1999 (29.04.99) AU (71) Applicants (for all designated States except US): COMMON-WEALTH SCIENTIFIC AND INDUSTRIAL RESEARCH ORGANISATION [AU/AU]; Limestone Avenue, Campbell, Australian Capital Territory 2601 (AU). GOODMAN FIELDER LIMITED [AU/AU]; Level 42 Grosvenor Place, Sydney, New South Wales 2000 (AU). GROUPE LIMAGRAIN PACIFIC PTY LTD [AU/AU]; Level 31, 1 O'Connell Street, Sydney, New South Wales 2000 (AU). (72) Inventors; and (75) Inventors/Applicants (for US only): MORELL, Matthew [AU/AU]; 33 Wangara Street, Aranda, Australian Capital Territory 2614 (AU). LI, Zhongyi [AU/AU]; 63 Campaspe Circuit, Kaleen, Australian Capital Territory 2617 (AU). RAHMAN, Sadequr [AU/AU]; 46 Scarlett Street, Melba, Australian Capital Territory 2615 (AU). APPELS, Rudolph [AU/AU]; 40 Gingara Street, Aranda, Australian Capital Territory 2614 (AU).		(74) Agents: OLIVE, Mark, R. et al.; Davies Collison Cave, 1 Little Collins Street, Melbourne, Victoria 3000 (AU). (81) Designated States: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>
(54) Title: NOVEL GENES ENCODING WHEAT STARCH SYNTHASES AND USES THEREFOR (57) Abstract <p>The present invention provides isolated nucleic acid molecules encoding wheat starch synthases, and probes and primers derived therefrom, which are useful in the modification of plant starch content and/or composition, and for screening plant lines to determine the presence of natural and/or induced mutations in starch synthase genes which affect starch content and/or composition. More particularly, the isolated nucleic acid molecules of the present invention further provide for the screening-assisted breeding of plants having desirable starch content and/or composition, in addition to providing for the direct genetic manipulation of plant starch content and/or composition.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

- 1 -

NOVEL GENES ENCODING WHEAT STARCH SYNTHASES AND USES THEREFOR

FIELD OF THE INVENTION

5 The present invention relates generally to isolated nucleic acid molecules encoding wheat starch synthase enzymes and more particularly, to isolated nucleic acid molecules that encode wheat SSII and SSIII enzyme activities. The isolated nucleic acid molecules provide the means for modifying starch content and composition in plants, for example the ratio of amylose:amylopectin in the starch granule of the
10 endosperm during the grain-filling phase of endosperm development. The isolated nucleic acid molecules of the present invention also provide the means for screening plant lines to determine the presence of natural and/or induced mutations in starch synthase genes which affect starch content and/or composition. The isolated nucleic acid molecules of the present invention further provide for the screening-assisted
15 breeding of plants having desirable starch content and/or composition, in addition to providing for the direct genetic manipulation of plant starch content and/or composition.

GENERAL

Bibliographic details of the publications numerically referred to in this specification are
20 collected at the end of the description. Reference herein to any published document is not to be taken as an indication or admission that any such published document is part of the common general knowledge or background information of a skilled worker in the relevant field.

25 This specification contains nucleotide and amino acid sequence information (SEQ ID NOS:) prepared using the programme PatentIn Version 2.0, presented herein at the end of the specification. Each nucleotide or amino acid sequence is identified in the sequence listing by the numeric indicator <210> followed by the sequence identifier (e.g. <210>1, <210>2, etc). The length, type of sequence (DNA, protein (PRT), etc)
30 and source organism for each nucleotide or amino acid sequence are indicated by information provided in the numeric indicator fields <211>, <212> and <213>.

- 2 -

respectively. Nucleotide and amino acid sequences (SEQ ID NOs:) referred to in the specification are defined by the information provided in numeric indicator field <400> followed by the sequence identifier (eg. SEQ ID NO: 1 is <400>1, etc).

5 The designation of nucleotide residues referred to herein are those recommended by the IUPAC-IUB Biochemical Nomenclature Commission, wherein A represents Adenine, C represents Cytosine, G represents Guanine, T represents thymine, Y represents a pyrimidine residue, R represents a purine residue, M represents Adenine or Cytosine, K represents Guanine or Thymine, S represents Guanine or Cytosine, W
10 represents Adenine or Thymine, H represents a nucleotide other than Guanine, B represents a nucleotide other than Adenine, V represents a nucleotide other than Thymine, D represents a nucleotide other than Cytosine and N represents any nucleotide residue.

15 The designations for naturally-occurring amino acid residues referred to herein are set forth in Table 1. The designations for a non-limiting set of non-naturally-occurring amino acids is listed in Table 2.

As used herein the term "derived from" shall be taken to indicate that a specified
20 integer may be obtained from a particular source albeit not necessarily directly from that source.

Throughout this specification, unless the context requires otherwise, the word "comprise", or variations such as "comprises" or "comprising", will be understood to
25 imply the inclusion of a stated step or element or integer or group of steps or elements or integers but not the exclusion of any other step or element or integer or group of steps or elements or integers.

- 3 -

TABLE 1

Amino Acid	Three-letter Code	One-letter Code
5 Alanine	Ala	A
Arginine	Arg	R
Asparagine	Asn	N
Aspartic acid	Asp	D
Cysteine	Cys	C
10 Glutamine	Gln	Q
Glutamic acid	Glu	E
Glycine	Gly	G
Histidine	His	H
Isoleucine	Ile	I
15 Leucine	Leu	L
Lysine	Lys	K
Methionine	Met	M
Phenylalanine	Phe	F
Proline	Pro	P
20 Serine	Ser	S
Threonine	Thr	T
Tryptophan	Trp	W
Tyrosine	Tyr	Y
Valine	Val	V
25 Aspartate/glutamate	Baa	B
Asparagine/glutamine		
Any amino acid as above	Xaa	X

- 4 -

TABLE 2

Non-conventional amino acid	Code	Non-conventional amino acid	Code
5			
α -aminobutyric acid	Abu	L-N-methylalanine	Nmala
α -amino- α -methylbutyrate	Mgab	L-N-methylarginine	Nmarg
aminocyclopropane-	Cpro	L-N-methylasparagine	Nmasn
carboxylate		L-N-methylaspartic acid	Nmasp
10 aminoisobutyric acid	Aib	L-N-methylcysteine	Nmcys
aminonorbornyl-	Norb	L-N-methylglutamine	Nmgln
carboxylate		L-N-methylglutamic acid	Nmglu
cyclohexylalanine	Chexa	L-N-methylhistidine	Nmhis
cyclopentylalanine	Cpen	L-N-methylisoleucine	Nmile
15 D-alanine	Dal	L-N-methylleucine	Nmleu
D-arginine	Darg	L-N-methyllysine	Nmlys
D-aspartic acid	Dasp	L-N-methylmethionine	Nmmet
D-cysteine	Dcys	L-N-methylnorleucine	Nmnle
D-glutamine	Dgln	L-N-methylnorvaline	Nmnva
20 D-glutamic acid	Dglu	L-N-methylornithine	Nmorn
D-histidine	Dhis	L-N-methylphenylalanine	Nmphe
D-isoleucine	Dile	L-N-methylproline	Nmpro
D-leucine	Dleu	L-N-methylserine	Nmser
D-lysine	Dlys	L-N-methylthreonine	Nmthr
25 D-methionine	Dmet	L-N-methyltryptophan	Nmtrp
D-ornithine	Dorn	L-N-methyltyrosine	Nmtyr
D-phenylalanine	Dphe	L-N-methylvaline	Nmval
D-proline	Dpro	L-N-methylethylglycine	Nmetg
D-serine	Dser	L-N-methyl-t-butylglycine	Nmtbug
30 D-threonine	Dthr	L-norleucine	Nle
D-tryptophan	Dtrp	L-norvaline	Nva

- 5 -

	D-tyrosine	Dtyr	α -methyl-aminoisobutyrate	Maib
	D-valine	Dval	α -methyl- γ -aminobutyrate	Mgab
	D- α -methylalanine	Dmala	α -methylcyclohexylalanine	Mchexa
	D- α -methylarginine	Dmarg	α -methylcyclopentylalanine	Mcpen
5	D- α -methylasparagine	Dmasn	α -methyl- α -naphthylalanine	Manap
	D- α -methylaspartate	Dmasp	α -methylpenicillamine	Mpen
	D- α -methylcysteine	Dmcys	N-(4-aminobutyl)glycine	Nglu
	D- α -methylglutamine	Dmgln	N-(2-aminoethyl)glycine	Naeg
	D- α -methylhistidine	Dmhis	N-(3-aminopropyl)glycine	Norn
10	D- α -methylisoleucine	Dmile	N-amino- α -methylbutyrate	Nmaabu
	D- α -methylleucine	Dmleu	α -naphthylalanine	Anap
	D- α -methyllysine	Dmlys	N-benzylglycine	Nphe
	D- α -methylmethionine	Dmmet	N-(2-carbamylethyl)glycine	Ngln
	D- α -methylornithine	Dmorn	N-(carbamylmethyl)glycine	Nasn
15	D- α -methylphenylalanine	Dmphe	N-(2-carboxyethyl)glycine	Nglu
	D- α -methylproline	Dmpro	N-(carboxymethyl)glycine	Nasp
	D- α -methylserine	Dmser	N-cyclobutylglycine	Ncbut
	D- α -methylthreonine	Dmthr	N-cycloheptylglycine	Nchep
	D- α -methyltryptophan	Dmtrp	N-cyclohexylglycine	Nchex
20	D- α -methyltyrosine	Dmty	N-cyclodecylglycine	Ncdec
	D- α -methylvaline	Dmval	N-cylcododecylglycine	Ncdod
	D-N-methylalanine	Dnmala	N-cyclooctylglycine	Ncoct
	D-N-methylarginine	Dnmarg	N-cyclopropylglycine	Ncpro
	D-N-methylasparagine	Dnmasn	N-cycloundecylglycine	Ncund
25	D-N-methylaspartate	Dnmasp	N-(2,2-diphenylethyl) glycine	Nbhm
	D-N-methylcysteine	Dnmcys	N-(3,3-diphenylpropyl) glycine	Nbhe

- 6 -

	D-N-methylglutamine	Dnmgin	N-(3-guanidinopropyl) glycine	Narg
	D-N-methylglutamate	Dnmglu	N-(1-hydroxyethyl)glycine	Nthr
	D-N-methylhistidine	Dnmhis	N-(hydroxyethyl)glycine	Nser
5	D-N-methylisoleucine	Dnmile	N-(imidazolylethyl) glycine	Nhis
	D-N-methylleucine	Dnmleu	N-(3-indolylyethyl) glycine	Nhtpr
	D-N-methyllysine	Dnmlys	N-methyl- γ -aminobutyrate	Nmgabu
10	N-methylcyclohexylalanine	Nmchexa	D-N-methylmethionine	Dnmmt
	D-N-methylornithine	Dnmorn	N-methylcyclopentylalanine	Nmcpn
	N-methylglycine	Nala	D-N-methylphenylalanine	Dnmphe
	N-methylaminoisobutyrate	Nmaib	D-N-methylproline	Dnmpro
	N-(1-methylpropyl)glycine	Nile	D-N-methylserine	Dnmser
15	N-(2-methylpropyl)glycine	Nleu	D-N-methylthreonine	Dnmthr
	D-N-methyltryptophan	Dnmtrp	N-(1-methylethyl)glycine	Nval
	D-N-methyltyrosine	Dnmtyr	N-methyl-naphthylalanine	Nmanap
	D-N-methylvaline	Dnmval	N-methylpenicillamine	Nmpen
	γ -aminobutyric acid	Gabu	N-(<i>p</i> -hydroxyphenyl)glycine	Nhtyr
20	L- <i>t</i> -butylglycine	Tbug	N-(thiomethyl)glycine	Ncys
	L-ethylglycine	Etg	penicillamine	Pen
	L-homophenylalanine	Hphe	L- α -methylalanine	Mala
	L- α -methylarginine	Marg	L- α -methylassparagine	Masn
	L- α -methylasspartate	Masp	L- α -methyl- <i>t</i> -butylglycine	Mtbug
25	L- α -methylcysteine	Mcys	L-methylethylglycine	Metg
	L- α -methylglutamine	Mgin	L- α -methylglutamate	Mglu
	L- α -methylhistidine	Mhis	L- α -methylhomo phenylalanine	Mhphe
	L- α -methylisoleucine	Mile	N-(2-methylthioethyl) glycine	Nmet
30	L- α -methylleucine	Mleu	L- α -methyllysine	Mlys

- 7 -

L- α -methylmethionine	Mmet	L- α -methylnorleucine	Mnle
L- α -methylnorvaline	Mnva	L- α -methylornithine	Morn
L- α -methylphenylalanine	Mphe	L- α -methylproline	Mpro
L- α -methylserine	Mser	L- α -methylthreonine	Mthr
5 L- α -methyltryptophan	Mtrp	L- α -methyltyrosine	Mtyr
L- α -methylvaline	Mval	L-N-methylhomo	
		phenylalanine	Nmhphe
N-(N-(2,2-diphenylethyl)		N-(N-(3,3-diphenylpropyl)	
carbamylmethyl)glycine	Nnbhm	carbamylmethyl)glycine	Nnbhe
10 1-carboxy-1-(2,2-diphenyl-			
ethylamino)cyclopropane	Nmbc		

Those skilled in the art will appreciate that the invention described herein is susceptible
 15 to variations and modifications other than those specifically described. It is to be
 understood that the invention includes all such variations and modifications. The
 invention also includes all of the steps, features, compositions and compounds
 referred to or indicated in this specification, individually or collectively, and any and all
 combinations or any two or more of said steps or features.

20

The present invention is not to be limited in scope by the specific embodiments
 described herein, which are intended for the purposes of exemplification only.
 Functionally-equivalent products, compositions and methods are clearly within the
 scope of the invention, as described herein.

25

BACKGROUND TO THE INVENTION

The biosynthesis of the starch granule is a complex process which involves the action
 of an array of isoforms of enzymes involved in the starch biosynthesis. Following the
 formation of glucose-1-phosphate, the enzyme activities required for the synthesis of
 30 granular starch include ADP glucose pyrophosphorylase (EC 2.7.7.27), starch
 synthases (EC 2.4.1.21), branching enzymes (EC 2.4.1.18) and debranching enzymes

- 8 -

(EC 3.2.1.41 and EC 3.2.1.68) (Mouille *et al.*, 1996). Plants contain isozymes of each of these activities, and the definition of these isoforms and their roles has been conducted through investigation of the properties of the suite of soluble enzymes found in the stroma of the plastid, analysis of the proteins entrapped within the matrix of the starch granule, and mutational studies to identify genes and define linkages between individual genes and their specific roles.

Starch synthases extend regions of α -1,4 glucan through the transfer of the glucosyl moiety of ADPglucose to the non-reducing end of a pre-existing α -1,4 glucan. In addition to GBSS, 3 other classes of starch synthase have been identified in plants, SSI (wheat, Li *et al.*, 1999 and GenBank Accession No. U48227; rice, Baba *et al.*, 1993; potato, Genbank Accession No. STSTASYNT), SSII (pea, Dry *et al.* 1992; potato, Edwards *et al.*, 1995; maize, Harn *et al.* 1998 and GenBank Accession No. U66377) and SSIII (potato, Abel *et al.*, 1996; maize, Gao *et al.*, 1998). In the cereals, the most comprehensively studied species is maize, where in addition to GBSS, cDNAs encoding SSI, SSIIa, and SSIIb have been isolated, and both cDNA and genomic clones for *dull1* have been characterised (Knight *et al.*, 1998; Harn *et al.*, 1998; Gao *et al.*, 1998). In maize, the product of the *du1* gene is known as maize SSII, however this gene is the homologue of potato SSIII.

20

The proteins within the matrix of the wheat starch granule have been extensively studied (Denyer *et al.*, 1995; Rahman *et al.*, 1995; Takaoka *et al.*, 1997; Yamamori and Endo, 1996) and 60, 75, 85, 100, 104 and 105 kDa protein bands can be visualised following SDS-PAGE. The predominant 60 kDa protein is exclusively granule-bound and is analogous to the "waxy" granule bound starch synthase (GBSS) gene in maize (Rahman *et al.*, 1995). The combination of three null alleles for this enzyme from each of the wheat genomes (Nakamura *et al.*, 1995) results in the amylose-free "waxy" phenotype found in other species. The 75 kDa starch synthase I (wSSI) is found in both the granule and the soluble fraction of wheat endosperm (Denyer *et al.*, 1995; Li *et al.*, 1999) and has been assigned to chromosomes 7A, 7B and 7D (Yamamori and Endo, 1996; Li *et al.*, 1999). The 85 kDa band contains a

30

- 9 -

class II branching enzyme and an unidentified polypeptide (Rahman *et al.*, 1995). The 100, 104 and 105 kDa proteins of the wheat starch granule (designated Sgp-B1, Sgp-D1 and Sgp-A1 by Yamamori and Endo, 1996) have been shown to be encoded by a homeologous set of genes on the short arm of chromosome 7B, 7A and 7D respectively (Yamamori and Endo, 1996; Takaoka *et al.*, 1997). Denyer *et al.* (1995) concluded on the basis of enzyme activity assays that these proteins were also starch synthases. These genes are referred to hereinafter as the "wheat SSII genes".

While GBSS has been established to be essential for amylose synthesis, the remaining starch synthases are thought to be primarily responsible for the elongation of amylopectin chains, although this does not preclude them from also having non-essential roles in amylose biosynthesis. Differences in kinetic properties between isoforms, and the analysis of mutants lacking various isoforms, suggests that each isoenzyme contributes to the extension of specific subsets of the available non-reducing ends.

SUMMARY OF THE INVENTION

The production of plants that produce improved starches that are modified for particular end-use applications, such as, for example, starches having high or low amylose:amylopectin ratios, requires the availability of genes encoding the various starch synthase isoforms. Because of species-specific codon usages, and variations in the kinetic parameters of the starch synthase isoforms between species, the production of modified starches may require the use of genes derived from particular species.

25

Furthermore, the screening-assisted breeding of plants having desirable starch content and/or composition requires specific gene sequences to be provided that can be used to distinguish between different homeologous genes encoding the various isoforms of wheat starch synthases, such as, for example, to identify and distinguish between naturally-occurring variant gene sequences. It is a particular object of the present invention to provide gene sequences to facilitate the screening-assisted selection of

30

- 10 -

wheat plants having starch traits which are associated with the presence and/or expression of one or more wheat SSI and/or SSIII genes.

Accordingly, the present invention provides isolated nucleotide sequences encoding
5 the wheat SSII (i.e. wSSII) and wheat SSIII (i.e. wSSIII) isoenzymes, and DNA markers derived therefrom. The present invention further facilitates the production of transformed plants carrying these nucleotide sequences.

More particularly, the present invention provides isolated nucleic acid molecules
10 encoding the 100, 104 and 105 kDa SSII (Sgp-1) polypeptides of the wheat starch granule matrix, as determined using the SDS/PAGE system of Rahman *et al.* (1995), which polypeptides are equivalent to the 100, 108 and 115 kDa polypeptides described by Yamamori and Endo (1996).

15 The present invention further provides isolated nucleic acid molecules encoding the soluble *dull1*-type wheat starch synthase III polypeptide. Analysis of the polypeptides encoded by these nucleic acid molecules reveals several consensus amino acid sequence motifs that are highly conserved in wheat starch synthase isoenzymes, in addition to isoenzyme-specific sequences, which sequences possess utility in isolating
20 related starch synthase-encoding sequences and in assaying plants for their expression of one or more starch synthase isoenzymes.

Accordingly, one aspect of the present invention provides an isolated nucleic acid molecule which comprises a sequence of nucleotides which encodes, or is
25 complementary to a nucleic acid molecule which encodes a wheat starch synthase polypeptide, protein or enzyme molecule or a functional subunit thereof selected from the following:

- (i) a wheat starch synthase II (wSSII) polypeptide, protein or enzyme or
30 functional subunit thereof which comprises an amino acid sequence which is at least about 85% identical overall to an amino acid sequence set forth in any one of SEQ ID NOS: 2, 4, or 6;

- 11 -

(ii) a wheat starch synthase III (wSSIII) polypeptide, protein or enzyme or functional subunit thereof which comprises an amino acid sequence which is at least about 85% identical overall to an amino acid sequence set forth in any one of SEQ ID NOS: 8 or 10;

5 (iii) a wheat starch synthase polypeptide, protein or enzyme or functional subunit thereof which comprises a conserved amino acid sequence having at least 25% identity to an amino acid sequence selected from the group consisting of:

- 10 (a) KVGGLGDVVT (SEQ ID NO: 39);
- (b) GHTVEVILPKY (SEQ ID NO: 40);
- (c) HDWSSAPVAWLYKEHY (SEQ ID NO: 41);
- (d) GILNGIDPDIWDPYTD (SEQ ID NO: 42);
- (e) DVPIVGIIITRLTAQKG (SEQ ID NO: 43);
- (f) NGQVLLGSA (SEQ ID NO: 44);
- 15 (g) AGSDFIIVPSIFEPCGLTQLVAMRYGS (SEQ ID NO: 45); and
- (h) TGGLVDTV (SEQ ID NO: 46);

wherein said wheat starch synthase polypeptide further comprises an amino acid sequence having at least about 85% identity overall to an amino acid sequence set forth in any one of SEQ ID NOS: 2, 4, 6, 8 or 10; and

20 (iv) a wheat starch synthase polypeptide, protein or enzyme or functional subunit thereof which comprises a conserved amino acid sequence having at least 25% identity to an amino acid sequence selected from the group consisting of:

- 25 (a) KTGGLGDVAGA (SEQ ID NO: 47);
- (b) GHRVMVVVPRY (SEQ ID NO: 48);
- (c) NDWHTALLPVYLKAYY (SEQ ID NO: 49);
- (d) GIVNGIDNMEWNPEVD (SEQ ID NO: 50);
- (e) DVPLLGFIGRLDGQKG (SEQ ID NO: 51);
- (f) DVQLVMLGTG (SEQ ID NO: 52);
- 30 (g) AGADALLMPSRF(E/V)PCGLNQLYAMAYGT (SEQ ID NO: 53); and
- (h) VGG(V/L)RDTV (SEQ ID NO: 54);

- 12 -

wherein said wheat starch synthase polypeptide further comprises an amino acid sequence having at least about 85% identity overall to an amino acid sequence set forth in any one of SEQ ID NOS: 2, 4, 6, 8 or 10.

5 In a preferred embodiment, the isolated nucleic acid molecule encodes a starch synthase polypeptide, protein or enzyme having at least about 90% amino acid sequence identity to any one of SEQ ID NOS: 2, 4, 6, 8 or 10, more preferably having at least about 95% or about 97% or about 99% identity to any one of said amino acid sequences.

10

In an alternative embodiment, the isolated nucleic acid molecule of the present invention encodes a wheat starch synthase polypeptide which comprises one or more amino acid sequences selected from the group consisting of:

15

- (a) GHTVEVILPKY;
- (b) HDWSSAPVAWLYKEHY;
- (c) DVPIVGIIITRLTAQKG;
- (d) NGQVVLLGSA;
- (e) AGSDFIIVPSIFEPCGLTQLVAMRYGS;
- (f) TGGLVDTV;
- (g) GIVNGIDNMEWNPEVD; and
- (h) AGADALLMPSRF(E/V)PCGLNQLYAMAYGT.

20

in an alternative embodiment, the present invention provides an isolated nucleic acid molecule which encodes a wheat starch synthase polypeptide, protein or enzyme molecule or a functional subunit thereof, wherein said nucleic acid molecule comprises a nucleotide sequence having at least about 85% nucleotide sequence identity to any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11-16, 37 or 38 or a complementary nucleotide sequence thereto.

30 In a preferred embodiment, the isolated nucleic acid molecule comprises the nucleotide sequence set forth in any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11-16, 37 or 38,

- 13 -

or is at least about 90% identical, more preferably at least about 95% or 97% or 99% identical to all or a protein-encoding part thereof.

In an alternative embodiment, the present invention provides an isolated nucleic acid molecule which encodes a wheat starch synthase polypeptide, protein or enzyme molecule or a functional subunit thereof, wherein said nucleic acid molecule comprises a nucleotide sequence that is capable of hybridising under at least moderate stringency hybridisation conditions to at least about 30 contiguous nucleotides derived from any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11-16, 37 or 38, or a complementary nucleotide sequence thereto.

A second aspect of the present invention provides a method of isolating a nucleic acid molecule that encodes a starch synthase polypeptide, protein or enzyme described *supra*, said method comprising:

- (i) hybridising a probe or primer comprising at least about 15 contiguous nucleotides in length derived from any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11-16, 37 or 38, or a complementary nucleotide sequence thereto to single-stranded or double-stranded mRNA, cDNA or genomic DNA; and
- (ii) detecting the hybridised mRNA, cDNA or genomic DNA using a detecting means.

Preferably, the detecting means is a reporter molecule covalently attached to the probe or primer molecule or alternatively, a polymerase chain reaction format. Accordingly, the present invention clearly extends to the use of the nucleic acid molecules provided herein to isolate related starch synthase-encoding sequences using standard hybridisation and/or polymerase chain reaction techniques.

A third aspect of the invention provides an isolated probe or primer comprising at least about 15 contiguous nucleotides in length derived from any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11-16, 37 or 38, or a complementary nucleotide sequence thereto.

- 14 -

Preferably, the probe or primer comprises a nucleotide sequence set forth in any one of SEQ ID NOS: 25 to 34.

A fourth aspect of the present invention is directed to an isolated or recombinant starch
5 synthase polypeptide, protein or enzyme, preferably substantially free of conspecific or non-specific proteins, which comprises an amino acid sequence selected from the following:

- 10 (i) a wheat starch synthase II (wSSII) polypeptide, protein or enzyme or functional subunit thereof which comprises an amino acid sequence which is at least about 85% identical overall to an amino acid sequence set forth in any one of SEQ ID NOS: 2, 4, or 6;
- (ii) a wheat starch synthase III (wSSIII) polypeptide, protein or enzyme or functional subunit thereof which comprises an amino acid sequence which is at
15 least about 85% identical overall to an amino acid sequence set forth in any one of SEQ ID NOS: 8 or 10;
- (iii) a wheat starch synthase polypeptide, protein or enzyme or functional subunit thereof which comprises a conserved amino acid sequence having at least 25% identity to an amino acid sequence selected from the group consisting of:
 - 20 (a) KVGGLGDVVTS;
 - (b) GHTVEVILPKY;
 - (c) HDWSSAPVAWLYKEHY;
 - (d) GILNGIDPDIWDPYTD;
 - (e) DVPIVGIIITRLTAQKG;
 - 25 (f) NGQVVLLGSA;
 - (g) AGSDFIIVPSIFEPCGLTQLVAMRYGS; and
 - (h) TGGLVDTV

wherein said wheat starch synthase polypeptide further comprises an amino acid sequence having at least about 85% identity overall to an amino acid
30 sequence set forth in any one of SEQ ID NOS: 2, 4, 6, 8 or 10; and

- (iv) a wheat starch synthase polypeptide, protein or enzyme or functional

- 15 -

subunit thereof which comprises a conserved amino acid sequence having at least 25% identity to an amino acid sequence selected from the group consisting of:

- (a) KTGGLGDVAGA;
- 5 (b) GHRVMVVVPRY;
- (c) NDWHTALLPVYLKAYY;
- (d) GIVNGIDNMEWNPEVD;
- (e) DVPLLGFGRDLGGQKG;
- (f) DVQLVMLGTG;
- 10 (g) AGADALLMPSTRF(E/V)PCGLNQLYAMAYGT; and
- (h) VGG(V/L)RDTV

wherein said wheat starch synthase polypeptide further comprises an amino acid sequence having at least about 85% identity overall to an amino acid sequence set forth in any one of SEQ ID NOS: 2, 4, 6, 8 or 10.

15

The present invention clearly encompasses the mature protein region of a wheat starch synthase polypeptide which is obtained by removal of the N-terminal transit peptide sequence.

- 20 A further aspect of the invention provides a method of assaying for the presence or absence of a starch synthase isoenzyme or the copy number of a gene encoding same in a plant, comprising contacting a biological sample derived from said plant with an isolated nucleic acid molecule derived from any one of SEQ ID NOS 1, 3, 5, 7, 9, 11-16, 37 or 38, or any one of SEQ ID NOS: 25 to 34, or a complementary nucleotide
- 25 sequence thereto for a time and under conditions sufficient for hybridisation to occur and then detecting said hybridisation using a detection means.

The detection means according to this aspect of the invention is any nucleic acid based hybridisation or amplification reaction.

30

A further aspect of the present invention utilises the above-mentioned assay method

- 16 -

in the breeding and/or selection of plants which express or do not express particular starch synthase isoenzymes or alternatively, which express a particular starch synthase isoenzyme at a particular level in one or more plant tissues. This aspect clearly extends to the selection of transformed plant material which contains one or
5 more of the isolated nucleic acid molecules of the present invention.

A further aspect of the present invention provides a method of modifying the starch content and/or starch composition of one or more tissues or organs of a plant, comprising expressing therein a sense molecule, antisense molecule, ribozyme
10 molecule, co-suppression molecule, or gene-targeting molecule having at least about 85% nucleotide sequence identity to any one of any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11-16, 37 or 38, or a complementary nucleotide sequence thereto for a time and under conditions sufficient for the enzyme activity of one or more starch synthase isoenzymes to be modified. This aspect of the invention clearly extends to the
15 introduction of the sense molecule, antisense molecule, ribozyme molecule, co-suppression molecule, or gene-targeting molecule to isolated plant cells, tissues or organs or organelles by cell fusion or transgenic means and the regeneration of intact plants therefrom.

20 A further aspect of the present invention provides an isolated promoter that is operable in the endosperm of a monocotyledonous plant cell, tissue or organ, and preferably in the endosperm of a monocotyledonous plant cell, tissue or organ. For example, the HMG promoter from wheat, or the maize zein gene promoter are particularly preferred, as is the promoter derived from a starch synthase gene of the present invention, such
25 as a promoter that is linked *in vivo* to any one of SEQ ID NOS 1, 3, 5, 7, 9, 11-16, 37 or 38, or a complementary nucleotide sequence thereto.

A still further aspect of the present invention contemplates a transgenic plant comprising an introduced sense molecule, antisense molecule, ribozyme molecule, co-
30 suppression molecule, or gene-targeting molecule having at least about 85% nucleotide sequence identity to any one of any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11-16,

- 17 -

37 or 38, or a complementary nucleotide sequence thereto or a genetic construct comprising same, and to plant propagules, cells, tissues, organs or plant parts derived from said transgenic plant that also carry the introduced molecule(s).

5 BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a copy of a photographic representation showing the distribution of wheat endosperm starch synthases between the starch granule and soluble fractions. Lane 1, SDS-PAGE of wheat endosperm starch granule proteins revealed by silver staining; lanes 2-7, immunoblot of wheat endosperm soluble phase and starch granule proteins separated by SDS-PAGE from various developmental stages and probed with an anti- (wheat wSSI peptide) monoclonal antibody. Lanes 2-4 contain proteins from the soluble fraction of wheat endosperm at 15 days post anthesis (Lane 2); 20 days post anthesis (Lane 3); and at 25 days post anthesis (Lane 4). Lanes 5-7 contain proteins from the starch granule of wheat endosperm at 15 days post anthesis (Lane 5); 20 days post anthesis (Lane 6); and at 25 days post anthesis (Lane 7).

Figure 2 is a copy of a schematic representation comparing the nucleotide sequences of cDNA clones designated wSSIa, wSSIb and wSSIc, encoding the starch synthase II polypeptides from wheat, using the PILEUP programme of Devereaux *et al.* (1984).

Figure 3 is a copy of a schematic representation comparing the deduced amino acid sequences of starch synthase II from wheat (wSSIa, wSSIb and wSSIc), maize (maize SSIIa and maize SSIIb; Harn *et al.*, 1998), pea (pea SSII; Dry *et al.*, 1992) and potato (potato SSII; van der Leij *et al.*, 1991). Identical amino acid residues among each of these sequences are indicated below the sequences with "***". The alignments of maize SSIIa with maize SSIIb, and pea SSII and potato SSII are essentially as described in Harn *et al.* (1998) and Edwards *et al.* (1995). All sequences are aligned to position the transit peptide cleavage site below the arrow (↓) between residues 59 and 60 of the wSSIa sequence. The wSSIc1 sequence, the sequence of SGP-B1 (peptide3), and of eight conserved regions are annotated and underlined.

- 18 -

Figure 4 is a copy of a photographic representation of a northern blot showing the expression of wheat wSSII mRNA in wheat plants. Total RNAs were isolated from leaves pre-anthesis florets and endosperm of the wheat cultivar "Gabo", grown under a photoperiod comprising 16 hours daylength, and at 18 °C during the day, and at 13 °C during the night cycle, and probed with the wSSIIp2 DNA fragment. The source of each RNA is indicated at the top of the Figure as follows: Lane 1, leaf; Lane 2, pre-anthesis florets; Lanes 3-11, endosperm at: 4 days post-anthesis (Lane 3); 6 days post-anthesis (Lane 4); 8 days post-anthesis (Lane 5); 10 days post-anthesis (Lane 6); 12 days post-anthesis (Lane 7); 15 days post-anthesis (Lane 8); 18 days post-anthesis (Lane 9); 21 days post-anthesis (Lane 10); and 25 days post-anthesis (Lane 11).

Figure 5 is a copy of a photographic representation showing the localization of wheat starch synthase II genes on the wheat genome by PCR, using the primers ssIIc, ssIIId and ssIIe in the amplification reaction. The nullisomic-tetrasomic genomic DNA of wheat cv. Chinese Spring was used as template DNA. Lane D, *Triticum tauschii*; Lane AB, Accession line N7DT7B having no 7D chromosome and four copies of the 7B chromosome; Lane AD, Accession line N7BT7A having no 7B chromosome and four copies of the 7A chromosome; Lane BD, Accession line N7AT7B having no 7A chromosome and four copies of the 7B chromosome; Lane ABD, wheat cv. Chinese Spring. PCR products derived from each cDNA clone are labelled. The results indicate that the cDNA clones, wSSIIb, wSSIIa and wSSIIId are derived from the B-, A- and D-genomes of wheat, respectively.

Figure 6 is a schematic representation showing the organisation of introns (lines) and exons (boxes) in the wheat SSII gene shown in SEQ ID NO: 37. The scale (bases), relative to the nucleotide sequence set forth in SEQ ID NO: 37, is provided at the bottom of the figure.

Figure 7 is a schematic representation comparing the deduced amino acid Sequences of the maize, potato and wheat SSIII polypeptides.

- 19 -

Figure 8 is a copy of a photographic representation showing the expression of wheat wSSIII mRNA in wheat. Total RNAs were isolated from the endosperm of the wheat cultivars Wyuna (Panel a) and Gabo (Panel b) leaves pre-anthesis florets and endosperm of the wheat cultivar "Gabo", grown under a photoperiod comprising 16 hours daylength, and at 18 °C during the day cycle, and at 13 °C during the night cycle, and probed with the wSSIIIp1 DNA fragment derived from wSSIII.B3 cDNA. The source of each RNA is indicated at the top of the Figure as follows: Lane 1, endosperm at: 4 days post-anthesis; Lane 2, endosperm at 6 days post-anthesis; Lane 4, endosperm at 8 days post-anthesis; Lane 4, endosperm at 10 days post-anthesis; 10 Lane 5, endosperm at 12 days post-anthesis; Lane 6, endosperm at 15 days post-anthesis; Lane 7, endosperm at 18 days post-anthesis; Lane 8, endosperm at 21 days post-anthesis; Lane 9, endosperm at 25 days post-anthesis; and Lane 10, endosperm at 31 days post-anthesis (Panel a only). In panel (c), L refers to leaf RNA, and P refers to RNA from pre-anthesis florets derived from the cultivar Gabo.

15

Figure 9 is a schematic representation showing the position of conserved amino acid sequences within four wheat starch synthase proteins. The eight highly-conserved regions between the wheat starch synthase polypeptides are underlined and annotated at the top of each group of amino acid sequences. The sequences included in the 20 alignment are the wheat SSII-A1 and wheat SSIII polypeptides of the present invention; wheat GBSS (wGBSS; Yan *et al.*, 1999); wheat SSI (wSS1; Li *et al.*, 1999); wheat SSII (wSS2; SEQ ID NO: 4); and wheat SSIII (wSS3; SEQ ID NO: 8).

Figure 10 is a schematic representation showing the relationships between the 25 primary amino acid sequences of starch synthases (SS) and glycogen synthase of *E. coli* (GS). The dendrogram was generated by the program PILEUP (Devereaux *et al.*, 1984). The amino acid sequences used for the analysis are those of the wheat SSIIA, wheat SSIIIB, wheat SSIIID, and wheat SSIII polypeptides of the present invention compared to the deduced amino acid sequences of wheat GBSS (Clark *et al.*, 1991), 30 wheat SSI (Li *et al.*, 1999), rice GBSS (Okagaki, 1992), rice SSI (Baba *et al.*, 1993), maize GBSS (Kloesgen *et al.*, 1986), maize SSI (Knight *et al.*, 1998), maize SSIIa and

- 20 -

maize SSIIb (Harn *et al.*, 1998), maize SSIII (Gao *et al.*, 1998), pea GBSS (Dry *et al.*, 1992), pea SSII (Dry *et al.*, 1992), potato GBSS (van der Leij *et al.*, 1991), potato SSI (Genbank accession number: STSTASYNT), potato SSII (Edwards *et al.*, 1995), potato SSIII (Abel *et al.*, 1996), and *E. coli* glycogen synthase (GS) (Kumar *et al.*, 1986). Five groups of enzymes included in the alignment are granule-bound starch synthase (GBSS), starch synthase-I (SSI), starch synthase-II (SSII), starch synthase-III (SSIII) and glycogen synthase (GS).

Figure 11 is a schematic representation showing the position of conserved regions within cereal starch synthase genes. Comparisons of cereal starch synthases were made based on their deduced amino acid sequences and 8 conserved regions identified. Conserved regions are shown in bold and transit peptides (where defined) in grey. The sequences included in the alignment are the wheat SSII-A1 and wheat SSIII polypeptides of the present invention; wheat GBSS (Ainsworth *et al.*, 1993); wheat SSI (Li *et al.*, 1999); maize SSIIa (Harn *et al.*, 1998); and maize dull-1 (Gao *et al.*, 1998).

Figure 12 is a copy of a schematic representation of a gene map showing the alignment of fragments 1 to 6 of the genomic SSIII gene (lower line) with the corresponding SSIII cDNA clone (upper line). Raised regions in the genomic clone fragments (lower line) represent protein-encoding regions of the gene.

Figure 13 is a schematic representation showing the organisation of introns (lines) and exons (boxes) in the wheat SSIII gene shown in SEQ ID NO: 38. The scale (bases), relative to the nucleotide sequence set forth in SEQ ID NO: 38, is provided at the bottom of the figure.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

One aspect of the present invention provides an isolated nucleic acid molecule which comprises a sequence of nucleotides which encodes, or is complementary to a nucleic

- 21 -

acid molecule which encodes a wheat starch synthase polypeptide, protein or enzyme molecule or a functional subunit thereof selected from the following:

- (i) a wheat starch synthase II (wSSII) polypeptide, protein or enzyme or functional subunit thereof which comprises an amino acid sequence set forth in any one of SEQ ID NOS: 2, 4, or 6; and
- (ii) a wheat starch synthase III (wSSIII) polypeptide, protein or enzyme or functional subunit thereof which comprises an amino acid sequence set forth in any one of SEQ ID NOS: 8 or 10.

10 Alternatively or in addition, the isolated nucleic acid molecule of the present invention encodes a wheat starch synthase II (wSSII) polypeptide, protein or enzyme or functional subunit thereof and comprises a nucleotide sequence set forth in any one of SEQ ID NOS: 1, 3, 5, or 37.

15 Alternatively or in addition, the isolated nucleic acid molecule of the present invention encodes a wheat starch synthase III (wSSIII) polypeptide, protein or enzyme or functional subunit thereof and comprises a nucleotide sequence set forth in any one of SEQ ID NOS: 7, 9, or 38.

20 As used herein, the term "starch synthase" shall be taken to refer to any enzymatically-active peptide, polypeptide, oligopeptide, polypeptide, protein or enzyme molecule that is at least capable of transferring a glucosyl moiety from ADP-glucose to an α -1,4-glucan molecule, or a peptide, polypeptide, oligopeptide or polypeptide fragment of such an enzymatically-active molecule.

25

The term "wheat starch synthase" refers to a starch synthase derived from hexaploid wheat or barley or a progenitor species, or a relative thereto such as the diploid *Triticum tauschii* or other diploid, tetraploid, aneuploid, polyploid, nullisomic, or a wheat/barley addition line, amongst others, the only requirement that the genomic DNA is at least about 80% identical to the genome of a wheat plant as determined by standard DNA melting curve analyses.

30

- 22 -

The term "starch synthase II" or "wSSII" or similar term shall be taken to refer to a starch synthase as hereinbefore defined that is detectable in the starch granule of a plant seed endosperm and possesses one or more properties selected from the group consisting of:

- 5 (i) it is immunologically cross-reactive with the wheat starch granule proteins designated Sgp-B1 and/or Sgp-D1 and/or Sgp-A1, having estimated molecular weights of about 85 kDa to about 115 kDa;
- (ii) it is encoded by one of a homeologous set of genes localised on wheat chromosomes 7B or 7A or 7D;
- 10 (iii) it is encoded by a nucleotide sequence that comprises at least about 15 nucleotides in length derived from any one or more of SEQ ID NOS: 1, 3, 5, or 37 or a complementary nucleotide sequence thereto;
- (iv) it is encoded by a nucleotide sequence that is at least about 85% identical to one or more of the nucleotide sequences set forth in SEQ ID NOS:
- 15 1, 3, 5, or 37, or a complementary nucleotide sequence thereto;
- (v) it comprises an amino acid sequence having at least about 85% identity to one or more of SEQ ID NOS: 2 or 4 or 6;
- (vi) it comprises at least about 5 contiguous amino acids, preferably at least about 10 contiguous amino acids, more preferably at least about 15 contiguous
- 20 amino acids, even more preferably at least about 20 contiguous amino acids and still even more preferably at least about 25-50 contiguous amino acids of the amino acid sequences set forth in SEQ ID NOS: 2 or 4 or 6;
- (vii) it which comprises a conserved amino acid sequence having at least 25% identity to an amino acid sequence selected from the group consisting of:
- 25 (a) KVGGLGDVVTS;
- (b) GHTVEVILPKY;
- (c) HDWSSAPVAWLYKEHY;
- (d) GILNGIDPDIWDPYTD;
- (e) DVPIVGIITRLTAQKG;
- 30 (f) NGQVVLLGSA;
- (g) AGSDFIIVPSIFEPCGLTQLVAMRYGS; and

- 23 -

(h)TGGLVDTV,

in addition to any one or more of (i) to (vi); and

(viii) it which comprises a conserved amino acid sequence having at least 25% identity to an amino acid sequence selected from the group consisting of:

- 5 (a) KTGGLGDVAGA;
- (b) GHRVMVVVPRY;
- (c) NDWHTALLPVYLKAYY;
- (d) GIVNGIDNMEWNPEVD;
- (e) DVPLLGFIGRLDGQKG;
- 10 (f) DVQLVMLGTG;
- (g)AGADALLMPSRF(E/V)PCGLNQLYAMAYGT; and
- (h)VGG(V/L)RDTV,

in addition to any one or more of (i) to (vi).

15 The term "starch synthase III" or "wSSIII" or similar term shall be taken to refer to a starch synthase as hereinbefore defined that possesses one or more properties selected from the group consisting of:

- (i) it is encoded by a nucleotide sequence that comprises at least about 15 nucleotides in length derived from any one or more of SEQ ID NOS: 7, 9, 11-16, or 38, or a complementary nucleotide sequence thereto;
- 20 (ii) it is encoded by a nucleotide sequence that is at least about 85% identical to one or more of the nucleotide sequences set forth in SEQ ID NOS: 7, 9, 11-16, or 38, or a complementary nucleotide sequence thereto; and
- (iii) it comprises an amino acid sequence having at least about 85% identity
- 25 to one or more of SEQ ID NOS: 8 or 10;
- (iv) it comprises at least about 5 contiguous amino acids, preferably at least about 10 contiguous amino acids, more preferably at least about 15 contiguous amino acids, even more preferably at least about 20 contiguous amino acids and still even more preferably at least about 25-50 contiguous amino acids of
- 30 the amino acid sequences set forth in SEQ ID NOS: 8 or 10;
- (v) which comprises a conserved amino acid sequence having at least 25%

- 24 -

identity to an amino acid sequence selected from the group consisting of:

- (a) KVGGLGDVVTs;
- (b) GHTVEVILPKY;
- (c) HDWSSAPVAWLYKEHY;
- 5 (d) GILNGIDPDIWDPYTD;
- (e) DVPIVGIIITRLTAQKG;
- (f) NGQVVLLGSA;
- (g) AGSDFIIVPSIFPCGLTQLVAMRYGS; and
- (h) TGGLVDTV

10 in addition to any one or more of (i) to (iv); and

(vi) it which comprises a conserved amino acid sequence having at least 25% identity to an amino acid sequence selected from the group consisting of:

- (a) KTGGLGDVAGA;
- (b) GHRVMVVVPRY;
- 15 (c) NDWHTALLPVYLKAYY;
- (d) GIVNGIDNMEWNPEVD;
- (e) DVPLLGFIRLDGQKG;
- (f) DVQLVMLGTG;
- (g) AGADALLMPSTRF(E/V)PCGLNQLYAMAYGT; and
- 20 (h) VGG(V/L)RDTV,

in addition to any one or more of (i) to (iv).

In a more preferred embodiment, the WSSII or WSSIII polypeptide encoded by the nucleic acid molecule of the present invention will comprise a substantial contiguous
 25 region of any one of SEQ ID NOS: 2, 4, 6, 8 or 10 or 17 sufficient to possess the biological activity of a starch synthase polypeptide.

For the purposes of nomenclature, the nucleotide sequence set forth in SEQ ID NO: 1 relates to the cDNA molecule encoding the WSSII (i.e. Sgp-B1) polypeptide of
 30 wheat. The amino acid sequence of the corresponding polypeptide is set forth herein as SEQ ID NO:2. The nucleotide sequence set forth in SEQ ID NO: 3 relates to the

- 25 -

cDNA molecule encoding the WSSII (i.e. Sgp-A1) polypeptide of wheat. The amino acid sequence of the corresponding polypeptide is set forth herein as SEQ ID NO:4. The nucleotide sequence set forth in SEQ ID NO: 5 relates to the cDNA molecule encoding the WSSII (i.e. Sgp-D1) polypeptide of wheat. The amino acid sequence of 5 the corresponding polypeptide is set forth herein as SEQ ID NO:6. The nucleotide sequences set forth in SEQ ID NOS: 7 and 9 relate, respectively, to full-length and partial cDNA molecules encoding the WSSIII polypeptide of wheat. The amino acid sequences of the corresponding polypeptides are set forth herein as SEQ ID NOS: 8 and 10, respectively. The nucleotide sequences set forth in SEQ ID NOS: 11 to 16 10 relates to fragments of the genomic gene encoding the WSSIII polypeptide of wheat, significant protein-encoding regions of which are described by reference to Table 4 and Figure 11. The nucleotide sequence set forth in SEQ ID NO: 37 relates to the WSSII genomic gene of *Triticum tauschii*, corresponding to the WSSII gene of the D-genome of wheat, which encodes the WSSIII polypeptide. The nucleotide sequence 15 set forth in SEQ ID NO: 38 relates to the wheat WSSIII genomic gene.

Preferably, the isolated nucleic acid molecule of the present invention comprises a sequence of nucleotides which encodes, or is complementary to a nucleic acid molecule which encodes a wheat starch synthase polypeptide, protein or enzyme 20 molecule or a functional subunit thereof which comprises an amino acid sequence which is at least about 85% identical overall to an amino acid sequence set forth in any one of SEQ ID NOS: 2, 4, 6, 8, or 10 and more preferably, which additionally comprises which comprises one or more amino acid sequences selected from the group consisting of:

- 25 (a) KVGGLGDVVTS;
- (b) GHTVEVILPKY;
- (c) HDWSSAPVAWLYKEHY;
- (d) GILNGIDPDIWDPYTD;
- (e) DVPIVGIIIRLTAQKG;
- 30 (f) NGQVLLGSA;
- (g) AGSDFIIVPSIFEPCGLTQLVAMRYGS;

- 26 -

- (h)TGGLVDTV;
(i) KTGGLGDVAGA;
(j) GHRVMVVVPRY;
(k) NDWHTALLPVYLKAYY;
5 (l) GIVNGIDNMEWNPEVD;
(m) DVPLLGFIGRLDGQKG;
(n) DVQLVMLGTG;
(o)AGADALLMPSRF(EV)PCGLNQLYAMAYGT; and
(p)VGG(V/L)RDTV.

10

The present invention clearly extends to homologues, analogues and derivatives of the wheat starch synthase II and III genes exemplified by the nucleotide sequences set forth herein as SEQ ID NOs: 1, 3, 5, 7, 9, 11-16, 37 or 38.

- 15 Preferred starch synthase genes may be derived from a naturally-occurring starch synthase gene by standard recombinant techniques. Generally, a starch synthase gene may be subjected to mutagenesis to produce single or multiple nucleotide substitutions, deletions and/or additions. Nucleotide insertional derivatives of the starch synthase gene of the present invention include 5' and 3' terminal fusions as
20 well as intra-sequence insertions of single or multiple nucleotides. Insertional nucleotide sequence variants are those in which one or more nucleotides are introduced into a predetermined site in the nucleotide sequence although random insertion is also possible with suitable screening of the resulting product. Deletional variants are characterised by the removal of one or more nucleotides from the
25 sequence. Substitutional nucleotide variants are those in which at least one nucleotide in the sequence has been removed and a different nucleotide inserted in its place. Such a substitution may be "silent" in that the substitution does not change the amino acid defined by the codon. Alternatively, substituents are designed to alter one amino acid for another similar acting amino acid, or amino acid of like charge, polarity, or
30 hydrophobicity.

For the present purpose, "homologues" of a nucleotide sequence shall be taken to

- 27 -

refer to an isolated nucleic acid molecule which is substantially the same as the nucleic acid molecule of the present invention or its complementary nucleotide sequence, notwithstanding the occurrence within said sequence, of one or more nucleotide substitutions, insertions, deletions, or rearrangements.

5

"Analogues" of a nucleotide sequence set forth herein shall be taken to refer to an isolated nucleic acid molecule which is substantially the same as a nucleic acid molecule of the present invention or its complementary nucleotide sequence, notwithstanding the occurrence of any non-nucleotide constituents not normally
10 present in said isolated nucleic acid molecule, for example carbohydrates, radiochemicals including radionucleotides, reporter molecules such as, but not limited to DIG, alkaline phosphatase or horseradish peroxidase, amongst others.

"Derivatives" of a nucleotide sequence set forth herein shall be taken to refer to any
15 isolated nucleic acid molecule which contains significant sequence similarity to said sequence or a part thereof. Generally, the nucleotide sequence of the present invention may be subjected to mutagenesis to produce single or multiple nucleotide substitutions, deletions and/or insertions. Nucleotide insertional derivatives of the nucleotide sequence of the present invention include 5' and 3' terminal fusions as well
20 as intra-sequence insertions of single or multiple nucleotides or nucleotide analogues. Insertional nucleotide sequence variants are those in which one or more nucleotides or nucleotide analogues are introduced into a predetermined site in the nucleotide sequence of said sequence, although random insertion is also possible with suitable screening of the resulting product being performed. Deletional variants are
25 characterised by the removal of one or more nucleotides from the nucleotide sequence. Substitutional nucleotide variants are those in which at least one nucleotide in the sequence has been removed and a different nucleotide or nucleotide analogue inserted in its place.

30 The present invention extends to the isolated nucleic acid molecule when integrated into the genome of a cell as an addition to the endogenous cellular complement of starch synthase genes, irrespective of whether or not the introduced nucleotide

- 28 -

sequence is translatable or non-translatable to produce a polypeptide. The present invention clearly contemplates the introduction of additional copies of starch synthase genes into plants, particularly wheat plants, in the antisense orientation to reduce the expression of particular wheat starch synthase genes. As will be known to those skilled
5 in the art, such antisense genes are non-translatable, notwithstanding that they can be expressed to produce antisense mRNA molecules.

The said integrated nucleic acid molecule may, or may not, contain promoter sequences to regulate expression of the subject genetic sequence.

10

Accordingly, the present invention clearly encompasses preferred homologues, analogues and derivatives that comprise a sequence of nucleotides which encodes, or is complementary to a nucleic acid molecule which encodes a wheat starch synthase polypeptide, protein or enzyme molecule or a functional subunit thereof

15 selected from the following:

(i) a wheat starch synthase II (wSSII) polypeptide, protein or enzyme or functional subunit thereof which comprises an amino acid sequence which is at least about 85% identical overall to an amino acid sequence set forth in any one of SEQ ID NOS: 2, 4, or 6;

20

(ii) a wheat starch synthase III (wSSIII) polypeptide, protein or enzyme or functional subunit thereof which comprises an amino acid sequence which is at least about 85% identical overall to an amino acid sequence set forth in any one of SEQ ID NOS: 8 or 10;

25

(iii) a wheat starch synthase polypeptide, protein or enzyme or functional subunit thereof which comprises a conserved amino acid sequence having at least 25% identity to an amino acid sequence selected from the group consisting of:

(a) KVGGLGDVVT;

(b) GHTVEVILPKY;

30

(c) HDWSSAPVAWLYKEHY;

(d) GILNGIDPDIWDPYTD;

- 29 -

- (e) DVPIVGIITRLTAQKG;
- (f) NGQVVLLGSA;
- (g) AGSDFIIVPSIFEPCGLTQLVAMRYGS; and
- (h) TGGLVDTV

5 and wherein said wheat starch synthase polypeptide further comprises an amino acid sequence having at least about 85% identity overall to an amino acid sequence set forth in any one of SEQ ID NOS: 2, 4, 6, 8 or 10; and

(iv) a wheat starch synthase polypeptide, protein or enzyme or functional subunit thereof which comprises a conserved amino acid sequence having at least 25% identity to an amino acid sequence selected from the group consisting of:

- (a) KTGGLGDVAGA;
- (b) GHRVMVVVPRY;
- (c) NDWHTALLPVYLKAYY;
- 15 (d) GIVNGIDNMEWNPEVD;
- (e) DVPLLGFGRDLDGQKG;
- (f) DVQLVMLGTG;
- (g) AGADALLMPSRF(E/V)PCGLNQLYAMAYGT; and
- (h) VGG(V/L)RDTV,

20 and wherein said wheat starch synthase polypeptide further comprises an amino acid sequence having at least about 85% identity overall to an amino acid sequence set forth in any one of SEQ ID NOS: 2, 4, 6, 8 or 10.

Preferably, the isolated nucleic acid molecule encodes a starch synthase polypeptide, protein or enzyme that comprises two, more preferably three, more preferably four, more preferably five, more preferably six, more preferably seven and even more preferably eight of the conserved amino acid motifs listed *supra*. Even more preferably, the said amino acid motifs are located in a relative configuration such as that shown for the wheat SSII or wheat SSIII polypeptides described herein.

30

In a preferred embodiment, the isolated nucleic acid molecule encodes a starch

- 30 -

synthase polypeptide, protein or enzyme having at least about 90% amino acid sequence identity to any one of SEQ ID NOS: 2, 4, 6, 8 or 10, more preferably having at least about 95% or about 97% or about 99% identity to any one of said amino acid sequences.

5

In an alternative embodiment, the present invention provides an isolated nucleic acid molecule which encodes a wheat starch synthase polypeptide, protein or enzyme molecule or a functional subunit thereof, wherein said nucleic acid molecule comprises a nucleotide sequence having at least about 85% nucleotide sequence identity to any
10 one of SEQ ID NOS: 1, 3, 5, 7, 9, 11-16, 37, or 38, or a degenerate nucleotide sequence thereto or a complementary nucleotide sequence thereto.

By "degenerate nucleotide sequence" is meant a nucleotide sequence that encodes a substantially identical amino acid sequence as a stated nucleotide sequence.

15

In a preferred embodiment, the isolated nucleic acid molecule comprises the nucleotide sequence set forth in any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11-16, 37, or 38, or is at least about 90% identical, more preferably at least about 95% or 97% or 99% identical to all or a protein-encoding part thereof.

20

In an alternative embodiment, preferred homologues, analogues and derivatives of the nucleic acid molecule of the present invention encodes a wheat starch synthase polypeptide, protein or enzyme molecule or a functional subunit thereof and comprises a nucleotide sequence that is capable of hybridising under at least moderate
25 stringency hybridisation conditions to at least about 30 contiguous nucleotides derived from any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11-16, 37, or 38, or a complementary nucleotide sequence thereto.

For the purposes of defining the level of stringency, a low stringency is defined herein
30 as being a hybridisation and/or a wash carried out in 6xSSC buffer, 0.1% (w/v) SDS at 28°C. Generally, the stringency is increased by reducing the concentration of SSC

- 31 -

buffer, and/or increasing the concentration of SDS and/or increasing the temperature of the hybridisation and/or wash. A moderate stringency comprises a hybridisation and/or a wash carried out in 0.2 x SSC-2 x SSC buffer, 0.1% (w/v) SDS at 42°C to 65°C, while a high stringency comprises a hybridisation and/or a wash carried out in
5 0.1xSSC-0.2 x SSC buffer, 0.1% (w/v) SDS at a temperature of at least 55°C. Conditions for hybridisations and washes are well understood by one normally skilled in the art. For the purposes of further clarification only, reference to the parameters affecting hybridisation between nucleic acid molecules is found in pages 2.10.8 to 2.10.16. of Ausubel *et al.* (1987), which is herein incorporated by reference.

10

Those skilled in the art will be aware of procedures for the isolation of further wheat starch synthase genes to those specifically described herein or homologues, analogues or derivatives of said genes, for example further cDNA sequences and genomic gene equivalents, when provided with one or more of the nucleotide
15 sequences set forth in SEQ ID NOs: 1, 3, 5, 7, 9,11-16, 37, or 38. In particular, amplifications and/or hybridisations may be performed using one or more nucleic acid primers or hybridisation probes comprising at least 10 contiguous nucleotides and preferably at least about 20 contiguous nucleotides or 50 contiguous nucleotides derived from the nucleotide sequences set forth herein, to isolate cDNA clones, mRNA
20 molecules, genomic clones from a genomic library (in particular genomic clones containing the entire 5' upstream region of the gene including the promoter sequence, and the entire coding region and 3'-untranslated sequences), and/or synthetic oligonucleotide molecules, amongst others. The present invention clearly extends to such related sequences.

25

Accordingly, a second aspect of the present invention provides a method of isolating a nucleic acid molecule that encodes a starch synthase polypeptide, protein or enzyme said method comprising:

- (i) hybridising a probe or primer comprising at least about 15 contiguous
30 nucleotides in length derived from any one of SEQ ID NOS 1, 3, 5, 7, 9,11-16, 37, or 38, or a complementary nucleotide sequence thereto to single-stranded or double-stranded mRNA, cDNA or genomic DNA; and

- 32 -

- (ii) detecting the hybridised mRNA, cDNA or genomic DNA using a detecting means.

Preferably, the detecting means is a reporter molecule covalently attached to the probe
5 or primer molecule or alternatively, a polymerase chain reaction format.

An alternative method contemplated in the present invention involves hybridising two nucleic acid "primer molecules" to a nucleic acid "template molecule" which comprises a related starch synthase gene or related starch synthase genetic sequence or a
10 functional part thereof, wherein the first of said primers comprises contiguous nucleotides derived from any one or more of SEQ ID NOS: 1, 3, 5, 7, 9, 11-16, 37, or 38, and the second of said primers comprises contiguous nucleotides complementary to any one or more of SEQ ID NOS: 1, 3, 5, 7, 9, 11-16, 37, or 38. Specific nucleic acid molecule copies of the template molecule are amplified enzymatically in a
15 polymerase chain reaction, a technique that is well known to one skilled in the art.

In a preferred embodiment, each nucleic acid primer molecule is at least 10 nucleotides in length, more preferably at least 20 nucleotides in length, even more preferably at least 30 nucleotides in length, still more preferably at least 40 nucleotides
20 in length and even still more preferably at least 50 nucleotides in length.

Furthermore, the nucleic acid primer molecules consists of a combination of any of the nucleotides adenine, cytidine, guanine, thymidine, or inosine, or functional analogues or derivatives thereof which are at least capable of being incorporated into a
25 polynucleotide molecule without having an inhibitory effect on the hybridisation of said primer to the template molecule in the environment in which it is used.

Furthermore, one or both of the nucleic acid primer molecules may be contained in an aqueous mixture of other nucleic acid primer molecules, for example a mixture of
30 degenerate primer sequences which vary from each other by one or more nucleotide substitutions or deletions. Alternatively, one or both of the nucleic acid primer molecules may be in a substantially pure form.

- 33 -

The nucleic acid template molecule may be in a recombinant form, in a virus particle, bacteriophage particle, yeast cell, animal cell, or a plant cell. Preferably, the nucleic acid template molecule is derived from a plant cell, tissue or organ, in particular a cell, tissue or organ derived from a wheat or barley plant or a progenitor species, or a
5 relative thereto such as the diploid *Triticum tauschii* or other diploid, tetraploid, aneuploid, polyploid, nullisomic, or a wheat/barley addition line, amongst others.

Those skilled in the art will be aware that there are many known variations of the basic polymerase chain reaction procedure, which may be employed to isolate a related
10 starch synthase gene or related starch synthase genetic sequence when provided with the nucleotide sequences set forth herein. Such variations are discussed, for example, in McPherson *et al* (1991). The present invention extends to the use of all such variations in the isolation of related starch synthase genes or related starch synthase genetic sequences using the nucleotide sequences embodied by the present invention.

15

As exemplified herein, the present inventors have isolated several wheat starch synthase genes using both hybridisation and polymerase chain reaction approaches, employing novel probes and primer sequences to do so.

20 Accordingly, a third aspect of the invention provides an isolated probe or primer comprising at least about 15 contiguous nucleotides in length derived from any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11-16, 37, or 38, or a complementary nucleotide sequence thereto.

25 Preferably, the probe or primer comprises a nucleotide sequence set forth in any one of SEQ ID NOS: 25 to 34.

The isolated nucleic acid molecule of the present invention may be introduced into and expressed in any cell, for example a plant cell, fungal cell, insect cell, animal cell, yeast
30 cell or bacterial cell. Those skilled in the art will be aware of any modifications which are required to the codon usage or promoter sequences or other regulatory

- 34 -

sequences, in order for expression to occur in such cells.

A further aspect of the invention provides a method of assaying for the presence or absence of a starch synthase isoenzyme or the copy number of a gene encoding same
5 in a plant, comprising contacting a biological sample derived from said plant with an isolated nucleic acid molecule derived from any one of SEQ ID NOS 1, 3, 5, 7, 9, 11-16, 37, or 38, or any one of SEQ ID NOS: 25 to 34, or a complementary nucleotide sequence thereto for a time and under conditions sufficient for hybridisation to occur and then detecting said hybridisation using a detection means.

10

The detection means according to this aspect of the invention is any nucleic acid based hybridisation or amplification reaction.

The hexaploid nature of wheat prevents the straightforward identification of starch
15 synthase allelic variants by hybridisation using the complete starch synthase-encoding sequence, because the similarities between the various alleles generally results in significant cross-hybridisation. Accordingly, sequence-specific hybridisation probes are required to distinguish between the various alleles. Similarly, wherein PCR is used to amplify specific allelic variants of a starch synthase gene, one or more sequence-
20 specific amplification primers are generally required. As will be apparent from the amino acid sequence comparisons provided herein, such as in Figures 3 and 13, non-conserved regions of particular wheat starch synthase polypeptides are particularly useful for the design of probes and primers that are capable of distinguishing between one or more starch synthase polypeptide isoenzyme or allelic variant. The present
25 invention clearly contemplates the design of such probes and primers based upon the sequence comparisons provided herein.

In the performance of this embodiment of the present invention, the present inventors particularly contemplate the identification of wheat starch synthase null alleles or
30 alternatively, mutations wherein specific amino acids are inserted or deleted or substituted, compared to one or more of the wheat SSII or SSIII alleles disclosed

- 35 -

herein. Such null alleles and other allelic variants are readily identifiable using PCR screening which employs amplification primers based upon the nucleotide and amino acid sequences disclosed herein for SSII and/or SSIII. Once identified, the various mutations can be stacked or pyramided into one or more new wheat lines, such as by
5 introgression and/or standard plant breeding and/or recombinant approaches (eg. transformation, transfection, etc) thereby producing a novel germplasm which exhibits altered starch properties compared to existing lines. DNA markers based upon the nucleotide and amino acid sequences disclosed herein for SSII and/or SSIII can be employed to monitor the stacking of genes into the new lines and to correlate the
10 presence of particular genes with starch phenotypes of said lines.

In this regard, a significant advantage conferred by the present invention is the design of new DNA markers that reveal polymorphisms such as, for example, length polymorphisms, restriction site polymorphisms, and single nucleotide polymorphisms,
15 amongst others, between wheat starch synthases and, in particular, between wheat GBSS and/or SSI and/or SSII and/or SSIII, or between allelic variants of one or more of said starch synthases, that can be used to identify the three genomes of hexaploid wheats (i.e., the A, B and D genomes).

20 Preferably, such DNA markers are derived from the intron region of a starch synthase gene disclosed herein, more preferably the wheat SSII and/or the wheat SSIII gene. Those skilled in the art will be aware that such regions generally have a higher degree of variation than in the protein-encoding regions and, as a consequence, are particularly useful in identifying specific allelic variants of a particular gene, such as
25 allelic variants contained in any one of the three wheat genomes, or alternatively or in addition, for the purpose of distinguishing between wheat GBSS, SSI, SSII or SSIII genes.

A further approach contemplated by the present inventors is the design of unique
30 isoenzyme-specific and/or allele-specific peptides based upon the amino acid sequence disclosed herein as SEQ ID NOS: 25 and/or SEQ ID NO: 4 and/or SEQ ID

- 36 -

NO: 6 and/or SEQ ID NO: 8 and/or SEQ ID NO: 10, which peptides are then used to produce polyclonal or monoclonal antibodies by conventional means. Alternatively, the genes encoding these polypeptides or unique peptide regions thereof can be introduced in an expressible format into an appropriate prokaryotic or eukaryotic expression system, where they can be expressed to produce the isoenzyme-specific and/or allele-specific peptides for antibody production. Such antibodies may also be used as markers for the purpose of both identifying parental lines and germplasms and monitoring the stacking of genes in new lines, using conventional immunoassays such as, for example, ELISA and western blotting.

10

A further aspect of the present invention utilises the above-mentioned nucleic acid based assay method in the breeding and/or selection of plants which express or do not express particular starch synthase isoenzymes or alternatively, which express a particular starch synthase isoenzyme at a particular level in one or more plant tissues. This aspect clearly extends to the selection of transformed plant material which contains one or more of the isolated nucleic acid molecules of the present invention.

Yet another aspect of the present invention provides for the expression of the nucleic acid molecule of the present invention in a suitable host (e.g. a prokaryote or eukaryote) to produce full length or non-full length recombinant starch synthase gene products.

Hereinafter the term "starch synthase gene product" shall be taken to refer to a recombinant product of a starch synthase gene of the present invention.

25

Preferably, the recombinant starch synthase gene product comprises an amino acid sequence having the catalytic activity of a starch synthase polypeptide or a functional mutant, derivative part, fragment, or analogue thereof.

30 In a particularly preferred embodiment of the invention, the recombinant starch synthase gene product is selected from the following:

- 37 -

- (i) a wheat starch synthase II (wSSII) polypeptide, protein or enzyme or functional subunit thereof which comprises an amino acid sequence which is at least about 85% identical overall to an amino acid sequence set forth in any one of SEQ ID NOS: 2, 4, or 6;
- 5 (ii) a wheat starch synthase III (wSSIII) polypeptide, protein or enzyme or functional subunit thereof which comprises an amino acid sequence which is at least about 85% identical overall to an amino acid sequence set forth in any one of SEQ ID NOS: 8 or 10; and
- (iii) a wheat starch synthase polypeptide, protein or enzyme or functional subunit thereof which comprises a conserved amino acid sequence having at least 25% identity to an amino acid sequence selected from the group consisting of:
- 10 (a) KVGGLGDVVTs;
(b) GHTVEVILPKY;
(c) HDWSSAPVAWLYKEHY;
(d) GILNGIDPDIWDPYTD;
(e) DVPIVGIITRLTAQKG;
(f) NGQVLLGSA;
(g) AGSDFIIVPSIFPCGLTQLVAMRYGS;
(h) TGGLVDTV;
- 15 (i) a wheat starch synthase II (wSSII) polypeptide, protein or enzyme or functional subunit thereof which comprises an amino acid sequence which is at least about 85% identical overall to an amino acid sequence set forth in any one of SEQ ID NOS: 2, 4, or 6;
- 20 (ii) a wheat starch synthase III (wSSIII) polypeptide, protein or enzyme or functional subunit thereof which comprises an amino acid sequence which is at least about 85% identical overall to an amino acid sequence set forth in any one of SEQ ID NOS: 8 or 10;
- 25 (iii) a wheat starch synthase polypeptide, protein or enzyme or functional subunit thereof which comprises a conserved amino acid sequence having at least 25% identity to an amino acid sequence selected from the group consisting of:
- 30 (a) KVGGLGDVVTs;
(b) GHTVEVILPKY;
(c) HDWSSAPVAWLYKEHY;
(d) GILNGIDPDIWDPYTD;
(e) DVPIVGIITRLTAQKG;
(f) NGQVLLGSA;
(g) AGSDFIIVPSIFPCGLTQLVAMRYGS;
(h) TGGLVDTV;

- 38 -

least 25% identity to an amino acid sequence selected from the group consisting of:

- (a) KVGGLGDVVTs;
- (b) GHTVEVILPKY;
- 5 (c) HDWSSAPVAWLYKEHY;
- (d) GILNGIDPDIWDPYTD;
- (e) DVPIVGIIIRLTAAKG;
- (f) NGQVLLGSA;
- (g) AGSDFIIVPSIFEPCGLTQLVAMRYGS; and
- 10 (h) TGGLVDTV;
- (i) KTGGLGDVAGA;
- (j) GHRVMVVVPRY;
- (k) NDWHTALLPVYLKAYY;
- (l) GIVNGIDNMEWNPEVD;
- 15 (m) DVPLLGFIGRLDGQKG;
- (n) DVQLVMLGTG;
- (o) AGADALLMPSRF(E/V)PCGLNQLYAMAYGT; and
- (p) VGG(V/L)RDTV.

20 Accordingly, the present invention clearly extends to homologues, analogues and derivatives of the amino acid sequences set forth herein as SEQ ID NOS: 2, 4, 6, 8 and 10.

In the present context, "homologues" of an amino acid sequence refer to those
25 polypeptides, enzymes or proteins which have a similar catalytic activity to the amino acid sequences described herein, notwithstanding any amino acid substitutions, additions or deletions thereto. A homologue may be isolated or derived from the same or another plant species as the species from which the polypeptides of the invention are derived.

30

"Analogues" encompass polypeptides of the invention notwithstanding the occurrence

- 39 -

of any non-naturally occurring amino acid analogues therein.

"Derivatives" include modified peptides in which ligands are attached to one or more of the amino acid residues contained therein, such as carbohydrates, enzymes, proteins, polypeptides or reporter molecules such as radionuclides or fluorescent compounds. Glycosylated, fluorescent, acylated or alkylated forms of the subject peptides are particularly contemplated by the present invention. Additionally, derivatives of an amino acid sequence described herein which comprises fragments or parts of the subject amino acid sequences are within the scope of the invention, as are homopolymers or heteropolymers comprising two or more copies of the subject polypeptides. Procedures for derivatizing peptides are well-known in the art.

Substitutions encompass amino acid alterations in which an amino acid is replaced with a different naturally-occurring or a non-conventional amino acid residue. Such substitutions may be classified as "conservative", in which an amino acid residue contained in a starch synthase gene product is replaced with another naturally-occurring amino acid of similar character, for example Gly↔Ala, Val↔Ile↔Leu, Asp↔Glu, Lys↔Arg, Asn↔Gln or Phe↔Trp↔Tyr.

Substitutions encompassed by the present invention may also be "non-conservative", in which an amino acid residue which is present in a starch synthase gene product described herein is substituted with an amino acid with different properties, such as a naturally-occurring amino acid from a different group (eg. substituted a charged or hydrophobic amino acid with alanine), or alternatively, in which a naturally-occurring amino acid is substituted with a non-conventional amino acid.

Non-conventional amino acids encompassed by the invention include, but are not limited to those listed in Table 2.

Amino acid substitutions are typically of single residues, but may be of multiple residues, either clustered or dispersed.

- 40 -

Amino acid deletions will usually be of the order of about 1-10 amino acid residues, while insertions may be of any length. Deletions and insertions may be made to the N-terminus, the C-terminus or be internal deletions or insertions. Generally, insertions within the amino acid sequence will be smaller than amino- or carboxy-terminal fusions and of the order of 1-4 amino acid residues.

A homologue, analogue or derivative of a starch synthase gene product as referred to herein may readily be made using peptide synthetic techniques well-known in the art, such as solid phase peptide synthesis and the like, or by recombinant DNA manipulations. Techniques for making substituent mutations at pre-determined sites using recombinant DNA technology, for example by M13 mutagenesis, are also well-known. The manipulation of nucleic acid molecules to produce variant peptides, polypeptides or proteins which manifest as substitutions, insertions or deletions are well-known in the art.

The starch synthase gene products described herein may be derivatized further by the inclusion or attachment thereto of a protective group which prevents, inhibits or slows proteolytic or cellular degradative processes. Such derivatization may be useful where the half-life of the subject polypeptide is required to be extended, for example to increase the amount of starch produced in the endosperm or alternatively, to increase the amount of protein produced in a bacterial or eukaryotic expression system. Examples of chemical groups suitable for this purpose include, but are not limited to, any of the non-conventional amino acid residues listed in Table 2, in particular a D-stereoisomer or a methylated form of a naturally-occurring amino acid listed in Table 1. Additional chemical groups which are useful for this purpose are selected from the list comprising aryl or heterocyclic N-acyl substituents, polyalkylene oxide moieties, desulphatohirudin muteins, alpha-muteins, alpha-aminophosphonic acids, water-soluble polymer groups such as polyethylene glycol attached to sugar residues using hydrazone or oxime groups, benzodiazepine dione derivatives, glycosyl groups such as beta-glycosylamine or a derivative thereof, isocyanate conjugated to a polyol functional group or polyoxyethylene polyol capped with diisocyanate, amongst others. Similarly, a starch synthase gene product or a homologue, analogue or derivative

- 41 -

thereof may be cross-linked or fused to itself or to a protease inhibitor peptide, to reduce susceptibility of said molecule to proteolysis.

In a particularly preferred embodiment, the percentage similarity to in any one of SEQ
5 ID NOS: 2, 4, 6, 8 or 10 is at least about 90%, more preferably at least about 95%,
even more preferably at least about 97% and even more preferably at least about
98%, or about 99% or 100%.

In a related embodiment, the present invention provides a "sequencably pure" form of
10 the amino acid sequence described herein. "Sequencably pure" is hereinbefore
described as substantially homogeneous to facilitate amino acid determination.

In a further related embodiment, the present invention provides a "substantially
homogeneous" form of the subject amino acid sequence, wherein the term
15 "substantially homogeneous" is hereinbefore defined as being in a form suitable for
interaction with an immunologically interactive molecule. Preferably, the polypeptide
is at least 20% homogeneous, more preferably at least 50% homogeneous, still more
preferably at least 75% homogeneous and yet still more preferably at least about 95-
100% homogenous, in terms of activity per microgram of total protein in the protein
20 preparation.

To produce the recombinant polypeptide of the present invention, the coding region
of a starch synthase gene described herein or a functional homologue, analogue or
derivative thereof is placed operably in connection with a promoter sequence in the
25 sense orientation, such that a starch synthase gene product is capable of being
expressed under the control of said promoter sequence.

In the present context, the term "in operable connection with" means that expression
of the isolated nucleotide sequence is under the control of the promoter sequence with
30 which it is connected, regardless of the relative physical distance of the sequences
from each other or their relative orientation with respect to each other.

- 42 -

Reference herein to a "promoter" is to be taken in its broadest context and includes the transcriptional regulatory sequences of a classical genomic gene, including the TATA box which is required for accurate transcription initiation, with or without a CCAAT box sequence and additional regulatory elements (i.e. upstream activating sequences, 5 enhancers and silencers) which alter gene expression in response to developmental and/or external stimuli, or in a tissue-specific manner. A promoter is usually, but not necessarily, positioned upstream or 5', of a structural gene, the expression of which it regulates. Furthermore, the regulatory elements comprising a promoter are usually positioned within 2 kb of the start site of transcription of the gene.

10

In the present context, the term "promoter" is also used to describe a synthetic or fusion molecule, or derivative which confers, activates or enhances expression of a structural gene or other nucleic acid molecule, particularly in a plant cell and more preferably in a wheat plant or other monocotyledonous plant cell, tissue or organ. 15 Preferred promoters may contain additional copies of one or more specific regulatory elements, to further enhance expression and/or to alter the spatial expression and/or temporal expression. For example, regulatory elements which confer copper inducibility may be placed adjacent to a heterologous promoter sequence, thereby conferring copper inducibility on the expression of said molecule.

20

Those skilled in the art will be aware that in order to obtain optimum expression of the starch synthase gene of the present invention, it is necessary to position said gene in an appropriate configuration such that expression is controlled by the promoter sequence. Promoters are generally positioned 5' (upstream) to the genes that they 25 control. In the construction of heterologous promoter/structural gene combinations it is generally preferred to position the promoter at a distance from the gene transcription start site that is approximately the same as the distance between that promoter and the gene it controls in its natural setting, i.e., the gene from which the promoter is derived. As is known in the art, some variation in this distance can be accommodated 30 without loss of promoter function. Similarly, the preferred positioning of a regulatory sequence element with respect to a heterologous gene to be placed under its control is defined by the positioning of the element in its natural setting, i.e., the genes from

- 43 -

which it is derived. Again, as is known in the art, some variation in this distance can also occur.

Examples of promoters suitable for expressing the starch synthase gene of the present invention include viral, fungal, bacterial, animal and plant derived promoters capable of functioning in prokaryotic or eukaryotic cells. Preferred promoters are those capable of regulating the expression of the subject starch synthase genes in plants cells, fungal cells, insect cells, yeast cells, animal cells or bacterial cells, amongst others. Particularly preferred promoters are capable of regulating expression of the subject nucleic acid molecules in monocotyledonous plant cells. The promoter may regulate the expression of the said molecule constitutively, or differentially with respect to the tissue in which expression occurs or, with respect to the developmental stage at which expression occurs, or in response to external stimuli such as physiological stresses, or plant pathogens, or metal ions, amongst others.

Accordingly, strong constitutive promoters are particularly preferred for the purposes of the present invention.

Examples of preferred promoters include the bacteriophage T7 promoter, bacteriophage T3 promoter, SP6 promoter, *lac* operator-promoter, *lac* promoter, SV40 late promoter, SV40 early promoter, RSV-LTR promoter, CMV IE promoter, CaMV 35S promoter, SCSV promoter, SCBV promoter and the like.

Particularly preferred promoters operable in plant cells include, for example the CaMV 35S promoter, and the SCBV promoter. Those skilled in the art will readily be aware of additional promoter sequences other than those specifically described.

In a particularly preferred embodiment, the promoter may be derived from a genomic starch synthase gene. Preferably, the promoter sequence comprises nucleotide sequences that are linked *in vivo* to nucleotide sequences set forth in any one of SEQ ID NOs: 1, 3, 5, 7, 9, 11-16, 37, or 38. By "linked *in vivo*" means that the promoter is present in its native state in the genome of a wheat plant where it controls expression

- 44 -

of the starch synthase gene of the present invention.

Conveniently, genetic constructs are employed to facilitate expression of a starch synthase genetic sequence of the present invention or a functional derivative, part, 5 homologue, or analogue thereof. To produce a genetic construct, the starch synthase gene of the invention is inserted into a suitable vector or episome molecule, such as a bacteriophage vector, viral vector or a plasmid, cosmid or artificial chromosome vector which is capable of being maintained and/or replicated and/or expressed in the host cell, tissue or organ into which it is subsequently introduced. The said genetic 10 construct comprises the subject nucleic acid molecule placed operably under the control of a promoter sequence and optionally, a terminator sequence.

The term "terminator" refers to a DNA sequence at the end of a transcriptional unit which signals termination of transcription. Terminators are 3'-non-translated DNA 15 sequences containing a polyadenylation signal, which facilitates the addition of polyadenylate sequences to the 3'-end of a primary transcript. Terminators active in bacteria, yeasts, animal cells and plant cells are known and described in the literature. They may be isolated from bacteria, fungi, viruses, animals and/or plants.

20 Examples of terminators particularly suitable for use in expressing the nucleic acid molecule of the present invention in plant cells include the nopaline synthase (NOS) gene terminator of *Agrobacterium tumefaciens*, the terminator of the Cauliflower mosaic virus (CaMV) 35S gene, and the *zein* gene terminator from *Zea mays*.

25 Genetic constructs will generally further comprise one or more origins of replication and/or selectable marker gene sequences.

The origin of replication can be functional in a bacterial cell and comprise, for example, the pUC or the ColE1 origin. Alternatively, the origin of replication is operable in a 30 eukaryotic cell, tissue and more preferably comprises the 2 micron (2 μ m) origin of replication or the SV40 origin of replication.

- 45 -

As used herein, the term "selectable marker gene" includes any gene which confers a phenotype on a cell in which it is expressed to facilitate the identification and/or selection of cells which are transfected or transformed with a genetic construct of the invention or a derivative thereof.

5

Suitable selectable marker genes contemplated herein include the ampicillin-resistance gene (Amp^r), tetracycline-resistance gene (Tc^r), bacterial kanamycin-resistance gene (Kan^r), is the zeocin resistance gene (Zeocin is a drug of bleomycin family which is trademark of InVitrogen Corporation), the *AURI-C* gene which confers resistance to the
10 antibiotic aureobasidin A, phosphinothricin-resistance gene, neomycin phosphotransferase gene (*npfII*), hygromycin-resistance gene, β -glucuronidase (GUS) gene, chloramphenicol acetyltransferase (CAT) gene, green fluorescent protein-encoding gene or the luciferase gene, amongst others. Those skilled in the art will be aware of other selectable marker genes useful in the performance of the present
15 invention and the subject invention is not limited by the nature of the selectable marker gene.

Usually, an origin of replication or a selectable marker gene suitable for use in bacteria is physically-separated from those genetic sequences contained in the genetic
20 construct which are intended to be expressed or transferred to a eukaryotic cell, or integrated into the genome of a eukaryotic cell.

Standard methods can be used to introduce genetic constructs into a cell, tissue or organ for the purposes of modulating gene expression. Particularly preferred methods
25 suited to the introduction of synthetic genes and genetic constructs comprising same to eukaryotic cells include liposome-mediated transfection or transformation, transformation of cells with attenuated virus particles or bacterial cells and standard procedures for the transformation of plant and animal cells, tissues, organs or organisms. Any standard means may be used for their introduction including cell
30 mating, transformation or transfection procedures known to those skilled in the art or described by Ausubel *et al.* (1992).

- 46 -

In a further embodiment of the present invention, the starch synthase genes of the present invention and genetic constructs comprising same are adapted for integration into the genome of a cell in which it is expressed. Those skilled in the art will be aware that, in order to achieve integration of a genetic sequence or genetic construct into the genome of a host cell, certain additional genetic sequences may be required. In the case of plants, left and right border sequences from the T-DNA of the *Agrobacterium tumefaciens* Ti plasmid will generally be required.

The invention further contemplates increased starch and/or modified starch composition in transgenic plants expressing the nucleic acid molecule of the invention in the sense orientation such that the activity of one or more starch synthase isoenzymes is increased therein. By increasing the level of one or more starch synthase isoenzymes, the deposition of starch in the amyloplast or chloroplast is increased and/or a modified starch granule structure is produced and/or starch composition is modified and/or the amylose/amylopectin ratio is altered in the plant.

Wherein it is desired to increase the synthesis of a particular starch synthase isoenzyme in a plant cell, the coding region of a starch synthase gene is placed operably behind a promoter, in the sense orientation, such that said starch synthase is expressed under the control of said promoter sequence. In a preferred embodiment, the starch synthase genetic sequence is a starch synthase genomic sequence, cDNA molecule or protein-coding sequence.

Wherein it is desirable to reduce the level of a particular starch synthase isoenzyme in a plant cell, the nucleic acid molecule of the present invention can be expressed in the antisense orientation, as an antisense molecule or a ribozyme molecule, under the control of a suitable promoter.

Alternatively, the nucleic acid molecule of the present invention may also be expressed in the sense orientation, in the form of a co-suppression molecule, to reduce the level of a particular starch synthase isoenzyme in a plant cell. As will be known to those skilled in the art, co-suppression molecules that comprise inverted repeat sequences

- 47 -

of a target nucleic acid molecule provide optimum efficiency at reducing expression of said target nucleic acid molecule and, as a consequence, the present invention clearly contemplates the use of inverted repeat sequences of any one or more of the starch synthase genetic sequences exemplified herein, or inverted repeat sequences of a
5 homologue, analogue or derivative of said starch synthase genetic sequences, to reduce the level of a starch synthase isoenzyme in a plant.

The expression of an antisense, ribozyme or co-suppression molecule comprising a starch synthase gene in a cell such as a plant cell, fungal cell, insect cell, animal cell,
10 yeast cell or bacterial cell, may also increase the availability of carbon as a precursor for a secondary metabolite other than starch (e.g. sucrose or cellulose). By targeting the endogenous starch synthase gene, expression is diminished, reduced or otherwise lowered to a level that results in reduced deposition of starch in the amyloplast or chloroplast and/or leads to modified starch granule structure and/or composition
15 and/or altered amylose/amylopectin ratio.

Accordingly, a further aspect of the present invention provides a method of modifying the starch content and/or starch composition of one or more tissues or organs of a plant, comprising expressing therein a sense molecule, antisense molecule, ribozyme
20 molecule, co-suppression molecule, or gene-targeting molecule having at least about 85% nucleotide sequence identity to any one of any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11-16, 37, or 38, or a complementary nucleotide sequence thereto for a time and under conditions sufficient for the enzyme activity of one or more starch synthase isoenzymes to be modified. This aspect of the invention clearly extends to the
25 introduction of the sense molecule, antisense molecule, ribozyme molecule, co-suppression molecule, or gene-targeting molecule to isolated plant cells, tissues or organs or organelles by cell fusion or transgenic means and the regeneration of intact plants therefrom.

30 Co-suppression is the reduction in expression of an endogenous gene that occurs when one or more copies of said gene, or one or more copies of a substantially similar

- 48 -

gene are introduced into the cell, preferably in the form of an inverted repeat structure.

The present inventors have discovered that the genetic sequences disclosed herein are capable of being used to modify the level of starch when expressed, particularly
5 when expressed in plants cells. Accordingly, the present invention clearly extends to the modification of starch biosynthesis in plants, in particular wheat or barley plants or a progenitor plant species, or a relative thereto such as the diploid *Triticum tauschii* or other diploid, tetraploid, aneuploid, polyploid, nullisomic, or a wheat/barley addition line, amongst others.

10

In particular, the present invention contemplates decreased starch production and/or modified starch composition in transgenic plants expressing the nucleic acid molecule of the invention in the antisense orientation or alternatively, expressing a ribozyme or co-suppression molecule comprising the nucleic acid sequence of the invention such
15 that the activity of one or more starch synthase isoenzymes is decreased therein.

In the context of the present invention, an antisense molecule is an RNA molecule
20 which is transcribed from the complementary strand of a nuclear gene to that which is normally transcribed to produce a "sense" mRNA molecule capable of being translated into a starch synthase polypeptide. The antisense molecule is therefore complementary to the mRNA transcribed from a sense starch synthase gene or a part thereof. Although not limiting the mode of action of the antisense molecules of the
25 present invention to any specific mechanism, the antisense RNA molecule possesses the capacity to form a double-stranded mRNA by base pairing with the sense mRNA, which may prevent translation of the sense mRNA and subsequent synthesis of a polypeptide gene product.

30 Ribozymes are synthetic RNA molecules which comprise a hybridising region complementary to two regions, each of at least 5 contiguous nucleotide bases in the target sense mRNA. In addition, ribozymes possess highly specific endoribonuclease

- 49 -

activity, which autocatalytically cleaves the target sense mRNA. A complete description of the function of ribozymes is presented by Haseloff and Gerlach (1988) and contained in International Patent Application No. WO89/05852.

- 5 The present invention extends to ribozyme which target a sense mRNA encoding a native starch synthase gene product, thereby hybridising to said sense mRNA and cleaving it, such that it is no longer capable of being translated to synthesise a functional polypeptide product.
- 10 According to this embodiment, the present invention provides a ribozyme or antisense molecule comprising at least 5 contiguous nucleotide bases derived from any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11-16, 37, or 38, or a complementary nucleotide sequence thereto or a homologue, analogue or derivative thereof, wherein said antisense or ribozyme molecule is able to form a hydrogen-bonded complex with a sense mRNA
- 15 encoding a starch synthase gene product to reduce translation thereof.

- In a preferred embodiment, the antisense or ribozyme molecule comprises at least 10 to 20 contiguous nucleotides derived from any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11-16, 37, or 38, or a complementary nucleotide sequence thereto or a homologue, analogue
- 20 or derivative thereof. Although the preferred antisense and/or ribozyme molecules hybridise to at least about 10 to 20 nucleotides of the target molecule, the present invention extends to molecules capable of hybridising to at least about 50-100 nucleotide bases in length, or a molecule capable of hybridising to a full-length or substantially full-length mRNA encoded by a starch synthase gene.

25

Those skilled in the art will be aware of the necessary conditions, if any, for selecting or preparing the antisense or ribozyme molecules of the invention.

- It is understood in the art that certain modifications, including nucleotide substitutions
- 30 amongst others, may be made to the antisense and/or ribozyme molecules of the present invention, without destroying the efficacy of said molecules in inhibiting the expression of a starch synthase gene. It is therefore within the scope of the present

- 50 -

invention to include any nucleotide sequence variants, homologues, analogues, or fragments of the said gene encoding same, the only requirement being that said nucleotide sequence variant, when transcribed, produces an antisense and/or ribozyme molecule which is capable of hybridising to a sense mRNA molecule which
5 encodes a starch synthase gene product.

Gene targeting is the replacement of an endogenous gene sequence within a cell by a related DNA sequence to which it hybridises, thereby altering the form and/or function of the endogenous gene and the subsequent phenotype of the cell. According
10 to this embodiment, at least a part of the DNA sequence defined by any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11-16, 37, or 38 may be introduced into target cells containing an endogenous gene that encodes a particular starch synthase isoenzyme, thereby replacing said endogenous gene. According to this embodiment, the polypeptide product of the gene targeting molecule generally encodes a starch synthase
15 isoenzyme that possesses different catalytic activity to the polypeptide product of the endogenous gene, producing in turn modified starch content and/or composition in the target cell.

The present invention extends to genetic constructs designed to facilitate expression
20 of a sense molecule, an antisense molecule, ribozyme molecule, co-suppression molecule, or gene targeting molecule of the present invention. The requirements for expressing such molecules are similar to those for expressing a recombinant polypeptide as described *supra*.

25 The present invention further extends to the production and use of starches and proteins produced using the novel genes described herein. Modified starches produced by plants which have been selected using marker-assisted selection, or alternatively, produced by transgenic plants carrying the introduced starch synthase genes, are particularly suitable for use in food products, such as, for example, flour
30 and flour-based products, in particular those products selected from the group consisting of: flour-based sauce; leavened bread; unleavened bread; pasta, noodle; cereal; snack food; cake; and pastry. Modified proteins are also suitable for use in non-

- 51 -

food products, such as, for example, those non-food products selected from the group consisting of: films; coatings; adhesives; building materials; and packaging materials.

Additionally, starch hydrolysates or undegraded starches are both useful in industry and, as a consequence, the present invention is useful in applications relating to the use of both starch hydrolysates and undegraded starches. By "starch hydrolysates" is meant the glucose and glucan components that are obtainable by the enzymatic or chemical degradation of starch in chemical modifications and processes, such as fermentation.

10

Starch produced by plants expressing the sense, antisense, co-suppression, gene-targeting or ribozyme molecules of the present invention may exhibit modified viscosities and/or gelling properties of its gels when compared to starch derived from wild-type plants. Native starches produced by the performance of the inventive method are useful as an additive in the following: (i) foodstuffs, for the purpose of increasing the viscosity or gelling properties of food; (ii) in non-foodstuffs, such as an adjuvant or additive in the paper and cardboard industries, for retention or as a size filler, or as a solidifying substance or for dehydration, or film coating, amongst others; (iii) in the adhesive industry as pure starch glue, as an additive to synthetic resins and polymer dispersions, or as an extenders for synthetic adhesives; (iv) in the textile and textile care industries to strengthen woven products and reduce burring or to thicken dye pastes; (v) in the building industry, such as a binding agent in the production of gypsum plaster boards, or for the deceleration of the sizing process; (vi) in ground stabilization or for the temporary protection of ground particles against water in artificial earth shifting; (vii) as a wetting agent in plant protectants and fertilizers; (viii) as a binding agent in drugs, pharmaceuticals and medicated foodstuff such as vitamins, etc; (ix) as an additive in coal and briquettes; (xi) as a flocculent in the processing of coal ore and slurries; (xii) as a binding agent in casting processes to increase flow resistance and improve binding strength; and (xiii) to improve the technical and optical quality of rubber and plastic products. Additional applications are not excluded.

30

A further aspect of the present invention provides an isolated promoter that is operable

- 52 -

in the endosperm of a monocotyledonous plant cell, tissue or organ, and preferably in the endosperm of a monocotyledonous plant cell, tissue or organ. According to this embodiment, it is preferred that the promoter is derived from a starch synthase gene of the present invention, such as a promoter that is linked *in vivo* to any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11-16, 37, or 38, or a complementary nucleotide sequence thereto.

In a particularly preferred embodiment, the promoter comprises a nucleotide sequence derivable from the 5'-upstream region of SEQ ID NO: 11 or SEQ ID NO: 37 or SEQ ID NO: 38, or a complementary nucleotide sequence thereto, and more preferably comprises nucleotides 1 to about 287 of SEQ ID NO: 11, or nucleotides 1 to about 1416 of SEQ ID NO: 37, or nucleotides 1 to about 973 of SEQ ID NO: 38, or a complementary nucleotide sequence thereto. The present invention clearly extends to promoter sequences that comprise further nucleotide sequences in the region upstream of the stated nucleotide sequence that are linked *in vivo* to said nucleotide sequence in the wheat genome.

In a related embodiment, the promoter sequence of the present invention will further comprise an exon sequence derived from a starch synthase gene, such as, for example, an intron I sequence described herein, or a complementary nucleotide sequence thereto. Those skilled in the art will be aware that the inclusion of such nucleotide sequences may increase the expression of a heterologous structural gene, the expression of which is controlled thereby. Preferred intron I sequences include, for example, nucleotide sequences in the region of about position 1744 to about 1847 of SEQ ID NO: 37, and/or about position 1100 to about position 2056 of SEQ ID NO: 38. Additional sequences comprising intron/exon junction boundary sequences which are readily determined by those skilled in the art are not excluded.

The present invention further extends to the expression of any structural gene operably under the control of the starch synthase promoter sequence exemplified herein or a functional homologue, analogue or derivative of said promoter sequence.

- 53 -

As with other embodiments described herein for expression in cells, a genetic construct may be employed to effect said expression and the present invention clearly extends to said genetic constructs.

- 5 The polypeptide encoded by the structural gene component may be a reporter molecule which is encoded by a gene such as the bacterial β -glucuronidase gene or chloramphenicol acetyltransferase gene or alternatively, the firefly luciferase gene. Alternatively, wherein it is desirable to alter carbon partitioning within the endosperm, the polypeptide may be an enzyme of the starch sucrose biosynthetic pathways.
- 10 Preferably, the promoter sequence is used to regulate the expression of one or more of the starch synthase genes of the present invention or a sense, antisense, ribozyme, co-suppression or gene-targeting molecule comprising or derived from same.

Recombinant DNA molecules carrying the aforesaid nucleic acid molecule of the

15 present invention or a sense, antisense, ribozyme, gene-targeting or co-suppression molecule and/or genetic construct comprising same, may be introduced into plant tissue, thereby producing a "transgenic plant", by various techniques known to those skilled in the art. The technique used for a given plant species or specific type of plant tissue depends on the known successful techniques. Means for introducing

20 recombinant DNA into plant tissue include, but are not limited to, transformation (Paszowski *et al.*, 1984), electroporation (Fromm *et al.*, 1985), or microinjection of the DNA (Crossway *et al.*, 1986), or T-DNA-mediated transfer from *Agrobacterium* to the plant tissue. Representative T-DNA vector systems are described in the following references: An *et al.* (1985); Herrera-Estrella *et al.* (1983a, b); Herrera-Estrella *et al.*

25 (1985). Once introduced into the plant tissue, the expression of the introduced gene may be assayed in a transient expression system, or it may be determined after selection for stable integration within the plant genome. Techniques are known for the *in vitro* culture of plant tissue, and in a number of cases, for regeneration into whole plants. Procedures for transferring the introduced gene from the originally transformed

30 plant into commercially useful cultivars are known to those skilled in the art.

In general, plants are regenerated from transformed plant cells or tissues or organs on

- 54 -

hormone-containing media and the regenerated plants may take a variety of forms, such as chimeras of transformed cells and non-transformed cells; clonal transformants (e.g., all cells transformed to contain the expression cassette); grafts of transformed and untransformed tissues (e.g., a transformed root stock grafted to an untransformed scion in citrus species). Transformed plants may be propagated by a variety of means, such as by clonal propagation or classical breeding techniques. For example, a first generation (or T1) transformed plants may be selfed to give homozygous second generation (or T2) transformed plants, and the T2 plants further propagated through classical breeding techniques.

10

Accordingly, a still further aspect of the present invention contemplates a transgenic plant comprising an introduced sense molecule, antisense molecule, ribozyme molecule, co-suppression molecule, or gene-targeting molecule having at least about 85% nucleotide sequence identity to any one of any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11-16, 37, or 38, or a complementary nucleotide sequence thereto or a genetic construct comprising same. The present invention further extends to those plant parts, propagules and progeny of said transgenic plant or derived therefrom, the only requirement being that said propagules and progeny also carry the introduced nucleic acid molecule(s).

20

The present invention is further described by reference to the following non-limiting examples.

EXAMPLE 1

Plant material

Genetic stocks of hexaploid bread wheat *Triticum aestivum* cv. Chinese Spring with various chromosome additions and deletions were kindly supplied by Dr E. Lagudah (CSIRO Plant Industry, Canberra) and derived from stocks described in Sears and Miller (1985). The hexaploid (*Triticum aestivum*) wheats cv Gabo and cv Wyuna were grown in controlled growth cabinet conditions (18°C day and 13°C night, with a photoperiod of 16 h). Wheat leaves and florets prior to anthesis, and endosperm were collected over the grain filling period, immediately frozen in liquid nitrogen and stored

30

- 55 -

at -80°C until required.

EXAMPLE 2

Gel Electrophoresis, Antibodies and Immunoblotting

5 Monoclonal antibodies against the Sgp-1 proteins, and their use in the immunoblotting of SDS-PAGE gels have been described previously (Rahman *et al.*, 1995).

EXAMPLE 3

Preparation of total RNA from wheat

10 Total RNA was isolated from the leaf, floret and endosperm tissues of wheat essentially as described by Higgins *et al.* (1976) or Rahman *et al.* (1998). RNA was quantified by UV absorption and by separation in 1.4% (w/v) agarose-formaldehyde gels which were then visualised under UV light after staining with ethidium bromide.

EXAMPLE 4

Construction and screening of cDNA libraries

15 A first cDNA library, an expression cDNA library of wheat endosperm, was constructed from mRNA isolated from wheat cv Chinese Spring. RNA from 5, 7, 9, 11 and 13 days after anthesis was pooled and random primers were used for the first strand of cDNA synthesis. Monoclonal antibodies against 100 -105 kDa proteins in wheat starch granules (Rahman *et al.*, 1995) were used for immunoscreening of the expression cDNA library.

A second cDNA library was constructed from the endosperm mRNA of the hexaploid
25 *Triticum aestivum* cultivar Wyuna, 8 - 12 days after anthesis, as described by Rahman *et al.* (1997). This library was screened with a 85-bp cDNA fragment, wSSIIP1, which was obtained by immunoscreening of the expression cDNA library as described above. The wSSIIP1 probe corresponded to nucleotide positions 988 to 1072 of wSSIIB (SEQ ID NO:1) at the hybridisation conditions as described earlier (Rahman *et al.*, 1998).

30

A third cDNA library was constructed from RNA from the endosperm of the hexaploid

- 56 -

Triticum aestivum cultivar Rosella as described by Rahman *et al.* (1997). This library was screened with a 347-bp cDNA fragment, wSSIIp1 for the first screening, and a 478-bp cDNA fragment wSSIIp3 for the second screening using the hybridisation conditions described herein.

5

EXAMPLE 5

Construction and screening of *Triticum tauschii* genomic library

The genomic library used in this study, prepared from *Triticum tauschii*, var strangulata, (Accession Number CPI 110799), has been described in Rahman *et al.*,
10 (1997). Of all the accessions of *T. tauschii* surveyed, DNA marker analysis suggests that the genome of CPI 110799 is the most closely related to the D genome of hexaploid wheat (Lagudah *et al.*, 1991).

Hybridisations were carried out in 25% formamide, 6 x SSC, 0.1% SDS at 42°C for 16
15 hours, then filters were washed 3 times using 2 x SSC containing 0.1% SDS at 65°C for 1 hour per wash.

For the isolation of a genomic wSSII clone, the probe comprised the PCR-derived DNA fragment wSSIIp2 and positive-hybridising plaques were digested using the restriction
20 enzyme *Bam*HI, separated on a 1% agarose gel, transferred to nitrocellulose membrane and hybridised to probe wSSIIp4 comprising nucleotides 1 to 367 of the wSSIIA cDNA clone, using the conditions described by Rahman *et al.* (1997).

For the isolation of a genomic wSSIII clone, plaques hybridising to the PCR-derived
25 DNA fragment wSSIIIp1 from clone wSSIII.B3 (i.e. nucleotides 3620 to 3966 of SEQ ID NO:7) were selected and re-screened until plaque-purified.

EXAMPLE 6

DNA sequencing and analysis

30 DNA sequencing was performed using the automated ABI system with dye terminators as described by the manufacturers. DNA sequences were analysed using the GCG

- 57 -

suite of programs (Devereaux *et al.*, 1984).

EXAMPLE 7

DNA and RNA analysis

5 DNA was isolated and analysed as previously described (Maniatis *et al.*, 1982; Rahman *et al.*, 1998). Approximately 20 μ g of DNA was digested with restriction enzymes *Bam*HI, *Dra*I and *Eco*RI, separated on a 1% agarose gel and transferred to reinforced nitrocellulose membranes (BioRad) and hybridised with 32 P-labelled DNA probe, either wSSIIIp1, corresponding to nucleotides 3620 to 3966 of the wheat SSIII
10 gene, or alternatively, with the entire wSSII cDNA clone. DNA fragment probes were labelled with the Rapid Multiprime DNA Probe Labelling Kit (Promega).

The hybridisation and wash conditions were performed as described in Rahman *et al.* (1997). For RNA analysis, 10 μ g of total RNA was separated in a 1.4% agarose-
15 formaldehyde gel and transferred to a Hybond N+ membrane (Amersham), and hybridised with cDNA probe at 42°C as previously described by Khandjian *et al.*, (1987) or Rahman *et al.*, (1998). After washing for 30 minutes at 65°C with 2x SSC, 0.1% SDS; followed by three washes of 40 minutes at 65°C with 0.2x SSC, 1% SDS, the membranes were visualised by overnight exposure at -80°C with Kodak MR X-ray
20 film.

EXAMPLE 8

Expression of wheat Sgp-1 polypeptides in the wheat endosperm

The development and use of monoclonal antibodies to the Sgp-1 proteins has been
25 described previously (Rahman *et al.*, 1995). These antibodies were used by the present inventors to characterise the expression and localisation of the Sgp-1 proteins.

The proteins found in the matrix of the wheat starch granule are shown in Figure 1, lane 1. The remaining lanes show an immunoblot of proteins from the soluble phase
30 (Figure 1; lanes 2-4) and the starch granule (Figure 1; lanes 5-7), respectively, following SDS-PAGE. In addition to cross-reactivity with the 100-105 kDa proteins, a

- 58 -

weak cross-reaction with a 50 kDa protein in both the granule and the soluble fractions were observed (Figure 1). The Sgp-1 polypeptides are present in the starch granule throughout endosperm development (Figure 1; lanes 5-7, also see Rahman *et al.*, 1995). However, as the endosperm matures, there is a reduction in the amount of Sgp-1 protein found in the soluble fraction. Lane 4 shows that by 25 days after anthesis, the level of these proteins in the soluble fraction is substantially reduced. This observation is consistent with previous results from Rahman *et al.*, (1995), who suggested that the Sgp-1 proteins were exclusively granule bound based on studies of granules from endosperm in mid-late stages endosperm development, however, these results suggest that the partitioning of these proteins between the granule and the soluble phase changes during development.

EXAMPLE 9

Isolation of cDNA clones encoding wheat starch synthase II (wSSII) proteins

Monoclonal antibodies against Sgp-1 polypeptides (Rahman *et al.*, 1995) were used to probe the expression library described in Example 4 (i.e. the first cDNA library). Three immunoreactive plaques were identified and sequenced. One clone, designated wSSIIp1, contained an 85-bp cDNA insert with homology to maize SSIIa (Harn *et al.*, 1998).

DNA from the wSSIIp1 clone was used as a probe in the hybridisation screening of the second cDNA library, prepared from *Triticum aestivum* cultivar Wyuna endosperm RNA as described in Example 4. Ten hybridising cDNA clones were selected and sequenced. On the basis of the DNA sequences obtained, the 10 cDNA clones can be classified into three groups. Group 1 contains 7 cDNA clones, group 2 contains 2 cDNA clones and group 3 contains 1 cDNA clone.

The longest clone from group 1 (designated wSSIIb) is 2939 bp in length (SEQ ID NO:1) and encodes a 798 -amino acid polypeptide in the region from nucleotide position 176 to nucleotide position 2569 (SEQ ID NO:2).

- 59 -

The longest clone from group 2 (designated wSSIIA) is 2842 bp in length (SEQ ID NO:3) and encodes a 799 -amino acid polypeptide in the region from nucleotide position 89 to nucleotide position 2485 (SEQ ID NO:4).

5 The cDNA from group 3 is a partial cDNA clone (designated wSSIID), which is 2107 bp in length (SEQ ID NO:5) and encodes a 597 -amino acid polypeptide in the region from nucleotide position 1 to nucleotide position 1791 (SEQ ID NO:6). The encoded polypeptide is approximately a 200 amino acid residues shorter than that of polypeptides encoded by longest clones of group 1 or 2 clones, respectively (Figure
10 2).

Comparison of the three cDNA clones, wSSIIB, wSSIIA and wSSIID shows that they share 95.7% to 96.6% identity at the amino acid level, with variation at 44 amino acid positions between the three sequences (Figure 3). Of the 44 amino acid changes
15 between these sequences, 31 changes occur in the N-terminal region (residues 1 to 300), 10 changes occur in the central region (residues 301 to 729) and 3 changes occur in the C-terminal region (residues 730 to 799). The wSSIIA polypeptide (799 amino acid residues) and wSSIIB polypeptide (798 amino acid residues) sequences differ in length by a single amino acid residue, due to the deletion of Asp-69 from the
20 wSSIIB polypeptide sequence.

A comparison of the nucleotide sequences of the wSSIA, wSSIIB and wSSIID cDNA clones with the nucleotide sequence of the wSSIIP1 cDNA obtained by immunoscreening confirms that the wSSIIP1 sequence is found in each cDNA (Figure
25 3). The peptide encoded by the wSSIIP1 cDNA clone corresponds to amino acid residues in the region from residue 272 to residue 298 of the wSSIIA polypeptide, and to amino acid residues in the region from residue 271 to residue 297 of the wSSIIB polypeptide (see Figure 3). Thus, the peptide epitope encoded by wSSIIP1 that reacts with the anti-Sgp-1 monoclonal antibodies can therefore be localised to this region of
30 the wSSIIA and wSSIIB polypeptides and to the corresponding region of the wSSIID polypeptide.

- 60 -

Notwithstanding that a region having about 63% amino acid sequence identity to the peptide epitope encoded by clone wSSI1p1 is found in the maize SSIIa polypeptide (Figure 3), the degree of amino acid conservation between maize and wheat sequences in this region of the polypeptide is insufficient for immunological cross-reactivity to occur between these species using the monoclonal antibodies to the wheat Sgp-1 proteins described by Rahman *et al.* (1995). Additionally, this peptide epitope is not found in granule-bound starch synthases, SSI, or SSIII (data not shown).

The wSSIIB cDNA (SEQ ID NO:1) encodes an amino acid sequence comprising the peptide motif AAGKKDAGID (SEQ ID NO: 18) between residues 60 and 69 of SEQ ID NO:2 (Figure 3) which, with the exception of the second residue, is identical to the N-terminal of the 100 kDa (A^T_LGKKDAGID: SEQ ID NOS:19 and 20) protein (Sgp-B1) from the wheat starch granule (note that the sequence given in Rahman *et al.*, 1995 (A^T_LGKKDAL: SEQ ID NOS: 21 and 22) has been revised following further amino acid sequence analysis).

The wSSIIA cDNA clone (SEQ ID NO:3) encodes an amino acid sequence comprising the peptide motif AAGKKDARVDDDA (SEQ ID NO: 23) at residues 60 to 73 of SEQ ID NO:4, which is about 66% identical to the N-terminal amino acid sequence (i.e. ALGKKDAGIVDGA: SEQ ID NO: 24) of the 104 kDa and 105 kDa starch granule proteins, Sgp-D1 and Sgp-A1 respectively, as determined by sequence analysis of isolated protein (Rahman *et al.*, 1995).

Furthermore, Takaoka *et al.* (1997) reported the amino acid sequences of 3 polypeptides obtained from sequencing starch granule proteins derived from the Sgp-1 proteins. Peptide 3 described by Takaoka *et al.* (1997) corresponds to amino acid residues 378 to 387 of the amino acid sequence of the wSSIIA cDNA (SEQ ID NO:4; Figure 3). Peptides 1 and 2 described by Takaoka *et al.* (1997) could not be detected in the amino acid sequences of the wSSII cDNA clones of the present invention, however peptide 1 of Takaoka *et al.* (1997) can be found in the amino acid sequences of SSI from maize, rice, wheat and potato (data not shown).

- 61 -

Denyer *et al.* (1995) demonstrated that the Sgp-1 proteins possess starch synthase activity and, as a consequence, the wSSIIB, wSSIA and wSSIID cDNA clones encode starch synthase enzymes that are differentially expressed in a developmentally-regulated manner in both the soluble and granule-bound fractions of the endosperm (Figure 1). Based on the nomenclature suggested by Harn *et al.* (1998), it is appropriate to describe the Sgp-1 proteins as "starch synthases" rather than "granule-bound starch synthases".

EXAMPLE 10

10 **Analysis of wheat starch synthase II mRNA expression**

The mRNA for wheat starch synthase II could be detected in leaves, pre-anthesis florets and endosperm of wheat when total RNAs isolated from these tissue were probed with a PCR probe, wSSIIP2, corresponding to nucleotide positions 1435 to 1835 bp of wSSIIB-cDNA (SEQ ID NO:1; Figure 4). Unlike wSSI, which could not be detected in wheat leaves derived from plants grown under the same conditions, wSSII genes are highly-expressed in the leaves (Figure 4, lane 1), and expressed at an intermediate level in pre-anthesis florets (Figure 4, lane 2), and at much lower levels in developing wheat endosperm cells (Figure 4, lanes 3-11). In contrast, the maize SSIIa is expressed predominantly in the endosperm, whilst the maize SSIIb is detected mainly in the leaf, albeit at low levels (Harn *et al.*, 1998).

The wSSII mRNA was detectable in the endosperm 6 days after anthesis and mRNA levels increase between 8 and 18 days post-anthesis, after which time levels of mRNA decline.

Southern blotting experiments in wheat demonstrated that the wSSIIP2 probe used detected only a single copy of the SSII gene in each genome (data not shown). Thus, it is unlikely that this probe cross-hybridised with mRNAs encoded by genes other than wSSII.

EXAMPLE 11

Chromosomal localization of the wheat wSSII genes.

I. Amplification of specific cDNA regions of wheat starch synthase II using PCR

Two PCR products, wSSIIp2 and wSSIIp3 were amplified from the cDNA clone wSSIIb
5 and used for the northern hybridisation and Southern hybridisation, respectively.

The primers ssIIa (5' TGTTGAGGTTCCATGGCACGTTTC 3': SEQ ID NO: 25) and ssIIb
(5' AGTCGTTCTGCCGTATGATGTCG 3': SEQ ID NO: 26) were used to amplify the
cDNA fragment wSSIIp2 (i.e. nucleotide positions 1435 to 1835 of SEQ ID NO:1).

10

The primers ssIIc (5' CCAAGTACCAGTGGTGAACGC 3': SEQ ID NO: 27) and ssII d
(5' CGGTGGGATCCAACGGCCC 3': SEQ ID NO: 28) were used to amplify the cDNA
fragment wSSIIp3 (i.e. nucleotide positions 2556 to 2921 of SEQ ID NO:1).

15 The amplification reactions were performed using a FTS-1 thermal sequencer (Corbett,
Australia) for 1 cycle of 95°C for 2 minutes; 35 cycles of 95°C for 30 seconds, 60°C for
1 minutes, 72°C for 2 minutes and 1 cycle of 25°C for 1 minute.

II. PCR and nucleotide sequence analysis of 3' sequences of wheat SSII genes

20 Genomic DNA was extracted from wild-type Chinese Spring wheat, and from three
nullisomic-tetrasomic lines of chromosome 7 of Chinese Spring wheat, and from
Triticum tauschii (var strangulata, accession number CPI 100799), and used as a
template for the amplification and nucleotide sequence analysis of wheat SSII genes.

25 RFLP analysis of *Bam*HI and *Eco*RI restricted DNA from each wheat or *T. Tauschii* line
was carried out using the wSSIIp3 fragment as a probe. Three hybridising bands were
obtained which could be assigned to chromosomes 7A, 7B and 7D, respectively (data
not shown). This analysis indicates that there is a single copy of the wSSII gene in
each genome in hexaploid wheat, consistent with the findings of Yamamori and Endo
30 (1996) who located the SGP-A1, B1 and D1 proteins to the short arm of chromosome
7.

- 63 -

PCR analysis was used to assign each of the cDNA clones to the individual wheat genomes. A single 365 bp PCR fragment was obtained from nullisomic-tetrasomic genomic DNA of Chinese Spring when primers sslc and ssld were used for the PCR amplification (Figure 5, right panel). This PCR product is obtained only from lines 5 bearing the B genome. The fragment was cloned and sequenced and shown to be identical to a 365 bp region of the wSSIIB cDNA. An identical fragment is obtained by PCR amplification of the wSSIIB cDNA clone, but not by amplification of the wSSIIA or wSSIID clones, supporting the conclusion that the wSSIIB cDNA is the product of a gene located on chromosome 7 of the B genome of hexaploid wheat.

10

Two PCR products were also amplified from nullisomic-tetrasomic genomic DNA of Chinese Spring using the primers sslc and ssle (Figure 5, left panel). One PCR fragment, approximately 350 bp is only amplified when the A genome is present, and a second 322 bp product is only amplified when the D-genome is present. The 350 and 15 322 bp PCR products were also cloned and sequenced and shown to be identical to the wSSIIA and wSSIID cDNAs, respectively, supporting the conclusion that the wSSIIA and wSSIID cDNAs are the products of genes located on chromosomes 7A and 7D, respectively.

20

EXAMPLE 12

Isolation of genomic wSSII clones

Screening of a genomic library from the D-genome donor of wheat, *T. tauschii*, was performed as described in Example 5, using the PCR-derived DNA fragment wSSIIP2 as a hybridisation probe. A positive-hybridising clone, designated wSSII-8, and 25 comprising a putative *T. tauschii* homologue of the wSSII gene, was isolated.

Positive-hybridising plaques were digested using the restriction enzyme *Bam*HI, separated on a 1% agarose gel, transferred to nitrocellulose membrane and hybridised to probe wSSIIP4 comprising nucleotides 1 to 367 of the wSSIIA cDNA clone, using 30 the conditions described by Rahman *et al.* (1997). Clone wSSII-8 also hybridises strongly to the wSSIIP4 probe, confirming its identity as a genomic wSSII gene.

- 64 -

The complete nucleotide sequence of the wSSII gene was determined and is presented herein as SEQ ID NO: 37. The structural features of this gene are present in Table 3. A schematic representation of the intron/exon organisation of this gene is also presented in Figure 6.

5

TABLE 3

Structural features of the wheat starch synthase II genomic gene

	Nucleotide Position in SEQ ID NO: 37	Feature	Length (bases)
10	1- 1416	5'-untranscribed region and promoter sequence	1416
	1417 - 1743	exon 1	327
	1480-1482	translation start codon (ATG)	3
	1744 - 1847	intron 1	104
	1848 - 2553	exon 2	706
15	2554 - 2641	intron 2	88
	2642 - 2706	exon 3	65
	2707 - 3606	intron 3	900
	3607 - 3684	exon 4	78
	3685 - 3773	intron 4	89
20	3774 - 3884	exon 5	111
	3885 - 3981	intron 5	97
	3982 - 4026	exon 6	45
	4027 - 4406	intron 6	380
	4407 - 4580	exon 7	174
25	4581 - 7296	intron 7	2716
	7297 - 8547	exon 8	1251
	8251 - 8253	translation stop codon (TGA)	3
	8548 -9024	3'-untranscribed region	477

EXAMPLE 13

Cloning of specific cDNA regions of wheat starch synthase III using RT-PCR
PCR primers were used to amplify sequences of starch synthase III from wheat endosperm cDNA. The design of PCR primers was based on the sequences of starch
5 synthase III from potato and the *du1* starch synthase III gene of maize.

First-strand cDNAs were synthesised from 1 µg of total RNA (derived from endosperm of the cultivar Rosella, 12 days after anthesis) as described by Maniatis *et al.* (1982), and then used as templates to amplify two specific cDNA regions, wSSIIIp1 and
10 wSSIIIp2, of wheat starch synthase III by PCR.

The primers used to obtain the cDNA clone wSSIIIp1 were as follows:

Primer wSS3pa (5' GGAGGTCTTGGTGATGTTGT 3': SEQ ID NO: 29); and

Primer wSS3pb (5' CTTGACCAATCATGGCAATG 3': SEQ ID NO: 30).

15

The primers used to obtain the cDNA clone wSSIIIp2 were as follows:

Primer wSS3pc (5' CATTGCCATGATTGGTCAAG 3': SEQ ID NO: 31); and

Primer wSS3pd (5' ACCACCTGTCCGTTCCGTTGC 3': SEQ ID NO: 32).

20 The amplified clones wSSIIIp1 and wSSIIIp2 were used as probes to screen the third cDNA library and *T. tauschii* genomic DNA library as described in Example 4.

A further probe designated wSSIIIp3 was used for screening the third cDNA library, as described in Example 4. Probe wSSIIIp3 was amplified by PCR from a cDNA clone
25 produced from the first screening using the following amplification primers:

Primer wSS3pe (5' GCACGGTCTATGAGAACAATGGC 3': SEQ ID NO: 33); and

Primer wSS3pf (5' TCTGCATACCAATCGCCG 3': SEQ ID NO: 34).

The amplification reactions were performed using a FTS-1 or FTS4000 thermal
30 sequencer (Corbett, Australia) for 1 cycle of 95°C for 2 minutes; 35 cycles of 95°C for 30 seconds, 60°C for 1 minutes, 72°C for 2 minutes and 1 cycle of 25°C for 1 minute.

- 66 -

Amplified sequences of the expected length were obtained, cloned and sequenced, and shown to contain DNA sequences highly homologous to the maize and potato SSIII genes. PCR fragments were subsequently used to probe a wheat cDNA library
5 by DNA hybridisation and 8 positive clones were obtained, including one 3 kb cDNA. A region from the 5' end of this cDNA was amplified by PCR and used a probe for a second round of screening the cDNA library, obtaining 8 cDNA clones. Of these, one cDNA was demonstrated to be full length (wSSIII.B3, 5.36 kb insert). The sequence of the 5,346 bp wSSIII.B3 cDNA clone is given in SEQ ID NO:7.

10

Sequencing of the 8 cDNA clones obtained from the second round screening of the wheat cDNA library revealed that there were at least 2 classes of cDNA encoding SSIII present, possibly being encoded by homeologous genes on different wheat genomes. The sequence of a representative of this second class of cDNA clones, wSSIII.B1, is
15 shown in SEQ ID NO:9. The 3261 bp clone wSSIII.B1 is not full length, however it is similar to nucleotides 1739 to 5346 of the homeologous clone wSSIII.B3 (SEQ ID NO: 7). Clone wSSIII.B1 has an open reading frame between nucleotide positions 1 and 3177.

20 An open reading frame is found in the cDNA clone wSSIII.B3 (SEQ ID NO:7), in the region between position 29, commencing the ATG start codon, and nucleotide position 4912. The amino acid sequence deduced from this open reading frame is shown in SEQ ID NO:8.

25 An alignment of the deduced amino acid sequences of SSIII from maize, potato and wheat is shown in Figure 7. There is about 56.6% identity between the maize SSIII and wheat wSSIII.B3 sequence at the amino acid level.

The C-terminal domain of starch synthases comprise the catalytic domain, and a
30 characteristic amino acid sequence motif KVGGLGDVVTSLSRVQDLGHNVEV (SEQ ID NO: 35) in maize, or alternatively KVGGLGDVVTSLSRAIQDLGHTVEV (SEQ ID

- 67 -

NO: 36) in wheat, marking the first conserved region in the C-terminal domain. This amino acid sequence is present at amino acid residues 1194 to 1218 of SEQ ID NO: 8.

- 5 The amino acid identity between maize dull1 and wSSIII.B3 in the N-terminal region (i.e. amino acids 1 to 600 in Figure 7) is only 32.2%; whilst the amino acid identity in the central region (i.e. amino acids 601 to 1248 in Figure 7) is 68.4%; and in the C-terminal region (i.e. amino acids 1249 to 1631 in Figure 7) is 84.6%. Accordingly, the SSIII starch synthases are much more highly conserved between maize and wheat in
10 the region comprising the catalytic domain of the proteins.

EXAMPLE 14

Analysis of wheat starch synthase III mRNA expression

Figure 8 shows the expression of wSSIII mRNA during endosperm development in two
15 wheat varieties grown under defined environmental conditions. The expression of the gene is seen very early in endosperm development in both cultivars, 4 days after anthesis (Figure 8, panels a and b). Expression in the leaf of the variety Gabo is very weak (Figure 8, panel c, Lane L) whereas strong expression is seen in pre-anthesis florets (Figure 8, panel c, Lane P).

20

EXAMPLE 15

Amino acid sequence comparisons between wheat SSII and SSIII polypeptides

Amino acid sequence comparisons between wheat BSSS, SSI, SSII and SSIII
25 polypeptides reveals eight highly-conserved domains (Figure 9). The amino acid sequences of these domains are represented in the wheat SSIII amino acid sequence by the following sequence motifs:

- | | | |
|----|---------------|-------------------|
| | (a) Region 1: | KVGGLGDVVT; |
| | (b) Region 2: | GHTVEVILPKY; |
| 30 | (c) Region 3: | HDWSSAPVAWLYKEHY; |
| | (d) Region 4: | GILNGIDPDIWDPYTD; |

- 68 -

- (e) Region 5: DVPIVGIIITRLTAQKG;
- (f) Region 5a: NGQVLLGSA;
- (g) Region 6: AGSDFIIVPSIFPCGLTQLVAMRYGS; and
- (h) Region 7: TGGLVDTV.

5

These conserved amino acid sequences are summarised in Table 4. As shown in Table 4 below, there is at least about 25% amino acid sequence identity, preferably at least about 30% amino acid sequence identity, more preferably at least about 35% amino acid sequence identity, more preferably at least about 40% amino acid sequence identity, more preferably at least about 45% amino acid sequence identity, more preferably at least about 50% amino acid sequence identity, more preferably at least about 55% amino acid sequence identity, more preferably at least about 60% amino acid sequence identity, more preferably at least about 65% amino acid sequence identity, more preferably at least about 70% amino acid sequence identity, more preferably at least about 75% amino acid sequence identity, more preferably at least about 80% amino acid sequence identity, more preferably at least about 85% amino acid sequence identity, more preferably at least about 90% amino acid sequence identity and even more preferably at least about 95% amino acid sequence identity between the amino acid sequences of plant starch synthase enzymes, in particular wheat starch synthases.

From the data presented in Table 4, the most conserved regions of the wheat SSII and SSIII polypeptides are a region of 6 or 7 identical amino acids in Region 1 and a region of 8 or 9 identical amino acids in Region 6. The lowest regions of identity are found in regions 3 and 5a.

For each of the amino acid sequences presented in the first column of Table 4, which are specific for wSSIII polypeptides, corresponding signature motifs which are specific for wSSII-A, wSSII-B, and wSSII-D polypeptides can be derived from the alignment, as follows:

Region 1: KTGGLGDVAGA;

- 69 -

- 5 Region 2: GHRVMVVVPRY;
 Region 3: NDWHTALLPVYLKAYY;
 Region 4: GIVNGIDNMEWNPEVD;
 Region 5: DVPLLGFGRLDGQKG;
 Region 5a: DVQLVMLGTG;
 Region 6: AGADALLMPSRF(E/V)PCGLNQLYAMAYGT; and
 Region 7: VGG(V/L)RDTV.

Comparison of the amino acid sequences of all available starch synthases with the
10 deduced amino acid sequences of the three wSSII cDNA clones of the present
invention (i.e. wSSIIB, wSSIIA and wSSIID) was conducted using PILEUP analysis
(Devereaux *et al.*, 1984) and data are presented herein as a dendrogram (Figure 10).
The sequence of the glycogen synthase of *E. coli* was also included. Based upon their
amino acid similarities, four classes of plant starch synthases can be defined: GBSS,
15 SSI, SSII and SSIII.

Table 5 shows that levels of identity at the amino acid level between the wSSII
sequences, as determined using the BESTFIT programme in GCG (Devereaux *et al.*,
1984), and other class II starch synthases range from 70% identity with potato SSII to
20 85% identity with maize SSIIa. Both wSSIIB and wSSIID showed significantly higher
homology to maize SSIIa than wSSIIA. Based upon sequence identities and the
function of the Sgp-1 proteins in wheat, the wSSIIB, wSSIIA and wSSIID cDNA clones
are members of the starch synthase II (SSII) group and are more similar in sequence
to maize SSIIa than maize SSIIb.

25

TABLE 4**Identities between conserved motifs of plant starch synthases**

	Sequence in wSSIII polypeptide	Number of conserved residues between wheat starch synthases	Number of conserved residues between wheat SSII and SSIII polypeptides
5	Region 1: KVGGLGDVWTS	6/11 residues	6/11 residues
	Region 2: GHTVEVILPKY	6/11 residues	6/11 residues
10	Region 3: HDWSSAPVAWLYKEHY	4/16 residues	5/16 residues
	Region 4: GILNGIDPDIWDPYTD	7/16 residues	8/16 residues
	Region 5: DVPIVGIIITRLTAQKG	8/16 residues	10/16 residues
15	Region 5a: NGQVVLLGSA	4/10 residues	4/10 residues
	Region 6: AGSDFIIVPSIFPCGLT QLVAMRYGS	15/27 residues	17/27 residues
20	Region 7: TGGLVDTV	5/9 residues	5/9 residues

TABLE 5

	wSSII-A	wSSII-B	wSSII-D
wSSI-A	100%		
wSSII-B	95.9%	100%	
5 wSSII-D	96.3%	96.7%	100%
maize SSIIa	76.1%	85.2%	84.7%
maize SSIIb	76.3%	76.7%	75.9%
pea SSII	72.0%	72.2%	71.8%
10 potato SSII	70.9%	71.1%	70.3%

Figure 11 shows a schematic representation of an alignment of plant starch synthase sequences, including wheat GBSS, wheat SSI, wheat SSII-A1, maize SSIIa, and maize dull-1 polypeptides, in which the position of the first homologous region, comprising the consensus motif KXGG, is used as the basis of the alignment. The major differences in structure between the classes of genes are found in the length of the N-terminal region between the transit peptide and the first conserved region. At one extreme, the GBSS genes have a very short N-terminal arm, whereas the *du1* starch synthase contains a very long N-terminal extension containing several distinct regions. The wSSII genes contain an N-terminal extension which is longer than either GBSS, SSI, or SSIIb, and slightly longer than the maize SSIIa gene.

EXAMPLE 16

Isolation of genomic clones for SSIII

Screening of a genomic library from the D-genome donor of wheat, *T. tauschii*, identified a number of clones which hybridised to the wSSIII PCR fragment. Positive plaques in the genomic library were selected as those hybridising with a probe that had been generated by PCR (amplifying between nucleotide positions 3620 to 3966) from the SSIII cDNA as template. The primer sequences used were as follows:

wSS3pa (5' GGAGGTCTTGGTGATGTTGT 3': SEQ ID NO: 29); and
 30 wSS3pb (5' CTTGACCAATCATGGCAATG 3' : SEQ ID NO: 30).

- 72 -

Hybridisation was carried out in 25% formamide, 6 x SSC, 0.1% SDS at 42 °C for 16 hour, then washed three times with 2 x SSC containing 0.1% SDS at 65 °C, for 1 hour per wash. shows an example of a plaque lift showing positive and negative hybridisations for plaques containing the *T. tauschii* homologue of the wSSIII.B3 gene.

5

DNA was isolated from positive-hybridising λ clones using methods described by Maniatis *et al.* Briefly, DNA was digested using *Bam*HI or *Bgl*II and sub-cloned in to the vector pJKKmfm. DNA sequencing was performed using the automated ABI system with dye terminators as described by the manufacturers. DNA sequences were
10 analysed using the GCG suite of programs (Devereaux *et al.*, 1984).

Nucleotide sequences of the genomic SSIII clone from *T. tauschii* are provided herein as 6 contiguous sequences designated fragments 1 to 6 (SEQ ID NOs: 11 to 16, respectively). Table 6 defines the relative positions of these fragments with respect to
15 the SSIII cDNA and describes the positions of exons. Figure 11 shows this information schematically.

The complete nucleotide sequence of a wheat SSIII genomic gene is presented herein as SEQ ID NO: 38. The structural features of this gene are presented in Table 7. A
20 schematic representation of the intron/exon organisation of this gene is also presented in Figure 12.

EXAMPLE 17

Discussion

25 Early work on the Sgp-1 starch synthase proteins (Denyer *et al.*, 1995; Rahman *et al.*, 1995) was based on the localisation of these proteins in the wheat starch granule, and no definitive conclusion concerning their presence or absence in soluble extracts of the wheat endosperm was presented.

30 We have now demonstrated that a monoclonal antibody against the Sgp-1 proteins cross reacts strongly with those starch synthase proteins having apparent molecular

- 73 -

weights of 100-105 kDa in soluble extracts, however, the appearance of these proteins in soluble extracts is dependant on the developmental stage of the endosperm material. Whilst the proteins can be detected in the soluble phase in early to mid endosperm development, little or no soluble protein remains in late endosperm development (Figure 1). This observation accounts for the failure of Rahman *et al.* (1995) to detect the protein in soluble extracts in a previous report.

Based upon the localisation of the Sgp-1 starch synthase proteins in the wheat endosperm, the following nomenclature is suggested for wheat starch synthase enzymes: wGBSS for the 60 kDa granule bound starch synthase (Wx); wSSI for the 75 kDa starch synthase I (Sgp-3); wSSII for the 100 - 105 kDa proteins (Sgp-1); and wSSIII for a soluble high molecular starch synthase.

The present invention provides cDNA and genomic clones encoding the wSSII and wSSIII polypeptides and the corresponding genomic clones. Whilst the evidence is compelling that the wSSIIA, wSSIIB and wSSIID cDNAs encode the Sgp-A1, Sgp-B1 and Sgp-D1 proteins of the wheat starch granule, molecular weights calculated from the deduced amino acid sequences of the clones are considerably lower than estimates obtained from SDS-PAGE. The molecular weight of the precursor wSSIIA protein is 87,229 Da, and the mature protein 81,164 Da, yet the estimated molecular weight in our experience is 105 kDa. The assignment of the wSSIIA cDNA to the A-genome of wheat is demonstrated in Figure 5, and the assignment of the 105 kDa protein to the A-genome in Denyer *et al.* (1995) and Yamamori and Endo (1996). Similarly, the molecular weight of the wSSIIB protein is 86,790 Da and the mature protein 80,759 Da, yet the molecular weight of the Sgp-B1 protein is estimated to be 100 kDa. No comparison can be made of the wSSIID sequences as a full length cDNA clone was not obtained. The wSSIIA and wSSIIB amino acid sequences differ by just a single amino acid residue, yet there is an apparent difference of 5 kDa in molecular weight when estimated by SDS-PAGE. Several possibilities can be advanced to account for this apparent discrepancy in molecular weights. Firstly, the wSSII proteins may not migrate in SDS-PAGE in accordance with their molecular weight because they

- 74 -

retain some conformation under the denaturing conditions used. Secondly, the proteins may be glycosylated. It is also possible that the proteins may be non-covalently linked to starch through a high affinity starch binding site which survives denaturation and SDS-PAGE. Differences between the apparent molecular weights and those calculated
5 from the deduced amino acid sequences will have to be defined in establishing the relationship between the wSSII proteins and proteins encoded by the analogous SSII genes of other species.

The catalytic domain of the starch synthases is found at the C-terminal end of the
10 protein (Gao *et al.*, 1998; Harn *et al.*, 1998). Harn *et al.* (1998) identified 7 conserved regions among SSIIa, SSIIb, SSI and GBSS sequences. We have identified an additional conserved region (designated region 5a in Table 4 and Figure 10) comprising the amino acid sequence motif DVQLVMLGTG, by a comparison of the wSSII and wSSIII sequences of the present invention with differing isoforms of other
15 plant starch synthases (GBSS, SS1, SSII and SSIII). The conservation of eight peptide regions among the 4 classes of starch synthases is striking, in terms of their sequence homologies and their alignment.

Analysis of the wheat SSII genes shows that there is a motif, PVNGENK, which is
20 repeated. The area surrounding the repeated PVNGENK motif is not homologous to maize SSIIa and the insertion of this region is responsible for the difference in length between the wheat SSII and maize SSIIa genes. In pea and potato SSII polypeptides, a PPP motif (Figure 3; residues 251-253 and 287-289 respectively) has been suggested to mark the end of the N-terminal region and to facilitate the flexibility of an
25 "N-terminal arm". This motif is not found in either the maize or wheat SSII sequences.

The generation of a wheat line combining null alleles at each of the three wSSII loci, wSSIIA, wSSIIB and wSSIID, has been reported recently by Yamamori (1998). In this triple null line, the large starch granules were reported to be mostly deformed and a
30 novel starch with high blue value was observed when stained with iodine, indicating that wSSII is a key enzyme for the synthesis of starch in wheat. Further analysis of the

- 75 -

starch derived from this triple null mutant is in progress.

Mutations in starch synthases are known in three other species. In pea, mutation in SSII gives rise to starch with altered granule morphology and an amylopectin which yields an oligosaccharide distribution with reduced chain length on debranching, compared to the wild type (Craig *et al.*, 1998). A similar mutation in a gene designated SSII is known in *Chlamydomonas* (the *sta-3* mutation) and similar effects on granule morphology and amylopectin structure are observed (Fontaine *et al.*, 1993). In maize, two mutations affecting starch synthases are known. First, the *dull1* mutation has been shown to be caused by a lesion within the *du1* SSIII-type starch synthase gene (Gao *et al.*, 1998). A second mutation, the *sugary-2* mutation yields a starch with reduced amylopectin chain lengths on debranching (this mutation co-segregates with the SSIIa locus (Harn *et al.*, 1998) although direct evidence that the *sugary-2* mutation is caused by a lesion in the SSIIa gene is lacking). In the SSII mutants of each of these species, amylose biosynthesis capacity is retained, suggesting different roles in amylose and amylopectin synthesis for the GBSS and SSII genes. Given the conservation in overall organisation of the GBSS and SSII genes (see Figures 12 and 13), when an alignment is made based on the KTGGL motif of the first conserved region, this focuses attention on the role(s) of the N-terminal region in defining substrate specificity and the localisation of the proteins as the N-terminal region is the major area of divergence between the 4 classes of starch synthases. However, it is premature to exclude the influence of more subtle mutations in central and C-terminal regions of the gene.

The cloning of the wSSII and wSSIII cDNAs and genomic clones described herein provides useful tools for the further study of the roles of the starch synthases in wheat. Firstly, they provide a source of markers which can be used to recover and combine null or divergent alleles. Secondly, genetic manipulation of wheat by gene suppression or over-expression can be carried out, and the genes may be used for over expression in other species. The promoter regions of these genes are also useful in regulating the expression of starch synthase genes and other heterologous genes in the developing wheat endosperm and in pre-anthesis florets of wheat.

TABLE 6
Summary of the Wheat Starch Synthase III Genomic Sequence

Fragment in genomic DNA clone	Length (bp)	Features in SEQ ID NOS:11 to 16	Corresponding region in cDNA sequence
5 Fragment 1 (SEQ ID NO: 11)	728	Translation start codon (nucleotides 287 to 289); Exon 1.1 (nucleotides 260 to 385).	Exon 1.1: nucleotides 1 to 126
Fragment 2 (SEQ ID NO: 12)	2446	Exon 2.1 (nucleotides 1 to 1938); Exon 2.2 (nucleotides 2197 to 2418).	Exon 2.1: nucleotides 1008 to 2948; Exon 2.2: nucleotides 2949 to 3171
10 Fragment 3 (SEQ ID NO: 13)	1032	Exon 3.1 (nucleotides 310 to 580)	Exon 3.1: nucleotides 3172 to 3440
Fragment 4 (SEQ ID NO: 14)	892	Exon 4.1 (nucleotides 678 to 853)	Exon 4.1: nucleotides 3441 to 3616
Fragment 5 (SEQ ID NO: 15)	871	Partial Exon 5.1 (nucleotides 1 to 29) Exon 5.2 (nucleotides 293 to 463) Exon 5.3 (nucleotides 589 to 695)	Exon 5.1: nucleotides 3908 to 3937 (partial) Exon 5.2: nucleotides 3938 to 4108 Exon 5.3: nucleotides 4109 to 4215
15 Fragment 6 (SEQ ID NO: 16)	1583	Exon 6.1 (nucleotides 471 to 653); Exon 6.2 (nucleotides 770 to 902); Exon 6.3 (nucleotides 999 to 1110); Exon 6.4 (nucleotides 1201 to 1328); Partial Exon 6.5 (nucleotides 1408 to 1583); Translation stop codon (nucleotides 1536 to 1538)	Exon 6.1: nucleotides 4238 to 4420 Exon 6.2: nucleotides 4421 to 4552 Exon 6.3: nucleotides 4553 to 4664 Exon 6.4: nucleotides 4665 to 4793 Exon 6.5: nucleotides 4794 to 4966 (partial)

- 77 -

TABLE 7

Structural features of the wheat starch synthase III genomic gene

	Nucleotide Position in SEQ ID NO: 38	Feature	Length (bases)
5	1- 973	5'-untranscribed region and promoter sequence	973
	974 - 1099	exon 1	126
	1001-1003	translation start codon (ATG)	3
	1100 - 2056	intron 1	957
	2057 - 2120	exon 2	64
10	2121 - 2588	intron 2	468
	2589 - 5291	exon 3	2703
	5292 - 5549	intron 3	258
	5550 - 5767	exon 4	218
	5768 - 6103	intron 4	336
15	6104 - 6374	exon 5	271
	6375 - 7148	intron 5	774
	7149 - 7324	exon 6	176
	7325 - 7438	intron 6	114
	7439 - 7546	exon 7	108
20	7547 - 7792	intron 7	246
	7793 - 7902	exon 8	110
	7903 - 8797	intron 8	895
	8798 - 8900	exon 9	103
	8901 - 9164	intron 9	264
25	9165 - 9335	exon 10	171
	9336 - 9460	intron 10	125
	9461 - 9589	exon 11	129
	9590 - 9677	intron 11	88

- 78 -

	9678 - 9860	exon 12	183
	9861 - 9977	intron 12	117
	9978 - 10109	exon 13	132
	10110 - 10205	intron 13	96
5	10206 - 10317	exon 14	112
	10318 - 10407	intron 14	90
	10408 - 10536	exon 15	129
	10537 - 10618	intron 15	82
	10619 - 11146	exon 16	128
10	10744 - 10746	translation stop codon (TGA)	3
	11147 - 11611	3'-untranscribed region	465

REFERENCES

- 15 1. Ausubel, F. M., Brent, R., Kingston, RE, Moore, D.D., Seidman, J.G., Smith, J.A., and Struhl, K. (1987). *In: Current Protocols in Molecular Biology*. Wiley Interscience (ISBN 047150338).
2. Abel GJW, Springer F, Willmitzer L, Kossmann J (1996) Cloning and functional analysis of a cDNA encoding a novel 139 kDa starch synthase from potato (*Solanum tuberosum* L.). *Plant J* **10**: 981-991.
- 20 3. Ainsworth C, Clark J, Balsdon J (1993) Expression, organisation and structure of the genes encoding the waxy protein (granule-bound starch synthase) in wheat. *Plant Mol Biol* **22**: 67-82.
4. Baba T, Nishihara M, Mizuno K, Kawasaki T, Shimada H, Kobayabashi E, Ohnishi S, Tanaka K, Arai Y (1993) Identification, cDNA cloning, and Gene Expression of Soluble Starch Synthase in Rice (*Oryza sativa* L.) Immature Seeds. *Plant Physiol* **103**: 565-573.
- 25 5. Craig J, Lloyd JR, Tomlinson K, Barber L, Edwards A, Wang TL, Martin C, Hedley CL, Smith AM (1998) Mutations in the gene encoding starch synthase II profoundly alter amylopectin structure in pea embryos. *Plant Cell* **10**: 413-426.
- 30

6. Denyer K, Hylton CM, Jenner CF, Smith AM (1995) Identification of multiple isoforms of soluble and granule-bound starch synthase in developing wheat endosperm. *Planta* **196**: 256-265.
7. Devereaux, J, Haeberli P, Smithies O (1984) A comprehensive set of sequence analysis programs for the VAX. *Nucleic Acids Res* **12**: 387-395.
8. Dry I, Smith A, Edwards A, Bhattacharyya M, Dunn P, Martin C (1992) Characterisation of cDNAs encoding two isoforms of granule-bound starch synthase which show differential expression in developing storage organ of pea and potato. *Plant J* **2**: 193-202.
9. Edwards A, Marshall J, Sidebottom C, Visser RGF, Smith AM, Martin C (1995) Biochemical and molecular characterization of a novel starch synthase from potato tubers. *Plant J* **8**: 283-294.
10. Fontaine T, D'Hulst C, Maddelein M-L, Routier F, Pépin TM, Decq A, Wieruszeski J-M, Delrue B, Van den Koornhuyse N, Bossu J-P, Fournet B, Ball S (1993) Toward an understanding of the biogenesis of the starch granule. Evidence that *Chlamydomonas* soluble starch synthase II controls the synthesis of intermediate size glucans of amylopectin. *J Biol Chem* **22**: 16223-16230.
11. Furukawa K, Tagaya M, Inouye M, Preiss J, Fukui T (1990) Identification of lysine 15 at the active site in *Escherichia coli* glycogen synthase. *J Biol Chem* **265**: 2086-2090.
12. Gao M, Wanat J, Stinard PS, James MG, Myers AM (1998) Characterization of dull1, a maize gene coding for a novel starch synthase. *Plant Cell* **10**: 399-412.
13. Harn C, Knight M, Ramakrishnan A, Guan H, Keeling PL, Wasserman BP (1998) Isolation and characterization of the zSSIIa and zSSIIb starch synthase cDNA clones from maize endosperm. *Plant Mol Biol* **37**: 639-649.
14. Kloesgen RB, Gierl A, Schwarz-Sommer ZS, Saedler H (1986) Molecular analysis of the waxy locus of *Zea mays*. *Mol Gen Genet* **203**: 237-244.
15. Knight ME, Harn C, Lilley CER, Guan H, Singletary G W, MuForster C, Wasserman BP, Keeling PL (1998) Molecular cloning of starch synthase I from maize (W64) endosperm and expression in *Escherichia*. *Plant J* **14**: 613-622.
16. Kumar A, Larsen CE, Preiss J (1986) Biosynthesis of bacterial glycogen:

- 80 -

- Primary structure of *Escherichia coli* ADP-glucose:alpha-1,4-glucan, 4-glucosyltransferase as deduced from the nucleotide sequence of the *glgA* gene. J Biol Chem **261**: 16256-16259.
17. Li Z, Rahman S, Kosar-Hashemi B, Mouille G, Appels R Morell, MK (1999)
5 Cloning and characterisation of a gene encoding wheat starch synthase I. Theor Appl Genet: *In press*.
18. Mouille G, Maddelein M-L, Libessart N, Talaga P, Decq A, Delrue B Ball, S (1996). Preamylopectin processing: A mandatory step for starch biosynthesis in plants. Plant Cell **8**: 1353-1366.
- 10 19. Nakamura T, Yamamori M, Hirano H, Hidaka S, Nagamine T (1995) Production of waxy (amylose-free) wheats. Mol Gen Genet **248**: 253-259.
20. Okagaki, RJ (1992) Nucleotide sequence of a long cDNA from the rice waxy gene. Plant Mol Biol **19**: 513-516.
21. Ozbun, J.L., Hawker, J.S. and Preiss, J. (1971) Adensine diphosphoglucose-
15 starch glucosyltransferases from developing kernels of waxy maize. Plant Physiology **48**: 765-769
22. Ozbun, J.L., Hawker, J.S., Greenberg, E., Lammel, C., Preiss, J. and Lee, E.Y.C.(1973) Starch synthetase, phosphorylase, ADPglucose pyrophosphorylase, and UDPglucose pyrophosphorylase in developing maize kernels. Plant Physiology **51**: 1-
20 5.
23. Pollock, C. and Preiss, J.(1980) The citrate-stimulated starch synthase of starchy maize kernels: purification and properties. Arch Biochem Biophys **204**: 578-588.
24. Rahman S, Abrahams S, Abbott D, Mukai Y, Samuel M, Morell M, Appels R
25 (1997) A complex arrangement of genes at a starch branching enzyme I locus in D-genome donor of wheat. Genome **40**: 465-474.
25. Rahman S, Kosar-Hashemi B, Samuel M, Hill A, Abbott DC, Skerritt JH, Preiss J, Appels R, Morell M (1995) The major proteins of wheat endosperm starch granules. Aust J Plant Physiol **22**: 793-803.

26. Rahman S, Li Z, Abrahams S, Abbott D, Appels R, Morell M (1998) Characterisation of a gene encoding wheat endosperm starch branching enzyme-I. Theor Appl Genet **98**: *In press*.
27. Sears ER, Miller TG (1985) The history of Chinese spring wheat. Cereal Res
5 Comm **13**: 261-263.
28. Takaoka M, Watanabe S, Sassa H, Yamamori M, Nakamura T, Sasakuma T, Hirano H (1997) Structural characterisation of high molecular weight starch granule-bound proteins in wheat (*Triticum aestivum* L). J Agric Food Chem **45**: 2929-2934.
29. van der Leij FR, Visser RGF, Ponstein AS, Jacobsen E, Feenstra WJ (1991)
10 Sequence of the structural gene for granule bound starch synthase of potato (*Solanum tuberosum* L.) and evidence for a single point deletion in the *amf* allele. Mol Gen Genet **228**: 240-248.
30. Yamamori M, Endo TR (1996) Variation of starch granule proteins and chromosome mapping of their coding genes in common wheat. Theor Appl Genet **93**:
15 275-281.
31. Yamamori M (1998) Selection of a wheat lacking a putative enzyme for starch synthesis, SGP-1 *Proc 9th In Wheat Gen Symp* **4**, 300-302.

CLAIMS:

1. An isolated nucleic acid molecule which comprises a sequence of nucleotides selected from the group consisting of:
 - (i) the nucleotide sequence set forth in SEQ ID NO: 1 or the protein-encoding region thereof or a degenerate nucleotide sequence thereto;
 - (ii) the nucleotide sequence set forth in SEQ ID NO: 3 or the protein-encoding region thereof or a degenerate nucleotide sequence thereto;
 - (iii) the nucleotide sequence set forth in SEQ ID NO: 5 or the protein-encoding region thereof or a degenerate nucleotide sequence thereto;
 - (iv) the nucleotide sequence set forth in SEQ ID NO: 7 or the protein-encoding region thereof or a degenerate nucleotide sequence thereto;
 - (v) the nucleotide sequence set forth in SEQ ID NO: 9 or the protein-encoding region thereof or a degenerate nucleotide sequence thereto;
 - (vi) the nucleotide sequence set forth in SEQ ID NO: 11 or the protein-encoding region thereof or a degenerate nucleotide sequence thereto;
 - (vii) the nucleotide sequence set forth in SEQ ID NO: 12 or the protein-encoding region thereof or a degenerate nucleotide sequence thereto;
 - (viii) the nucleotide sequence set forth in SEQ ID NO: 13 or the protein-encoding region thereof or a degenerate nucleotide sequence thereto;
 - (ix) the nucleotide sequence set forth in SEQ ID NO: 14 or the protein-encoding region thereof or a degenerate nucleotide sequence thereto;
 - (x) the nucleotide sequence set forth in SEQ ID NO: 15 or the protein-encoding region thereof or a degenerate nucleotide sequence thereto;
 - (xi) the nucleotide sequence set forth in SEQ ID NO: 16 or the protein-encoding region thereof or a degenerate nucleotide sequence thereto;
 - (xii) the nucleotide sequence set forth in SEQ ID NO: 37 or the protein-encoding region thereof or a degenerate nucleotide sequence thereto;
 - (xiii) the nucleotide sequence set forth in SEQ ID NO: 38 or the protein-encoding

- 83 -

region thereof or a degenerate nucleotide sequence thereto;

(xiv) the nucleotide sequence set forth in SEQ ID NO: 11 or the protein-encoding region thereof or a degenerate nucleotide sequence thereto;

(xv) a nucleotide sequence which encodes a wheat starch synthase polypeptide as hereinbefore defined wherein said nucleotide sequence has at least about 85% identity overall to any one of (i) to (xiv); and

(xvi) a nucleotide sequence which is complementary to any one of (i) to (xv).

2. The isolated nucleic acid molecule according to claim 1 wherein the wheat starch synthase polypeptide further comprises one or more amino acid sequences selected from the group consisting of:

(a) KVGGLGDVTS;

(b) GHTVEVILPKY;

(c) HDWSSAPVAWLYKEHY;

(d) GILNGIDPDIWDPYTD;

(e) DVPIVGIITRLTAQKG;

(f) NGQVVLLGSA;

(g) AGSDFIIVPSIFEPCGLTQLVAMRYGS;

(h) TGGLVDTV;

(i) KTGGLGDVAGA;

(j) GHRVMVVPRY;

(k) NDWHTALLPVYLKAYY;

(l) GIVNGIDNMEWNPEVD;

(m) DVPLLGFIGRLDGQKG;

(n) DVQLVMLGTG;

- 84 -

(o)AGADALLMPSRF(EV)PCGLNQLYAMAYGT; and

(p)VGG(V/L)RDTV.

3. The isolated nucleic acid molecule according to claim 2 wherein the wheat starch synthase polypeptide comprises at least three of said amino acid sequences selected from the group consisting of (a) to (h).
4. The isolated nucleic acid molecule according to claim 2 wherein the wheat starch synthase polypeptide comprises at least six of said amino acid sequences selected from the group consisting of (i) to (p).
5. The isolated nucleic acid molecule according to claim 1 encoding a wheat starch synthase II polypeptide.
6. The isolated nucleic acid molecule according to claim 1 encoding a wheat starch synthase III polypeptide.
7. An isolated nucleic acid molecule encoding a starch synthase polypeptide which comprises one or more amino acid sequences selected from the group consisting of:
 - (a) GHTVEVILPKY;
 - (b) HDWSSAPVAWLYKEHY;
 - (c) DVPIVGIIITRLTAQKG;
 - (d) NGQVVLLGSA;
 - (e)AGSDFIIVPSIFEPCGLTQLVAMRYGS;
 - (f)TGGLVDTV;
 - (g) GIVNGIDNMEWNPEVD; and

- 85 -

(h) AGADALLMPSRF(E/V)PCGLNQLYAMAYGT.

8. The isolated nucleic acid molecule of claim 5 encoding a wheat starch synthase II polypeptide which comprises an amino acid sequence selected from the group consisting of:
 - (i) SEQ ID NO: 2;
 - (ii) SEQ ID NO: 4;
 - (iii) SEQ ID NO: 6; and
 - (iv) a homologue of any one of (i) to (iii) having at least about 85% identity thereto.
9. The isolated nucleic acid molecule of claim 6 encoding a wheat starch synthase III polypeptide which comprises an amino acid sequence selected from the group consisting of:
 - (i) SEQ ID NO: 8;
 - (ii) SEQ ID NO: 10; and
 - (iii) a homologue of (i) or (ii) having at least about 85% identity thereto.
10. A probe or primer comprising at least about 15 contiguous nucleotides in length derived from the nucleotide sequence according to claim 1.
11. The probe or primer according to claim 10 comprising a nucleotide sequence selected from the group consisting of:
 - (i) the nucleotide sequence set forth in SEQ ID NO: 25;
 - (ii) the nucleotide sequence set forth in SEQ ID NO: 26;
 - (iii) the nucleotide sequence set forth in SEQ ID NO: 27;

- 86 -

- (iv) the nucleotide sequence set forth in SEQ ID NO: 28;
- (v) the nucleotide sequence set forth in SEQ ID NO: 29;
- (vi) the nucleotide sequence set forth in SEQ ID NO: 30;
- (vii) the nucleotide sequence set forth in SEQ ID NO: 31;
- (viii) the nucleotide sequence set forth in SEQ ID NO: 32;
- (ix) the nucleotide sequence set forth in SEQ ID NO: 33;
- (x) the nucleotide sequence set forth in SEQ ID NO: 34;
- (xi) a nucleotide sequence which encodes an amino acid sequence selected from the group consisting of:

- (a) KVGGLGDVTS;
- (b) GHTVEVILPKY;
- (c) HDWSSAPVAWLYKEHY;
- (d) GILNGIDPDIWDPYTD;
- (e) DVPIVGIIITRLTAQKG;
- (f) NGQVLLGSA;
- (g) AGSDFIIVPSIFPCGLTQLVAMRYGS;
- (h) TGGLVDTV;
- (i) KTGGLGDVAGA;
- (j) GHRVMVVVPY;
- (k) NDWHTALLPVYLKAYY;
- (l) GIVNGIDNMEWNPEVD;
- (m) DVPLLGFGRLDGQKG;
- (n) DVQLVMLGTG;
- (o) AGADALLMPSRF(EV)PCGLNQLYAMAYGT; and

- 87 -

(p)VGG(V/L)RDTV;

(xii) a nucleotide sequence comprising at least about 15 contiguous nucleotides of an intron region of SEQ ID NO: 37;

(xiii) a nucleotide sequence comprising at least about 15 contiguous nucleotides of an intron region of SEQ ID NO: 38; and

(xiv) a nucleotide sequence which is complementary to any one of (i) to (xiii).

12. An isolated or recombinant polypeptide, protein or enzyme comprising an amino acid sequence selected from the following:

(i) the amino acid sequence set forth in SEQ ID NO: 2 or the mature protein region thereof;

(ii) the amino acid sequence set forth in SEQ ID NO: 4 or the mature protein region thereof;

(iii) the amino acid sequence set forth in SEQ ID NO: 6 or the mature protein region thereof;

(iv) the amino acid sequence set forth in SEQ ID NO: 8 or the mature protein region thereof;

(v) the amino acid sequence set forth in SEQ ID NO: 10 or the mature protein region thereof;

(vi) a wheat starch synthase polypeptide having at least about 85% identity overall to any one of (i) to (v).

13. The isolated or recombinant polypeptide according to claim 12 further comprising one or more amino acid sequences selected from the group consisting of:

(a) KVGGLGDVTS;

(b) GHTVEVILPKY;

(c) HDWSSAPVAWLYKEHY;

- 88 -

- (d) GILNGIDPDIWDPYTD;
- (e) DVPIVGIITRLTAQKG;
- (f) NGQVLLGSA;
- (g) AGSDFIIVPSIFPCGLTQLVAMRYGS;
- (h) TGGLVDTV;
- (i) KTGGLGDVAGA;
- (j) GHRVMVVPRY;
- (k) NDWHTALLPVYLKAYY;
- (l) GIVNGIDNMEWNPEVD;
- (m) DVPLLGFGRLDGQKG;
- (n) DVQLVMLGTG;
- (o) AGADALLMPSRF(E/V)PCGLNQLYAMAYGT; and
- (p) VGG(V/L)RDTV.

14. The isolated or recombinant polypeptide according to claim 13 wherein the wheat starch synthase polypeptide comprises at least three of said amino acid sequences selected from the group consisting of (a) to (h).
15. The isolated or recombinant polypeptide according to claim 13 wherein the wheat starch synthase polypeptide comprises at least six of said amino acid sequences selected from the group consisting of (i) to (p).
16. The isolated or recombinant polypeptide according to claim 12 encoding a wheat starch synthase II polypeptide.

- 89 -

17. The isolated or recombinant polypeptide according to claim 12 encoding a wheat starch synthase III polypeptide.
18. An isolated or recombinant starch synthase polypeptide which comprises one or more amino acid sequences selected from the group consisting of:
 - (a) GHTVEVILPKY;
 - (b) HDWSSAPVAWLYKEHY;
 - (c) DVPIVGIIITRLTAQKG;
 - (d) NGQVLLGSA;
 - (e) AGSDFIIVPSIFEPGLTQLVAMRYGS;
 - (f) TGGLVDTV;
 - (g) GIVNGIDNMEWNPEVD; and
 - (h) AGADALLMPSRF(E/V)PCGLNQLYAMAYGT.
19. The isolated or recombinant polypeptide according to claim 16 consisting of a wheat starch synthase II polypeptide which comprises an amino acid sequence selected from the group consisting of:
 - (i) SEQ ID NO: 2;
 - (ii) SEQ ID NO: 4;
 - (iii) SEQ ID NO: 6; and
 - (iv) a homologue of any one of (i) to (iii) having at least about 85% identity thereto.
20. The isolated or recombinant polypeptide according to claim 17 consisting of a wheat starch synthase III polypeptide which comprises an amino acid sequence selected from the group consisting of:

- 90 -

- (i) SEQ ID NO: 8;
 - (ii) SEQ ID NO: 10; and
 - (iii) a homologue of (i) or (ii) having at least about 85% identity thereto.
21. The isolated or recombinant polypeptide according to claim 12 substantially free of conspecific or non-specific proteins.
22. A method comprising:
- (i) hybridising single-stranded or double-stranded mRNA, cDNA or genomic DNA with a nucleotide sequence selected from the group consisting of:
 - (a) the nucleotide sequence according to any one of claims 1 to 9;
 - (b) a probe or primer derived from a nucleotide sequence according to subparagraph (a) and comprising at least about 15 contiguous nucleotides of said nucleotide sequence in length; and
 - (ii) detecting the hybridised mRNA, cDNA or genomic DNA using a detecting means.
23. The method according to claim 22 wherein the detecting means consists of a reporter molecule covalently attached to the probe or primer molecule.
24. The method according to claim 22 wherein the detecting means consists of a polymerase chain reaction.
25. The method according to claim 22 wherein the probe or primer comprises a nucleotide sequence selected from the group consisting of:
- (i) the nucleotide sequence set forth in SEQ ID NO: 25;

- 91 -

- (ii) the nucleotide sequence set forth in SEQ ID NO: 26;
- (iii) the nucleotide sequence set forth in SEQ ID NO: 27;
- (iv) the nucleotide sequence set forth in SEQ ID NO: 28;
- (v) the nucleotide sequence set forth in SEQ ID NO: 29;
- (vi) the nucleotide sequence set forth in SEQ ID NO: 30;
- (vii) the nucleotide sequence set forth in SEQ ID NO: 31;
- (viii) the nucleotide sequence set forth in SEQ ID NO: 32;
- (ix) the nucleotide sequence set forth in SEQ ID NO: 33;
- (x) the nucleotide sequence set forth in SEQ ID NO: 34;
- (xi) a nucleotide sequence which encodes an amino acid sequence selected from the group consisting of:

- (a) KVGGLGDVWTS;
- (b) GHTVEVILPKY;
- (c) HDWSSAPVAWLYKEHY;
- (d) GILNGIDPDIWDPYTD;
- (e) DVPIVGIIITRLTAQKG;
- (f) NGQVLLGSA;
- (g) AGSDFIIVPSIFEPCGLTQLVAMRYGS;
- (h) TGGLVDTV;
- (i) KTGGLGDVAGA;
- (j) GHRVMVVVPY;
- (k) NDWHTALLPVYLKAYY;
- (l) GIVNGIDNMEWNPEVD;
- (m) DVPLLGFIRLDGQKG;

- 92 -

(n) DVQLVMLGTG;

(o) AGADALLMPSRF(E/V)PCGLNQLYAMAYGT; and

(p) VGG(V/L)RDTV;

(xii) a nucleotide sequence comprising at least about 15 contiguous nucleotides of an intron region of SEQ ID NO: 37;

(xiii) a nucleotide sequence comprising at least about 15 contiguous nucleotides of an intron region of SEQ ID NO: 38; and

(xiv) a nucleotide sequence which is complementary to any one of (i) to (xiii).

26. A method of assaying for the presence or absence of a wheat starch synthase polypeptide in a plant or a plant extract or isolated nucleic acid sample, said method at least comprising performing the method according to any one of claims 22 to 25.
27. The method according to claim 26 further comprising preparing the plant extract or nucleic acid sample.
28. A method of marker-assisted breeding and/or selection of a plant at least comprising performing the method according to any one of claims 22 to 25.
29. The method according to claim 28 further comprising selecting a plant which expresses a desirable wheat starch synthase characteristic.
30. The method according to claim 28 further comprising crossing a plant which expresses a desirable wheat starch synthase characteristic to another plant.
31. The method according to claim 30 further comprising selecting progeny of the cross

- 93 -

which expresses a desirable wheat starch synthase characteristic.

32. A plant produced by the method according to any one of claims 28 to 31 wherein said plant expresses a wheat starch synthase polypeptide at a desired level detectable using said method.
33. A method of modifying the starch content and/or starch composition of one or more tissues or organs of a plant, comprising expressing in said plant a nucleic acid molecule for a time and under conditions sufficient for the enzyme activity of one or more starch synthase isoenzymes to be modified, wherein said nucleic acid molecule is selected from the group consisting of:
 - (i) the isolated nucleic acid molecule according to any one of claims 1 to 9;
 - (ii) a fragment of (i) which comprises a nucleotide sequence capable of being expressed to down-regulate the expression of an endogenous wheat starch synthase isoenzyme of said plant; and
 - (iii) a fragment of (i) which encodes a functional wheat starch synthase isoenzyme of said plant.
34. The method according to claim 33 wherein the fragment at sub-paragraph (ii) is an antisense molecule, ribozyme molecule, co-suppression molecule, or gene-targeting molecule.
35. The method according to claim 33 further comprising introducing the nucleic acid molecule to an isolated plant cell, tissue, organ, or organelle.
36. The method according to claim 35 further comprising regenerating an intact plant from the isolated plant cell, tissue, organ, or organelle carrying the introduced nucleic acid molecule.

- 94 -

37. The method according to claim 35 wherein the nucleic acid molecule is introduced to the plant cell, tissue, organ, or organelle by introgression.
38. The method according to claim 35 wherein the nucleic acid molecule is introduced to the plant cell, tissue, organ, or organelle by transformation means.
39. An isolated promoter sequence comprising a nucleotide sequence selected from the group consisting of:
 - (i) nucleotides 1 to about 287 of SEQ ID NO: 11;
 - (ii) nucleotides 1 to about 1416 of SEQ ID NO: 37;
 - (iii) nucleotides 1 to about 973 of SEQ ID NO: 38;
 - (iv) a fragment of any one of (i) to (iii) capable of conferring expression on a heterologous gene in a monocotyledonous plant cell, tissue or organ; and
 - (v) a complementary nucleotide sequence to any one of (i) to (iv).
40. The isolated promoter sequence according to claim 39 that is operable in the endosperm.
41. A plant carrying the isolated nucleic acid molecule according to any one of claims 1 to 9 as an exogenous complement to its genome.
42. A progeny of the plant according to claim 41 wherein said progeny carries the introduced nucleic acid molecule.
43. A propagule of the plant according to claim 41 or 42 wherein said propagule carries the

- 95 -

introduced nucleic acid molecule present in said plant.

44. A gene construct or vector which comprises the isolated nucleic acid molecule according to any one of claims 1 to 9 and one or more origins of replication.
45. The gene construct according to claim 44 further comprising a promoter sequence in operable connection with said isolated nucleic acid molecule.
46. A gene construct or vector which comprises the probe or primer according to claim 10 or 11 and one or more origins of replication.
47. A modified starch derived from the plant according to claim 32 or 41 wherein said starch is modified by virtue of the use of the isolated nucleic acid according to claim 1 to produce said plant.
48. A modified starch derived from the progeny according to claim 42 wherein said starch is modified by virtue of the use of the isolated nucleic acid according to claim 1 to produce said progeny.
49. A modified starch derived from the propagule according to claim 43 wherein said starch is modified by virtue of the use of the isolated nucleic acid according to claim 1 to produce said propagule.
50. A food product comprising the modified starch according to any one of claims 47 to 49.
51. The food product according to claim 50 consisting of flour or a flour-based food product.

- 96 -

52. The food product according to claim 50 or 51 selected from the group consisting of: flour-based sauce; leavened bread; unleavened bread; pasta, noodle; cereal; snack food; cake; and pastry.
53. Use of the modified starch according to any one of claims 47 to 49 in the preparation of a food product for consumption by an animal or human.
54. A modified protein derived from the plant according to claim 32 or 41 wherein said protein is modified by virtue of the use of the isolated nucleic acid according to claim 1 to produce said plant.
55. A modified protein derived from the progeny according to claim 42 wherein said protein is modified by virtue of the use of the isolated nucleic acid according to claim 1 to produce said progeny.
56. A modified protein derived from the propagule according to claim 43 wherein said protein is modified by virtue of the use of the isolated nucleic acid according to claim 1 to produce said propagule.
57. A non-food product comprising the modified protein according to any one of claims 54 to 56.
58. The non-food product according to claim 57 selected from the group consisting of: films; coatings; adhesives; building materials; and packaging materials.
59. Use of the modified protein according to any one of claims 54 to 56 in the preparation of a non-food product.

1/50




FIGURE 1

2/50

FIGURE 2A
FIGURE 2B
FIGURE 2C
FIGURE 2D
FIGURE 2E
FIGURE 2F
FIGURE 2G
FIGURE 2H
FIGURE 2I
FIGURE 2J
FIGURE 2K
FIGURE 2L
FIGURE 2M
FIGURE 2N
FIGURE 2O

FIGURE 2

3/50

```
1          50
WSSIIB  ATTTCCTCGG CCTGACCCCG TGC GTTACC CCACACAGAG CACACTCCAG
WSSIID  ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~
WSSIIA  ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~

51          100
WSSIIB  TCCAGTCCAG CCCACTGCCG CGCTACTCCC CACTCCCCT GCCACCACCT
WSSIID  ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~
WSSIIA  ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ GCT GCCACCACCT

101         150
WSSIIB  CCGCCTGCGC CGCGCTCTGG GCGGACCAAC CCGCGCATCG TATCAGGATC
WSSIID  ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~
WSSIIA  CCGCCTGCGC CGCGCTCTGG GCGGAGGACC AACCCGCGCA TCGTACCATC

151         200
WSSIIB  ACCACCCCG ATCCCGGCCG CCGCCATGTC GTCGGCGGTC GCGTCCGCCG
WSSIID  ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~
WSSIIA  GCCCGCCCG ATCCCGGCCG CCGCCATGTC GTCGGCGGTC GCGTCCGCCG
```

FIGURE 2A

4/50

```

201
WSSIIB CGTCCTTCCT CGCGCTCGCG TCCGCCTCCC CCGGAGATC ACGGAGGAGG 250
WSSIID ~~~~~~ CGCGCTCGCG TCCGCCTCCC ~~~~~~
WSSIIA CGTCCTTCCT CGCGCTCGCG TCCGCCTCCC CCGGAGATC ACGAGGCGG

251
WSSIIB ACGAGGGTGA GCGCGTCGCC ACCCCACACC GGGGCTGGCA GGTGCACTG 300
WSSIID ~~~~~~ GCGCGTCGCC ~~~~~~
WSSIIA GCGAGGGTGA GCGCGCCGCC ACCCCACGCC GGGGCCGGCA GGCTGCACTG

301
WSSIIB GCCGCCGTGG CCGCCGCAGC GCACGGCTCG CGACGGAGCG GTGGCCGCGC 350
WSSIID ~~~~~~ CCGCCGCAGC GCACGGCTCG ~~~~~~
WSSIIA GCCGCCGTGG CCGCCGCAGC GCACGGCTCG CGACGGAGGT GTGGCCGCGC

351
WSSIIB GCGCCGCCCGG GAAGAAGGAC GCGGGGAT.. .CGACGACGC CGCGCCCGCG 400
WSSIID ~~~~~~ GAAGAAGGAC GCGAGGGTGC ~~~~~~
WSSIIA GCGCCGCCCGG GAAGAAGGAC GCGAGGGTGC ACGACGACGC CGGTCCGCG
```

FIGURE 2B

5/50

```
401
WSSIIB AGGCAGCCCC GCGCACTCCG CCGTGGCGCC GCCACCAAGG TTGCGGAGCG 450
WSSIID ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~
WSSIIA AGGCAGCCCC GCGCAGCCG CCGTGGCGCC GCCACCAAGG TCGCGGAGCG

451
WSSIIB GAGGGATCCC GTCAAGACGC TCGATCGCGA CGCCGCGGAA GTGCGCGCGC 500
WSSIID ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~
WSSIIA GAGGGATCCC GTCAAGACGC TCGATCGCGA CGCCGCGGAA GTGCGCGCGC

501
WSSIIB CGTCCCCCGC GGCACCGAGG CAGGAGGACG CCCGTCTGCC GAGCATGAAC 550
WSSIID ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~
WSSIIA CGGCACCGCC GGCACCGAGG CAGGACGCCG CCCGTCCaCC GAGTATGAAC

551
WSSIIB GGCATGCCCG TGAACGGTGA AAACAAATCT ACCGGCGGCG GCGGCGCGAC 600
WSSIID ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~
WSSIIA GGCACGCCCG TGAACGGTGA GAACAAATCT ACCGGCGGCG GCGGCGCGAC
```

FIGURE 2C

7/50

```

801      850
wSSIIB  CGtCgtcCgg CtcAAATtTc gtgCcCtCgg cttctGctCc cggGtctGAC
wSSIID  CGTCGTCCGG CTCAAATtTc GAGTCCTCGG CCTCTGCTCC CGGGTCTGAC
wSSIIA  CGTCGTCCGG CTCAAATtTc GTGgTCTCGG CTTCTGCTCC CAGGCTGGAC

851      900
wSSIIB  actgtCaGCG acGtGGaact TgaActGAAG aAGGGtgCgg tCattgTcaa
wSSIID  ACTGTCAGCG ACGTGAACA AGAACTGAAG AAGGGTGCGG TCGTTGTCGA
wSSIIA  ATTGACAGCG ATGTTGAACC TGAActGAAG AAGGGTGCGG TCATCGTCGA

901      950
wSSIIB  aGAAgcTcCa aaCcCaAaAG CTCtTTcGCC GCCCGCAGCA CCCGCTGTAC
wSSIID  AGAAGCTCCA AAGCCAAAGG CTCtTTcGCC GCctGCAGCc CCCGCTGTAC
wSSIIA  AGAAGCTCCA AACCcAAAGG CTCtTTcGCC GCCTGCAGCC CCCGCTGTAC

951      1000
wSSIIB  AACAAGACCT TTGGGACTTC AAGAAATACA TTGGTTTCGA GGAGCCCCGTG
wSSIID  AAgAAGACCT TTGGGAtTTC AAGAAATACA TTGGTTTCGA GGAGCCCCGTG
wSSIIA  AAGAAGACCT TTGGGACTTC AAGAAATACA TTGGCTTCGA GGAGCCCCGTG

```

FIGURE 2E

8/50

1001	1050
wSSIIIB	GAGGCCAAGG ATGATGGCCG GGCTGTTGCA GATGATGCGG GCTCCTTCGA
wSSIID	GAGGCCAAGG ATGATGGCCG GGCTGTCGCA GATGATGCGG GCTCCTTTGA
wSSIIA	GAGGCCAAGG ATGATGGCTG GGCTGTTGCA GATGATGCGG GCTCCTTTGA
1051	1100
wSSIIIB	ACACCACCAG AATCACGATT CCGGGCCTTT GGCAGGGGAG AACGTCATGA
wSSIID	ACACCACCAG AATCACGACT CCGGacCTTT GGCAGGGGAG AatGTCATGA
wSSIIA	ACATCACCAG AACCATGATT CCGGACCTTT GGCAGGGGAG AACGTCATGA
1101	1150
wSSIIIB	ACGTGGTCGT CGTGGCTGCT GAATGTTCTC CCTGGTGCAA AACAGGTGGT
wSSIID	ACGTGGTCGT CGTGGCTGCT GAgTGTCTC CCTGGTGCAA AACAGGTGGT
wSSIIA	ACGTGGTCGT CGTGGCTGCT GAATGTTCTC CCTGGTGCAA AACAGGTGGT
1151	1200
wSSIIIB	CTTGAGATG TTGCCGGTGC TTTGCCCAAG GCTTTGGCGA AGAGAGGACA
wSSIID	CTgGAGATG TTGCgGGTGC TcTGCCCAAG GCTTTGGCaa AGAGAGGACA
wSSIIA	CTTGAGATG TTGCCGGTGC TTTGCCCAAG GCTTTGGCGA AGAGAGGACA

FIGURE 2F

9/50

1201	1250
WSSIIB	TCGTGTTATG GTTGTGGTAC CAAGGTATGG GGAATATGAG GAAGCCTACG
WSSIID	TCGTGTTATG GTTGTGGTAC CAAGGTATGG GGAATATGAG GAAGCCTACG
WSSIIA	TCGTGTTATG GTTGTGGTAC CAAGGTATGG GGAATATGAG GAAGCCTACG
1251	1300
WSSIIB	ATGTCGGAGT CCGAAAATAC TACAAGGCTG CTGGACAGGA TATGGAAGTG
WSSIID	ATGTCGGAGT CCGAAAATAC TACAAGGCTG CTGGACAGGA TATGGAAGTG
WSSIIA	ATGTCGGAGT CCGAAAATAC TACAAGGCTG CTGGACAGGA TATGGAAGTG
1301	1350
WSSIIB	AATTATTTC ATGCTTATAT CGATGGAGTT GATTTTGTGT TCATTGACGC
WSSIID	AATTATTTC ATGCTTATAT CGATGGAGTT GATTTTGTGT TCATTGACGC
WSSIIA	AATTATTTC ATGCTTATAT CGATGGAGTT GATTTTGTGT TCATTGACGC
1351	1400
WSSIIB	TCCTCTCTTC CGACACCGCC AGGAAGACAT TTATGGGGC AGCAGACAGG
WSSIID	TCCTCTCTTC CGACACCGCC AGGAAGACAT TTATGGGGC AGCAGACAGG
WSSIIA	TCCTCTCTTC CGACACCGCC AGGAAGACAT TTATGGGGC AGCAGACAGG

FIGURE 2G

10/50

1401	1450
wSSIIIB AAATTATGAA GCGCATGATT TTGTTCTGCA AGGCCGCTGT CGAGGTTCCA	
wSSIID AAATTATGAA GCGCATGATT TTGTTCTGCA AGGCCGCTGT TGAGGTTCCA	
wSSIIA AAATTATGAA GCGCATGATT TTGTTCTGCA AGGCCGCTGT CGAGGTTCCCT	
1451	1500
wSSIIIB TGGCACGTTT CATGCGGCGG TGTCCCTTAT GGGGATGGAA ATCTGGTGTT	
wSSIID TGGCACGTTT CATGCGGCGG TGTCCCTTAT GGGGATGGAA ATCTGGTGTT	
wSSIIA TGGCACGTTT CATGCGGCGG TGTCCCTTAT GGGGATGGAA ATCTGGTGTT	
1501	1550
wSSIIIB TATTGCAAAT GATTGGCACA CGGCACTCCT GCCTGTCTAT CTGAAAGCAT	
wSSIID TATTGCAAAT GATTGGCACA CGGCACTCCT GCCTGTCTAT CTGAAAGCAT	
wSSIIA TATTGCAAAT GATTGGCACA CGGCACTCCT GCCTGTCTAT CTGAAAGCAT	
1551	1600
wSSIIIB ATTACAGGGA CCATGGTTTG ATGCAGTACA CTCGGTCCAT TATGGTGATA	
wSSIID ATTACAGGGA CCATGGTTTG ATGCAGTACA CTCGGTCCAT TATGGTGATA	
wSSIIA ATTACAGGGA CCATGGTTTG ATGCAGTACA CTCGGTCCAT TATGGTGATA	

FIGURE 2H

11/50

1601	1650
WSSIIB CATAACATCG CTCACCAGGG CCGTGGCCCA GTAGATGAGT TCCCGTTCAC	
WSSIID CATAACATCG CTCACCAGGG CCGTGGCCCT GTAGATGAAT TCCCGTTCAC	
WSSIIA CATAACATCG CGCACCAGGG CCGTGGCCCA GTAGATGAAT TCCCGTTCAC	
1651	1700
WSSIIB CGAGTTGCCT GAGCACTACC TGAACACTT CAGACTGTAC GACCCCGTGG	
WSSIID CGAGTTGCCT GAGCACTACC TGAACACTT CAGACTGTAC GACCCCGTGG	
WSSIIA CGAGTTGCCT GAGCACTACC TGAACACTT CAGACTGTAC GACCCCGTGG	
1701	1750
WSSIIB GTGGTGAACA CGCCAACTAC TTCGCCGCCG GCCTGAAGAT GGCGGACCAG	
WSSIID GTGGTGAACA CGCCAACTAC TTCGCCGCCG GCCTGAAGAT GGCGGACCAG	
WSSIIA GTGGTGAACA CGCCAACTAC TTCGCCGCCG GCCTGAAGAT GGCGGACCAG	
1751	1800
WSSIIB GTGTGCTCG TGAGCCCCGG GTACCTGTGG GAGCTGAAGA CCGTGGAGGG	
WSSIID GTGTGCTCG TGAGCCCCGG GTACCTGTGG GAGCTGAAGA CCGTGGAGGG	
WSSIIA GTGTGCTCG TGAGCCCCGG GTACCTGTGG GAGCTCAAGA CCGTGGAGGG	

FIGURE 2I

12/50

1801	1850
wSSIIB	CGGCTGGGG CTTACGACA TCATACGGCA GAACGACTGG AAGACCCGCG
wSSIID	CGGCTGGGG CTTACGACA TCATACGGCA GAACGACTGG AAGACCCGCG
wSSIIA	CGGCTGGGG CTTACGACA TCATACGGCA GAACGACTGG AAGACCCGCG
1851	1900
wSSIIB	GCATCGTGAA CGGCATCGAC AACATGGAGT GGAACCCCGA GGTGGACGTC
wSSIID	GCATCGTGAA CGGCATCGAC AACATGGAGT GGAACCCCGA GGTGGACGTC
wSSIIA	GCATCGTGAA CGGCATCGAC AACATGGAGT GGAACCCCGA GGTGGACGTC
1901	1950
wSSIIB	CACCTCAAGT CGGACGGCTA CACCAACTTC TCCCTGGGGA CGCTGGACTC
wSSIID	CACCTCAAGT CGGACGGCTA CACCAACTTC TCCCTGGGGA CGCTGGACTC
wSSIIA	CACCTCAAGT CGGACGGCTA CACCAACTTC TCCCTGGGGA CGCTGGACTC
1951	2000
wSSIIB	CGGCAAGCGG CAGTGCAAGG AGGCCCTGCA GCGGAGAGCTG GGCCTGCAGG
wSSIID	CGGCAAGCGG CAGTGCAAGG AGGCCCTGCA GCGGAGAGCTG GGCCTGCAGG
wSSIIA	CGGCAAGCGG CAGTGCAAGG AGGCCCTGCA GCGGAGAGCTG GGCCTGCAGG

FIGURE 2J

13/50

2001	2050
wSSIIIB	TCCGCGGCGA CGTGCCGCTG CTCGGCTTCA TCGGGCGCCT GGACGGGCAG
wSSIID	TCCGCGGCCGA CGTGCCGCTG CTCGGCTTCA TCGGGCGCCT GGACGGGCAG
wSSIIA	TCCGCGGCCGA CGTGCCGCTG CTCGGCTTCA TCGGGCGCCT GGACGGGCAG
2051	2100
wSSIIIB	AAGGGCGTGG AGATCATCGC GGACGCCGATG CCCTGGATCG TGAGCCAGGA
wSSIID	AAGGGCGTGG AGATCATCGC GGACGCCCATG CCCTGGATCG TGAGCCAGGA
wSSIIA	AAGGGCGTGG AGATCATCGC GGACGCCCATG CCCTGGATCG TGAGCCAGGA
2101	2150
wSSIIIB	CGTGCAGCTG GTCATGCTGG GCACCGGGCG CCACGACCTG GAGGGCATGC
wSSIID	CGTGCAGCTG GTGATGCTGG GCACCGGGCG CCACGACCTG GAGAGCATGC
wSSIIA	CGTGCAGCTG GTCATGCTGG GCACCGGGCG CCACGACCTG GAGAGCATGC
2151	2200
wSSIIIB	TGCGGCACTT CGAGCGGGAG CACCACGACA AGGTGCGCGG GTGGGTGGGG
wSSIID	TGCGGCACTT CGAGCGGGAG CACCACGACA AGGTGCGCGG GTGGGTGGGG
wSSIIA	TGCGGCACTT CGAGCGGGAG CACCACGACA AGGTGCGCGG GTGGGTGGGG

FIGURE 2K

14/50

2201	2250	
WSSIIB	TTCTCCGTGC	GGCTGGCGCA CCGATCACG GCCGGCGCCG ACGCGTCCT
WSSIID	TTCTCCGTGC	GCCTGGCGCA CCGATCACG GCGGGGCGG ACGCGTCCT
WSSIIA	TTCTCCGTgc	GcCTGGCGCA CCGATCACG GCGGGGCGCG ACGCGTCCT
2251	2300	
WSSIIB	CATGCCCCTCC	CGGTTGAGC CGTGCGGACT GAACCAGCTC TACGCCATGG
WSSIID	CATGCCCCTCC	CGGTTGAGC CGTGCGGACT GAACCAGCTC TACGCCATGG
WSSIIA	CATGCCCCTCC	CGGTTGAGc CGTGCGGACT GAACCAGCTt TACGCCATGG
2301	2350	
WSSIIB	CCTACGGCAC	CGTCCCCGTC GTGCATGCCG TCGGTGGCCT GAGGGACACC
WSSIID	CCTACGGCAC	CGTCCCCGTC GTGCATGCCG TCGGTGGCCT CAGGGACACC
WSSIIA	CCTACGGCAC	CGTCCCCGTC GTGCATGCCG TCGGTGGGT GAGGGACACC
2351	2400	
WSSIIB	GTGCCGCCGT	TCGACCCCTT CAACCACTCC GGGCTCGGGT GGACGTTTGA
WSSIID	GTGCCGCCGT	TCGACCCCTT CAACCACTCC GGGCTCGGGT GGACGTTTGA
WSSIIA	GTGCCGCCGT	TCGACCCCTT CAACCACTCC GGCCTCGGGT GGACGTTTGA

FIGURE 2L

15/50

2401	2450
wSSIIB CCGCGCAGAG GCGCAGAAGC TGATCGAGGC GCTCGGGCAC TGCCTCCGCA	
wSSIID CCGCGCCGAG GCGCACAAGC TGATCGAGGC GCTCGGGCAC TGCCTCCGCA	
wSSIIA CCGCGCCGAG GCGCACAAGC TGATCGAGGC GCTCGGGCAC TGCCTCCGCA	
2451	2500
wSSIIB CCTACCCGGA CTACAAGGAG AGCTGGAGGG GGCTCCAGGA GCGCGGCATG	
wSSIID CCTACCCGAG CTTCAAGGAG AGCTGGAGGG CCTCCAGGA GCGCGGCATG	
wSSIIA CCTACCCGGA CTACAAGGAG AGCTGGAGGG GcCTCCAGGA GCGCGGCATG	
2501	2550
wSSIIB TCGCAGGACT TCAGCTGGGA GCATGCCGCC AAGCTCTACG AGGACGTCCT	
wSSIID TCGCAGGACT TCAGCTGGGA GCACGCCGCC AAGCTCTACG AGGACGTCCT	
wSSIIA TCGCAGGACT TCAGCTGGGA GCATGCCGCC AAGCTCTACG AGGACGTCCT	
2551	2600
wSSIIB CGTCAAGGCC AAGTACCAGT GGTGAACGCT AGCTGCTAGC CGGTCCAGCC	
wSSIID CGTCAAGGCC AAGTACCAGT GGTGAACGCT AGCTGCTAGC CGGTCCAGCC	
wSSIIA CcTCAAGGCC AAGTACCAGT GGTGAACGCT AGCTGCTAGC CcTCCAGCC	

FIGURE 2M

16/50

```
2601      2650
WSSIIB      ...TGCATGA CAGGATGGAA TTGGGCATTG CGCACGCAGG
WSSIID      ...TGCATGA CAGGATGGAA CT..GCATTG CGCACGCAGG
WSSIIA      CCGCATGCGT GCATGcatga gAGGgTGGAA cTGCGCATTG CGCcCGCAGG

2651      2700
WSSIIB      ..... .GGAGCGCCG GCATCCGCCG AGTACAGTGA
WSSIID      ..... .GGAGCGCCG GCATCCGCCG AGTACAGTGA
WSSIIA      AACGTGCCAT ccttctcgat gGAGCGCCG GCATCCGCCG gGtgCAGTGA

2701      2750
WSSIIB      CAT..GAGGT GTGTGTGGTT GAGACGCTGA TTC.....C GATCTGGTCC
WSSIID      CAT..GAGGT GTGTGTGGTT GAGACGCTGA TTC.....C AATCCGGCCC
WSSIIA      CATGAGagGT GTGTGTGGTT GAGACGCTGA TTCCGATCtc gatctGGTCC

2751      2800
WSSIIB      GTAGCAGAGT AGAGCGGAGG TAGGGAAGCG CTCCTTGTTA CAGGTATATG
WSSIID      GTAGCAGAGT AGAGCGGAGG TATATGGGAA TCTTAACTTG GTATTGTAAT
WSSIIA      GTAGCAGAGT AGAGCGGAGG TAGGGAAGCG CTCCTTGTTg CAGGTATATG
```

FIGURE 2N

```
2801      2850
WSSIIB  GGAATGTTGT  TAACTTGGTA  TTGTAATTG  TTATGTTGTG  TGCATTATTA
WSSIID  TTGTTATGTT  GTGTGCATTA  TTACAATGTT  GTTACTTATT  CTTGTTAAGT
WSSIIA  GGAATGTTGT  CAACTTGGTA  TTGTAGTTTG  CTATGTTGTA  TGCgTTATTA

2851      2900
WSSIIB  CAGAGGGCAA  CGATCTGCGC  CGGCGCACCG  GCCCAACTGT  TGGGCCGGTC
WSSIID  CGGAGGCCAA  GGGCGAAGC  TAGCTCACAT  GTCTGATGGA  TGCAAAAAAA
WSSIIA  caatgttgtt  acttattctt  gtTAAAAAAA  AAAAAAAA    AAAA~~~~~

2901      2950
WSSIIB  GCACAGCAGC  CGTTGGATCC  GACCGCCTGG  GCCGTTGGAT  CCCACCGAAA
WSSIID  AAAAAA      AAA~~~~~  ~~~~~~      ~~~~~~
WSSIIA  ~~~~~~      ~~~~~~      ~~~~~~      ~~~~~~

2951      2965
WSSIIB  AAAAAA      AAAA
WSSIID  ~~~~~~      ~~~~~~
WSSIIA  ~~~~~~      ~~~~~~
```

FIGURE 20

FIGURE 3A
FIGURE 3B
FIGURE 3C
FIGURE 3D
FIGURE 3E
FIGURE 3F
FIGURE 3G

FIGURE 3

19/50

```

WSSIIA 1 MSSAVASAAS ---FLALASA SP-GRSRRRA RVSAPPPHAG AGRL---HW PPWPP-QRTA 51
WSSIIB 1 ***** ---***** **-----T* ***** **S*----- 51
WSSIID -----
ZSSIIA 1 ***AV*SS* STFF***** **G**---*** **GSS*F*T* *-S*SFAFWA **S**RAPRD 57
ZSSIIB 1 *PG*-I*SS* SAFL*PV**S **---R***G S*G*ALRSY* YSGAELRL** ARRG*P*DG* 56
PEASSII 1 *MLSLG*D*T VLP*H*KNLK FTPKL*TLNG --DLAFSKGL GVGRNLNCGSV -----R 49
POTSSII 10 PVNFIFCDEFY VMENSI*LHS GNQFHPNLPL ---LALRPKK LSLIHGSSRE -----Q 57

      ↓ Transit peptide cleavage site

WSSIIA. 52 RDGGVAARAA GKKDARVDDD AASARQPRAR RGGAATKVAE RRDPVKTLDR DAAEGGAPAP 111
WSSIIB 52 ***A***** *****GI-** **p*****L ***** **S*****S* 110
WSSIID -----
ZSSIIA 58 AALVR*EAE* *G***PPERS GDA**L*** *---NA*SK ***----- 97
ZSSIIB 57 -ASVR**A*P AGG----- **S*****S* 68
PEASSII 50 LNHKQHV**V **SFGADENG DG*EDDVVNA TIEKSK**LA LQRELIQQIA ERKKLVSSID 109
POTSSII 58 MWRNQRVK*T *ENSGEAA-S *DESNDALQV TIEKSK**LA MQQDLLQQIA ERRKVVSSIK 116

```

FIGURE 3A

20/50

```

WSSIIA 112 PAPRQDAARP PSMNGTPVNG ENKSTGGGA TKDGLPAPA RAPHSTQNR VPVNGENKAN 171
WSSIIB 111 *****ED**L *****M***** *****S***** 170
WSSIID -----
ZSSIIA 98 -----LQPVG RYG*ATGNT* *TGAA*C**A ALADV*I*SI 132
ZSSIIB 69 -----ESEEAAKSS SSSQAGAVQG STAKAVDS*S 97
PEASSII 110 SDSIPGLEGN GVSYESSEKS LSR-----DS*P QKGSSSSGSA 146
POTSSII 117 S-----SL*NA KGTYDGGSGS LSDVDIPDVD KDYNVTVPST A*TGITDVK NTPPAISHDF 172

```

```

WSSIIA 172 VASPPTSIAE VVAPDSAATI SISDKAPESV VPAEKPPSS GSNEFVSASA PRLDIDSDVE 231
WSSIIB 171 *****A***** *****P***** *GS*TV***** 230
WSSIID 203 ----- *****T***** *****ES***** *GS*TV***** 231
ZSSIIA 134 **A*****VK FP**GYRMIL PSG*I**T* L**P**--LH E*PA*DGD*N --GIAPPT** 188
ZSSIIB 99 PPN*L**APK QSQAAMONG TSGGSSASTA A*VSG*KADH P*AP*TKREI DASAVKPEPA 158
PEASSII 147 *ETKR--WHC FQQ-----LC RSKETETWA* SSVGINQGF EIEKKND*VK ASSKLHFNEQ 199
POTSSII 173 *E*KREIKRD LADERAPPLS RS*IT*SSQI SSTVSSK--R TL*VPPETPK SSQETLL**N 230

```

FIGURE 3B

21/50

WSSIIP1 Region										
WSSIIA	232	PELKGAVIV	EEAPNPKALS	PPAAPAQED	LWDFKKYIGF	EEPVEAKDDG	WAVADDAGSF			291
WSSIIB	231	L*****	K*****	*****Q*	*****	*****	R*****			290
WSSIID	232	Q*****V*	*****K*****	*****	*****	*****	R*****			291
ZSSIIA	189	*-----	-----	-----L**A	T*****	D**D*****S	RVG*****			224
ZSSIIB	159	GDDARPVESI	-----	-----	-----*I	A**D**A*-	A*P*T**AAS			188
PEASSII	200	IKN*LYERPD	TKDIS--SSI	R-----	-----TSSL	KFENFEGANE	PSSKEV*NEA			242
POTSSII	231	SRKSLVD*PG	KKIQSYMPSL	R-----	-----*ESSAS	HVEQRNENLE	GSS*EANEET			277
Region 1										
WSSIIA	292	EHQHND--S	GPLAGENVMN	VVVVAAECSP	WCKTGGLGDV	AGALPKALAK	RGHRVMVVVP			349
WSSIIB	291	*****--*	*****	*****	*****	*****	*****			348
WSSIID	292	*****--*	*****	*****	*****	*****	*****			349
ZSSIIA	225	**YGDN*--*	*****	*I*****	*****V*	*****R	*****			282
ZSSIIB	189	APYDRE*NEP	*****P*****	*****S**A*	F*****	V*****R	*****I*			248
PEASSII	243	*NFESGGEKP	P***T***	IIL*S**A*	*S*****	*S*****R	*****I*A*			302
POTSSII	278	*DPV*I*EKP	P***T***	IIL*S**A*	*S*****	*S*****R	*****A*			337
Region 2										

FIGURE 3C

22/50

Sgp-1 Peptide 3

WSSIIA	350	RYGDYEEAYD	VGVRKYYKAA	GQDMEVNYEH	AYIDGVDFVF	IDAPLFRHRQ	EDIYGGSRQE	409
WSSIIB	349	*****	*****	*****	*****	*****	*****	408
WSSIID	350	*****PT*	*****	*****	*****	*****E	*****	409
ZSSIIA	283	***V**F*	**I*****	**L*****	*F*****	*****	D*****	342
ZSSIIB	249	**E*A**R*	L**RRR**V*	**S**T***	S*****I	VE**P***H	NN*****E*LD	308
PEASSII	303	H**N*A**H*	I***R**V*	*****T***	T*****I**	**S*I**NLE	SN***N*LD	362
POTSSII	338	**DN*P*PQ*	S***I**VD	**VD*T**Q	*LLMDC*****	*HSHM***IG	NN***N*VD	397

Region 3

WSSIIA	410	IMKRMILFCK	AAVEVPWHVP	CGGVPYGDGN	LVFIANDWHT	ALLPVYLKAY	YRDHGLMQYT	469
WSSIIB	409	*****	*****	*****	*****	*****	*****	468
WSSIID	410	*****	*****	*****	*****	*****	*****	469
ZSSIIA	343	*****	V*****	***C*****	*****	*****	*****	402
ZSSIIB	309	*L*****	*****YA*	***TV*****	*****	*****	***N*****A	368
PEASSII	363	*LR**V***	*****	***IC*****	*****	*****	*****N**	422
POTSSII	398	*L***V***	**I*****	***C*****	*****	***A*****	***N*I*N**	457

FIGURE 3D

```

WSSIIA 470 RSIMVIHNIA HQGRGPVDEF PFTLPPEHYL EHFRLYDPVG GEHANYFAAG LKMADQVVVV 529
WSSIIB 469 ***** ***** ***** ***** ***** 528
WSSIID 470 ***** ***** ***** ***** ***** 529
ZSSIIA 404 **VL***** **YMD***** Q**E***** I***** *****R**T* 462
ZSSIIB 369 **VL***** **VNFD***** I D**K*****NI* *D*S*V***** **T**R**T* 428
PEASSII 423 **VL***** **NTVD*SGN** DL*KM***** **F*I***** **T**RI**T* 482
POTSSII 458 **VL***** **SYVD**P**M DP*K***** **F*I***** **T**R**T* 517

```

Region 4

```

WSSIIA 530 SPGYLWELKT VEGGWGLHDI IRQNDWKTRG IVNGIDNMEW NPEVDVHLK- SDGYTNFSLG 588
WSSIIB 529 ***** ***** ***** ***** ***** - ***** 587
WSSIID 530 ***** ***** ***** ***** ***** A*****R 588
ZSSIIA 463 *R***** **S*****IN* *****HQ** **K*****R- *****Y**E 521
ZSSIIB 429 *N**M***** S*****LQ* *****MS** **A*****H- *****YTFE 487
PEASSII 483 *H**A***** S*****N* *NES*****F** *****V*TKD* **QF*AY*T- *****YN*K 541
POTSSII 518 *H**S***** SQ*****Q* *NE*****LQ* *****TK** ***L*****PR *****M**Y**D 577

```

FIGURE 3E

Region 5				Region 5a			
WSSIIA	589	TLDGKRQCK	EALQRELGLQ	VRADVPLIGF	IGRLDGQKGV	EIIADAMPWI	VSQDVQLVML
WSSIIB	588	*****	*****	**G*****	*****	*****	*****
WSSIID	588	*****	*****	*****	*****	*****	*****
ZSSIIA	522	***A*****	A*****E	**D*****	*****	D**G*****	AG*****
ZSSIIB	488	**T*****	A***Q*****	**D***I**	*****H*****	D*****IH**	AG*****
PEASSII	542	**QT*****	A*****P	**E***IIS*	*****H*****	DL**E*I**M	M**H*****
POTSSII	578	**QT**P***	A**K***P	**D***I**	*****P*****	DL**E*V**M	MG*****
Region 6				Region 6			
WSSIIA	649	GTGRHDLESM	LRHFEREHHD	KVRGWVGFSV	RLAHRITAGA	DALLMPSRFE	PCGLNQLYAM
WSSIIB	648	*****G*	*****	*****	*****	*****	*****
WSSIID	649	*****	*Q*****	*****	*****	*****V	*****
ZSSIIA	582	***A***R*	*Q*L*****PN	*****	PM*****	*V*****	*****
ZSSIIB	548	***A***D*	**R**S**S*	***A*****	P*****	*I*****	*****
PEASSII	602	***A***Q*	*KE**AQ*C*	*I*S*****	KM*****S	*I*****	*****
POTSSII	638	***R***Q*	**Q**CQ*N*	*I*****	KTS*****	*I*****	**A*****

FIGURE 3F

25/50

Region 7

WSSIIA	709	AYGTVPVVHA	VGGVRDTPPP	EDPFNHSGLG	WTFDRAEAHK	LIEALGHCLR	TYRDYKESWR	768
WSSIIB	708	*****	***L*****	*****	*****Q*	*****	*****	767
WSSIID	709	*****	***L*****	*****	*****	*****	***F*****	768
ZSSIIA	642	*****	***L*****A*	***GDA**	*****N*	***R***D	***K*G***K	701
ZSSIIB	608	*****	***L*****A*	***DT***	*****NR	M*D**S***T	***N*****	667
PEASSII	662	*****G	***L*****Q*	*N**DE**V*	*****N*	*MA**WN**L	**K***K**E	721
POTSSII	698	K***I*****	***L*****Q*	**LMSQDW*	GPS*****SQ	**PRIRN**L	**E**K**E	757

WSSIIA	769	GLQERGMSQD	FSWEHAAKLY	EDVLLKAKYQ	W	799
WSSIIB	768	*****	*****	***V*****	*	798
WSSIID	769	*****	*****	***V*****	*	799
ZSSIIA	702	S**A*****	L**D***E**	***V*****	*	732
ZSSIIB	668	ACRA***AE*	L**D***V**	***V*****	*	698
PEASSII	722	*I*****	L**DN**QQ*	**E**VA*****	*	752
POTSSII	759	*I*T*C*T**	L**DN**QN*	*E**IA*****	*	788

FIGURE 3G

26/50




FIGURE 4

27/50




FIGURE 5




FIGURE 6

FIGURE 7A
FIGURE 7B
FIGURE 7C
FIGURE 7D
FIGURE 7E
FIGURE 7F
FIGURE 7G
FIGURE 7H
FIGURE 7I

FIGURE 7

30/50

```

1      MEMSLWPRSP LCPRSRQPLV VVRP..AGRG GLTQPFLLMNG RFTRSRTLRC      50
wSSIII MEMVLRSPSP LCLRS.GPVL IFRPTVAGGG GGTQSLRRTT RFARRRVIRC
mSSIII ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~
pSSIII ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~

51     MVASSDPPNR KSRRMVPPQV KVISSRGYTT RLIVEPSNEN TEHNNRD...      100
wSSIII VVASPGCPNR KS.RTASPNV KVAAYSNYAP RLLVESSKK SEHHDSSRHR
mSSIII ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~
pSSIII ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~

101    EETLDTYNAL LSTETAETD NREAE..... ..TAKADSSQ NALSSSIIGE      150
wSSIII EETIDTYNGL SGSDAAELTS NRDVEIEVDL QHISEEELPG KVSINASLGE
mSSIII ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~
pSSIII ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~

151    VDVAD..... EDILAADLTV YSLSSVMKKE VDAADKARVK EDAFELDLPA      200
wSSIII METVDEAEVE EDKFEVDTSQ IVLRNVAVRE VDPKDEHNAK .DVFVVDSSG
mSSIII ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~
pSSIII ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~

```

FIGURE 7A

```

201                250
wSSIII TLRSVIVDV MDHNGTVQET LRSVIVDVMD .HNGTVQE.. TLRSVIVDVM
mSSIII TAPDNAAVEE VVDEAEVEED MVDVDILGLD LNNATIEEID IMEEALLENF
pSSIII ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~

251                300
wSSIII D.DAADKARV EEDVFELDLS GNISSAT.. .....TVEL
mSSIII DVDSPGNASS GRTYGGVDEL GELPSTSVDC IAIN GKRRSL KPKPLPIVRF
pSSIII ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~

301                350
wSSIII DAVDEVGPVQ DKFEATSSGN VSNSATVREV DASDE...AG NDQGIFRADL
mSSIII QEQQEIVLSI VDEEGLIASS CEEGQPVVDY DKQEE NSTAF DEKQLTDDF
pSSIII ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~

351                400
wSSIII SGNVFSSTT VEVG..AVDE AGSIKDRFET DSSGNVSTSA PMWDAIDETV
mSSIII PEEGISIVHF PEPNNDIVGS SKFLEQKQEL DGSYKQDRST TGLHEQDQSV
pSSIII ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~ ~~~~~~

```

FIGURE 7B

401	wSSIII	ADQDTFEADL	SGNASSCATY	REVDDVVDET	RSEETTFAMD	LFASESGHEK	450
	mSSIII	VSSHGQDKSI	VG.VPQQIQY	NDQSIAGSHR	QDQSIAGAPE	QIQSVAGYIK	
	pSSIII	~~~~~	~~~~~	~~~~~	~~~~~	~~~~~MDVPE	
451	wSSIII	HMAVDYVGEA	TDEEETYQQQ	YPVPSSFMSW	DKAIAKTGVS	LNPELRILVRV	500
	mSSIII	PNQ.SIVGSC	KQHELIIPPEP	KKIESIISYN	EIDQSIVGSH	KQDKSVVSVVP	
	pSSIII	PLHRSLSCTS	VSNAITHLKI	KPILGFVSHG	TTSLSVQSSS	WRKDGMMVTGV	
501	wSSIII	EEQGKVNFS	KKDLSIDDL	GQNQSIIGSY	KQDKSIADVA	GPTQSI FGSS	550
	mSSIII	EQIQSIVSHS	KPNQSTVDSY	RQAESIIGVP	EKVQSI TSYD	KLDQSI VGS	
	pSSIII	SFSICANFSG	RRRRKVVSTPR	SGSSPKGEV	PRKPSGMSTQ	RKVQKSNGDK	
551	wSSIII	KQHRSI VAFF	KQNQSI VSVT	EQKQSI VGER	SQDLSAVSL.P	600
	mSSIII	KQDEPI I	SVPI SVHYT	KPNQSI VGLP	KQQQSI VHIV	EPKQSI DGEF	
	pSSIII	ESKSTST	SKE SEISN	QKTVE ARVET	SDDDT	KGVVRDHKFL	EDEEINGST

FIGURE 7C

33/50

601	650
wSSIII	KQ.NVPIVGT SREGQTKQVP VVDRQDALYV NGLEAKEGDH TSEKTD DAL
mSSIII	KQ.DLSIVGI SNEFQTKQLA TVGTHDGLLM KGVEAKE... TSQKTEGDTL
pSSIII	KSISMSPPRV SSQFVESEET GGDDKDAVKL N..KSKRSEE SGFIIDSVIR
651	700
wSSIII	HVKFNVDNVL RKHQADRTQA VEKKTWKKVD EEHLYMTEHQ KRAA..EGQM
mSSIII	QATFNVDNLS QKQEGLTKEA DEITIIIEKIN DEDLVMIEEQ KSIAMNEEQ
pSSIII	EQSGSQGETN ASSKGSHAVG TKLYEILQVD VEPQQLEN. .NAGNVEYKG
701	750
wSSIII	VVNEDELSIT EIGMGRGD.K IQHVLSEEL SWSEDEVQLI EDDGQYEVDE
mSSIII	IVTEEDIPMA KVEIGIDKAK FLHLLSEES SWDENEVGII EADEQYEVDE
pSSIII	PVASKLLEIT KA.....SD VEHTESNEID DLDN..SFF KSDLIEE DEP
751	800
wSSIII	TSVSVNVEQD IQGSPQDVVD PQALKVMLQE LAEKNYSMRN KLFVFPPEVVK
mSSIII	TSMS..TEQD IQESPND DLD PQALWSMLQE LAEKNYSLGN KLFTYPPDVLK
pSSIII	LAAGTVETGD SSLNLRLEME ANLRRQAIER LAEENLLQGI RLFCFPPEVVK

FIGURE 7D

801	wSSIII	ADSVIDL	YLN	RDLTALANEP	DVVIKGFNG	WKWRLFTERL	HKSDLGGVWW	850
	mSSIII	ADSTIDL	YFN	RDLSAVANEP	DVLIKGFNG	WKWRFFTEKL	HKSELAGDWW	
	pSSIII	PDEDVEI	FLN	RGLSTLKNE	DVLIMGFNE	WRYRSFTTRL	TETHLNGDWW	
851	wSSIII	SCKLYIP	KEA	YRLDFVFFNG	RTVYENNGNN	DFCIGIEGTM	NEDLFEDFLV	900
	mSSIII	CCKLYIP	KQA	YRMDVFFNG	HTVYENNNNN	DFVIQIESTM	DENLFEDFLA	
	pSSIII	SCKIHVP	KEA	YRADFVFFNG	QDVYDNNDGN	DFSITVKGGM	QIIDFENFLI	
901	wSSIII	KEKQRE	LEKL	AMEEAERTQ	TEEQRRRKEA	RAADEAVRAQ	AKAEIEIKKK	950
	mSSIII	EEKQRE	LENL	ANEAEERRQ	TDEQRRMEEE	RAADKADRVQ	AKVEVETKKN	
	pSSIII	EEKWRE	QEKL	AKEQAERERL	AAEQRRIEAE	KAEIEADRAQ	AKEEAAKKKK	
951	wSSIII	KLQSM	LSLAR	TCVDNLWYIE	ASTDTRGDTI	RLYNNRNSRP	LAHSTEIWMH	1000
	mSSIII	KLCNV	LGLAR	APVDNLWYIE	PITTGQEATV	RLYNNINSRP	L VHSTEIWMH	
	pSSIII	VLREL	MVKAT	KTRDITWYIE	PSEFKCEDKV	RLYNNKSSGP	LSHAKDLWIH	

FIGURE 7E

35/50

1001	1050
wSSIII	GGYNNWTDGL SIVESFVKCN DKDGDWYAD VIPPEKALVL DWVFADGPAG
mSSIII	GGYNNWIDGL SFAERLVHHH DKDCDWFEAD VVVPERTYVL DWVFADGPPG
pSSIII	GGYNNWKDGL SIVKKLVKSE RIDGDWYYTE VVIPDQALFL DWVFADGPPK
1051	1100
wSSIII	NARNYDNNAR QDFHAILPNN NVTEEGFWAQ EEQNIYTRL QERREKEETM
mSSIII	SARNYDNNGG HDFHATLP.N NMTEEEYWME EEQRIYTRLQ QERREREEAI
pSSIII	HAIAYDNNHR QDFHAIVP.N HIPEELYWVE EEHQIFKTLQ EERRLREAAM
1101	1150
wSSIII	KRKAERSANI KAEMKAKTMR RFLSQKHIV YTEPLEIRAG TTVDVLYNPS
mSSIII	KRKAERNAM MFLVSQKHIV YTEPLEIHAG TTIDVLYNPS
pSSIII	RAKVEKTALL KTETKERTMK SFLSQKHVV YTEPLDIQAG SSVTVVYNPA
1151	1200
wSSIII	NTVLNGKSEG WFRCSFNLM HSSGALPPQK MVKSGDGPLL KATVDVPPDA
mSSIII	NTVLTKKPEV WFRCSFNRM YPGGVLPQK MVAENGSHL KATVYVPRDA
pSSIII	NTVLNGKPEI WFRCSFNRT HRLGPLPPQK MSPAENGTHV RATVKVPLDA

FIGURE 7F

36/50

1201				1250
wSSIII	YMMDFVFWSEW	EEDGIYDNRN	GMDYHIPVSD	SIETENYMRI IHIAVEMAPV
mSSIII	YMMDFVFWSES	EEDGIYDNRN	GLDYHIPVFG	SLAKEPPMHI VHIAVEMAPI
pSSIII	YMMDFVFWSER	EDGGIFDNKS	GMDYHIPVFG	GVAKEPPMHI VHIAVEMAPI
1251				1300
wSSIII	AKVGGLGDVV	TSLSRAIQDL	GHTVEVILPK	YDCLNQSSVK DLHLYQSFSW
mSSIII	AKVGGLGDVV	TSLSRAVQDL	GHNVEVILPK	YGCLNLSNVK NLQIHQSFSW
pSSIII	AKVGGLGDVV	TSLSRAVQDL	NHNVDIILPK	YDCLKMNNVK DFRFHKNYFW
1301				1350
wSSIII	GGTEIKVWVG	RVEDLTVYFL	EPQNGMFGVG	CVYG.RNDDR RFGFFCHSAL
mSSIII	GGSEINVWRG	LVEGLCVYFL	EPQNGMFGVG	YVYG.RDDDR RFGFFCRSAL
pSSIII	GGTEIKVWFG	KVEGLSVYFL	EPQNGLFSKG	CVYGCSNDGE RFGFFCHAAL
1351				1400
wSSIII	EFILQNEFSP	HIHCHDWSS	APVAWLKYEK	YSQSRMASTR VVFTIHNLEF
mSSIII	EFLLQSGSSP	NIIHCHDWSS	APVAWLHKEN	YAKSSLANAR VVFTIHNLEF
pSSIII	EFLLQGGFSP	DIHCHDWSS	APVAWLFEKQ	YTHYGLSKSR IVFTIHNLEF

FIGURE 7G

37/50


1401						1450
wSSIII	GAHYIGKAMT	YCDKATTVSP	TYSRDVAGHG	AIAPHREKFY	GILNGIDPDI	
mSSIII	GAHHIGKAMR	YCDKATTVSN	TYSKEVSGHG	AIVPHLGKFY	GILNGIDPDI	
pSSIII	GADLIGRAMT	NADKATTVSP	TYSQEVSGNP	VIAPHLHKFH	GIVNGIDPDI	
1451						1500
wSSIII	WDPYTDNFIP	VPYTCENVVE	GKRAAKRALQ	QKFGQQTDV	PIVGIIITRLT	
mSSIII	WDPYNDNFIP	VHYTCENVVE	GKRAAKRALQ	QKFGQQIDV	PVVGIVTRLT	
pSSIII	WDPLNDKFIP	IPYTCENVVE	GKTAAKEALQ	RKLGKQADL	PLVGIIITRLT	
1501						1550
wSSIII	AQKGIHLIKH	AIHRTLESNG	HVLLGSAPD	HRIQGDFCRL	ADALHGVYHG	
mSSIII	AQKGIHLIKH	AIHRTLERNG	QVLLGSAPD	SRIQADFNVL	ANTLHGVNHG	
pSSIII	HQKGIHLIKH	AIWRTLERNG	QVLLGSAPD	PRVQNNFVNL	ANQLHSKYND	
1551						1600
wSSIII	RVKLVLTIDE	PLSHLIYAGS	DFIIVPSIFE	PCGLTQLVAM	RYGSIPIVRK	
mSSIII	QVRLSLTYDE	PLSHLIYAGS	DFILVPSIFE	PCGLTQLVAM	RYGTIPIVRK	
pSSIII	RARLCLTYDE	PLSHLIYAGA	DFILVPSIFE	PCGLTQLTAM	RYGSIPVVRK	

FIGURE 7H


1601	1650
wSSIII	TGGLHDTVFD VDNDKDRARS LGLEPNGFSF DGADSNMGVDY ALNRAIGAWF
mSSIII	TGGLFDTVFD VDNDKERARD RGLEPNGFSF DGADSNMGVDY ALNRAISAWF
pSSIII	TGGLYDTVFD VDHDKERAQQ CGLEPNGFSF DGADAGGVDY ALNRALSAWY
1651	1689
wSSIII	DARDWFHSLC KRVMEQDWSW NRPALDYIEL YHAARKF*~
mSSIII	DARSWFHSLC KRVMEQDWSW NRPALDYIEL YRSASKL~~
pSSIII	DGRDWFNSLC KQVMEQDWSW NRPALDYIEL YHAARKLE*

FIGURE 7I

[a] Wyuna



[b] Gabo



[c] Gabo



FIGURE 8

FIGURE 9A	FIGURE 9B
FIGURE 9C	FIGURE 9D
FIGURE 9E	FIGURE 9F

FIGURE 9

41/50

		Region 1				Region 2			
		20				40			
		10				50			
wGBSS	81	FVGAEMAPWS	KTGGLGDLG	GLPPAMAANG	HRVMVISPRY	DQYKDAWDT-			
wSS1	144	-*TG*A**YA	*S***VC*	S**I*L**R*	*****VM***	LNGSSDKNYA			
wSS2	314	--A**CS**C	*****VA*	A**K*L*KR*	*****VV***	GD*EE*Y*V-			
wSS3	1187	-IAV***VA	*V*****VVT	S*SR*IQDL*	*T*E**L*K*	*CLNQSSVK-			
		100				140			
		110				130			
wGBSS	171	LEKVRGKTKE	KIYGPDAGTD	YEDNQRFSL	LCQAALVPR	ILNLDNNPYF			
wSS1	234	-HRPGSLYGD	-----NEGA	FG***F*YT*	**Y**C*A*L	**E*GGYI*G			
wSS2	404	RHRQEDIYGG	-----S	RQEIMK*MI*	F*K**V***W	HVPCGGV**G			
wSS3	1277	**PQN*MEGV	-----GCVY	GRNDDR**GF	F*HS***--F	**QNEFS*H-			
		190				230			
		200				220			
wGBSS	261	FCIHNISYQG	RFSFDDEAQL	NLPD-----R	EKSSFDFIDG	YDKPVEGRKI			
wSS1	324	LV***LAH**	LEPASTYPD*	G**PEWYGAL	EWVPEWARR	HALDKGEAVN			
wSS2	494	MV***AH**	*GPV*E*PFT	E*-----	-EHYLEHFRL	**PVGGEHAN			
wSS3	1367	*T***L-EF*	AHYIGKAMTY	CDK-----	-----	-----			

FIGURE 9A

42/50

```

60      70      80      90
-----S V V S E   I K V V D K Y E R V   R Y F H C Y K R G V   D R V F V D H P C F   170
K A L Y T G K H I K   * P C F G G S H E *   T F * * E * R D N *   * W * * * * * S Y   233
-----G * R K Y   Y * A A G Q D M E *   N * * * A * I D * *   * F * * I * A * L *   403
-----D L H L Y Q S F S   W G G T E I * V W *   G * * E D L T V Y *   1276

```

```

Region 3
150      160      170      180
S G P Y G E D V V F   V C N D W H T G L L   A C Y L K S N Y Q S   N G I Y R A A K V A   260
Q N -----C M *   * V * * * * A S * V   P V L * A A K * R P   Y * V * * D S R S T   323
D * -----N L * *   I A * * * * * A * *   P V * * * A Y * R D   H * L M Q Y T R S I   493
-----I I   H * H * * S S A P V   * W L Y * E H * S Q   - S R M A S T R * V   1366

```

```

240      250      260      270
N W M K A G I L Q A   D K V L T V S P Y Y   A E E L I S G E A R   G C E L D N I M R L   350
F L K G * V V T A D   R I * T V S Q G * S   W * V T T A E G G Q   * L N E L L S S * K   413
Y F A A G L K M A D   Q V * V V S P G * L   W * L K T V E G G W   * L H D I I R Q N D   583
-----A T   T V S P T Y S R D V   A G H G A I A P H R   1456

```

FIGURE 9B

43/50

Region 4				
	280	290	300	310 320
wGBSS	351	TGITTIVNGM DVSEWDPTKD	KFLAVNYDIT	TALEGKALNK EALEGKALNK
wSS1	414	SVLNG***I *IND*N**T*	*C*PHH*SV-	DD*S***KC*
wSS2	584	WKTRG***I *NM**N*EV*	VH*KSDGYTN	TLDS**RQC*
wSS3	1457	EKFYG*L*I *PDI***YT*	N*IP*P*TCE	**AKRALQQ*

Region 5a				
	370	380	390	400 410
wGBSS	441	LKEEDVQIVL LGTGKKKFER	LLKSIEEKFP	SKVRVVRFN -----APLA
wSS1	504	*MR***F*M **S*DPI**G	WMR*T*SSYK	D*F*GW*G*S -----V*VS
wSS2	674	V-SQ***L*M *****RHDLS	M*RHF*REHH	D**GW*G*S -----VR**
wSS3	1547	TL*SNG*V** **SAPDHRIQ	GDFCRLADAL	HG*YHGRVKL -VLTUDE**S

FIGURE 9C

44/50

Region 5			
330	340	350	360
EALQAEVGLP	VDRKVPLVAF	IGRL EEQKGP	DVMIASIP EI 440
AE**K*L**	*RED***IG*	*****DY***I	*LIKMA***- 503
****R*L**Q	*RAD***LG*	*****DG***V	EIIADAM*W* 673
FG**QT----	---D**I*GI	*T**TA***I	-HL*KHAIHR 1546

Region 6		Region 7	
420	430	440	450
HQMMAGADVL	AVTSRFEPCG	LIQLQGMRYG	TPCACASTGG 530
*RIT**C*I*	LMP*****	*N**YA*Q**	*VPVVG*** 593
*RIT***A*	LMP*****	*N**YA*A**	*VPVHVAV** 763
*LIY**S*FI	I*P*I*****	*T**VA***	SIPVRK*** 1636

FIGURE 9D

45/50

Region 7 (Continued)

	460	470	480	490	500
wGBSS 531	LVD	TIVEGKT	GEHMGRLSYD	CNVVEPADVK	KVVTTTLKRAV
wSS1 594	*R**	***TFN	----	--PFGAKGEE	GTGWAFSPLT
wSS2 764	VR**	***PPFD	----	--PFNHSGLG	---W*FD**E
wSS3 1637	***	***FD	NDKDRAR*LG	LEPNGFSFDG	ADSNVGVDY*L
					NRAIGAWFDA
550	560	570	580	590	600
wGBSS 621	APL	AMENVAA	P*		
wSS1 684	FVD	QPYVM			
wSS2 854	KYQW				
wSS3 1727					


FIGURE 9E

46/50

510		520	530	540	
MVKNCMIQDL	SWKGPKNWE	DVLELGVG	SEPGIVGEEI		620
AMSTFREHKP	**E*LM*RGM	TKDHTWDHAA	EQYEQIF*WA		683
CLRTYRDYKE	**R*LQERGM	SQDFSWEHAA	KLYED*LLKA		853
RDWEHSLCKK	VMEQDWSWNR	PA*DYIELYH	AARKE*....		1726
610	620	630			
.....		710
.....		773
.....		943
.....		1816

FIGURE 9F

47/50

**FIGURE 10**

48/50




FIGURE 11




FIGURE 12

50/50




FIGURE 13

- 1 -

SEQUENCE LISTING

<110> COMMONWEALTH SCIENTIFIC AND INDUSTRIAL RESEARCH ORGANISATION
GOODMAN FIELDER LIMITED
GROUPE LIMAGRAIN PACIFIC PTY LTD

<120> NOVEL GENES ENCODING WHEAT STARCH SYNTHASES AND USES
THEREFOR

<130> p:\oper\mro\pi-wss.pct

<140> TO BE ADVISED

<141> 2000-04-28

<150> AU PQ0052/99

<151> 1999-04-29

<160> 54

<170> PatentIn Ver. 2.0

<210> 1

<211> 2939

<212> DNA

<213> Triticum aestivum

<220>

<221> CDS

<222> (176)..(2569)

<400> 1.

```

atttctctcg cctgaccccg tgcgtttacc ccacacagag cacactccag tccagtccag 60
cccactgccg cgctactccc cactcccact gccaccacct ccgcctgcgc cgcgctctgg 120
gcggaccaac ccgcgcatcg tatcacgac acccaccgcc atcccggccg ccgcc atg 178
                                         Met
                                         1
tcg tgc gcg gtc gcg tcc gcc gcg tcc ttc ctc gcg ctc gcg tcc gcc 226
Ser Ser Ala Val Ala Ser Ala Ala Ser Phe Leu Ala Leu Ala Ser Ala
      5              10              15
tcc ccc ggg aga tca cgg agg agg acg agg gtg agc gcg tgc cca ccc 274
Ser Pro Gly Arg Ser Arg Arg Arg Thr Arg Val Ser Ala Ser Pro Pro
      20              25              30
cac acc ggg gct ggc agg ttg cac tgg ccg ccg tgc ccg ccg cag cgc 322
His Thr Gly Ala Gly Arg Leu His Trp Pro Pro Ser Pro Pro Gln Arg
      35              40              45
acg gct cgc gac gga gcg gtg gcc gcg cgc gcc gcc ggg aag aag gac 370
Thr Ala Arg Asp Gly Ala Val Ala Ala Arg Ala Ala Gly Lys Lys Asp
      50              55              60              65
gcg ggg atc gac gac gcc gcg ccc gcg agg cag ccc cgc gca ctc cgc 418
Ala Gly Ile Asp Asp Ala Ala Pro Ala Arg Gln Pro Arg Ala Leu Arg
      70              75              80
ggg ggc gcc gcc acc aag gtt gcg gag ccg agg gat ccc gtc aag acg 466
Gly Gly Ala Ala Thr Lys Val Ala Glu Arg Arg Asp Pro Val Lys Thr
      85              90              95
ctc gat cgc gac gcc gcg gaa ggt gcc gcg ccg tcc ccg ccg gca ccg 514
Leu Asp Arg Asp Ala Ala Glu Gly Gly Ala Pro Ser Pro Pro Ala Pro

```

- 2 -

100	105	110	
agg cag gag gac gcc cgt ctg ccg agc atg aac ggc atg ccg gtg aac			562
Arg Gln Glu Asp Ala Arg Leu Pro Ser Met Asn Gly Met Pro Val Asn			
.115	120	125	
ggt gaa aac aaa tct acc ggc ggc ggc ggc gcg act aaa gac agc ggg			610
Gly Glu Asn Lys Ser Thr Gly Gly Gly Gly Ala Thr Lys Asp Ser Gly			
130	135	140	145
ctg ccc gca ccc gca cgc gcg ccc cag ccg tcg agc cag aac aga gta			658
Leu Pro Ala Pro Ala Arg Ala Pro Gln Pro Ser Ser Gln Asn Arg Val			
	150	155	160
ccg gtg aat ggt gaa aac aaa gct aac gtc gcc tcg ccg ccg acg agc			706
Pro Val Asn Gly Glu Asn Lys Ala Asn Val Ala Ser Pro Pro Thr Ser			
	165	170	175
ata gcc gag gtc gcg gct ccg gat ccc gca gct acc att tcc atc agt			754
Ile Ala Glu Val Ala Ala Pro Asp Pro Ala Ala Thr Ile Ser Ile Ser			
	180	185	190
gac aag gcg cca gag tcc gtt gtc cca gcc gag aag gcg ccg ccg tcg			802
Asp Lys Ala Pro Glu Ser Val Val Pro Ala Glu Lys Ala Pro Pro Ser			
	195	200	205
tcc ggc tca aat ttc gtg ccc tcg gct tct gct ccc ggg tct gac act			850
Ser Gly Ser Asn Phe Val Pro Ser Ala Ser Ala Pro Gly Ser Asp Thr			
210	215	220	225
gtc agc gac gtg gaa ctt gaa ctg aag aag ggt gcg gtc att gtc aaa			898
Val Ser Asp Val Glu Leu Glu Leu Lys Lys Gly Ala Val Ile Val Lys			
	230	235	240
gaa gct cca aac cca aag gct ctt tcg ccg ccc gca gca ccc gct gta			946
Glu Ala Pro Asn Pro Lys Ala Leu Ser Pro Pro Ala Ala Pro Ala Val			
	245	250	255
caa caa gac ctt tgg gac ttc aag aaa tac att ggt ttc gag gag ccc			994
Gln Gln Asp Leu Trp Asp Phe Lys Lys Tyr Ile Gly Phe Glu Glu Pro			
	260	265	270
gtg gag gcc aag gat gat ggc cgg gct gtt gca gat gat gcg ggc tcc			1042
Val Glu Ala Lys Asp Asp Gly Arg Ala Val Ala Asp Asp Ala Gly Ser			
	275	280	285
ttc gaa cac cac cag aat cac gat tcc ggg cct ttg gca ggg gag aac			1090
Phe Glu His His Gln Asn His Asp Ser Gly Pro Leu Ala Gly Glu Asn			
290	295	300	305
gtc atg aac gtg gtc gtc gtg gct gct gaa tgt tct ccc tgg tgc aaa			1138
Val Met Asn Val Val Val Val Ala Ala Glu Cys Ser Pro Trp Cys Lys			
	310	315	320
aca ggt ggt ctt gga gat gtt gcc ggt gct ttg ccc aag gct ttg gcg			1186
Thr Gly Gly Leu Gly Asp Val Ala Gly Ala Leu Pro Lys Ala Leu Ala			
	325	330	335
aag aga gga cat cgt gtt atg gtt gtg gta cca agg tat ggg gac tat			1234
Lys Arg Gly His Arg Val Met Val Val Val Pro Arg Tyr Gly Asp Tyr			
	340	345	350
gag gaa gcc tac gat gtc gga gtc cga aaa tac tac aag gct gct gga			1282
Glu Glu Ala Tyr Asp Val Gly Val Arg Lys Tyr Tyr Lys Ala Ala Gly			
	355	360	365

- 3 -

cag gat atg gaa gtg aat tat ttc cat gct tat atc gat gga gtt gat Gln Asp Met Glu Val Asn Tyr Phe His Ala Tyr Ile Asp Gly Val Asp 370 375 380 385	1330
ttt gtg ttc att gac gct cct ctc ttc cga cac cgc cag gaa gac att Phe Val Phe Ile Asp Ala Pro Leu Phe Arg His Arg Gln Glu Asp Ile 390 395 400	1378
tat ggg ggc agc aga cag gaa att atg aag cgc atg att ttg ttc tgc Tyr Gly Gly Ser Arg Gln Glu Ile Met Lys Arg Met Ile Leu Phe Cys 405 410 415	1426
aag gcc gct gtc gag gtt cca tgg cac gtt cca tgc ggc ggt gtc cct Lys Ala Ala Val Glu Val Pro Trp His Val Pro Cys Gly Gly Val Pro 420 425 430	1474
tat ggg gat gga aat ctg gtg ttt att gca aat gat tgg cac acg gca Tyr Gly Asp Gly Asn Leu Val Phe Ile Ala Asn Asp Trp His Thr Ala 435 440 445	1522
ctc ctg cct gtc tat ctg aaa gca tat tac agg gac cat ggt ttg atg Leu Leu Pro Val Tyr Leu Lys Ala Tyr Tyr Arg Asp His Gly Leu Met 450 455 460 465	1570
cag tac act cgg tcc att atg gtg ata cat aac atc gct cac cag ggc Gln Tyr Thr Arg Ser Ile Met Val Ile His Asn Ile Ala His Gln Gly 470 475 480	1618
cgt ggc cca gta gat gag ttc ccg ttc acc gag ttg cct gag cac tac Arg Gly Pro Val Asp Glu Phe Pro Phe Thr Glu Leu Pro Glu His Tyr 485 490 495	1666
ctg gaa cac ttc aga ctg tac gac ccc gtg ggt ggt gaa cac gcc aac Leu Glu His Phe Arg Leu Tyr Asp Pro Val Gly Gly Glu His Ala Asn 500 505 510	1714
tac ttc gcc gcc ggc ctg aag atg gcg gac cag gtt gtc gtc gtg agc Tyr Phe Ala Ala Gly Leu Lys Met Ala Asp Gln Val Val Val Val Ser 515 520 525	1762
ccg ggg tac ctg tgg gag ctg aag acg gtg gag ggc ggc tgg ggg ctt Pro Gly Tyr Leu Trp Glu Leu Lys Thr Val Glu Gly Gly Trp Gly Leu 530 535 540 545	1810
cac gac atc ata cgg cag aac gac tgg aag acc cgc ggc atc gtg aac His Asp Ile Ile Arg Gln Asn Asp Trp Lys Thr Arg Gly Ile Val Asn 550 555 560	1858
ggc atc gac aac atg gag tgg aac ccc gag gtg gac gtc cac ctc aag Gly Ile Asp Asn Met Glu Trp Asn Pro Glu Val Asp Val His Leu Lys 565 570 575	1906
tcg gac ggc tac acc aac ttc tcc ctg ggg acg ctg gac tcc ggc aag Ser Asp Gly Tyr Thr Asn Phe Ser Leu Gly Thr Leu Asp Ser Gly Lys 580 585 590	1954
cgg cag tgc aag gag gcc ctg cag cgg gag ctg ggc ctg cag gtc cgc Arg Gln Cys Lys Glu Ala Leu Gln Arg Glu Leu Gly Leu Gln Val Arg 595 600 605	2002
ggc gac gtg ccg ctg ctc ggc ttc atc ggg cgc ctg gac ggg cag aag Gly Asp Val Pro Leu Leu Gly Phe Ile Gly Arg Leu Asp Gly Gln Lys 610 615 620 625	2050

- 4 -

ggc gtg gag atc atc gcg gac gcg atg ccc tgg atc gtg agc cag gac 2098
 Gly Val Glu Ile Ile Ala Asp Ala Met Pro Trp Ile Val Ser Gln Asp
 630 635 640

gtg cag ctg gtc atg ctg ggc acc ggg cgc cac gac ctg gag ggc atg 2146
 Val Gln Leu Val Met Leu Gly Thr Gly Arg His Asp Leu Glu Gly Met
 645 650 655

ctg cgg cac ttc gag cgg gag cac cac gac aag gtg cgc ggg tgg gtg 2194
 Leu Arg His Phe Glu Arg Glu His His Asp Lys Val Arg Gly Trp Val
 660 665 670

ggg ttc tcc gtg cgg ctg gcg cac cgg atc acg gcc ggc gcc gac gcg 2242
 Gly Phe Ser Val Arg Leu Ala His Arg Ile Thr Ala Gly Ala Asp Ala
 675 680 685

ctc ctc atg ccc tcc cgg ttc gag ccg tgc gga ctg aac cag ctc tac 2290
 Leu Leu Met Pro Ser Arg Phe Glu Pro Cys Gly Leu Asn Gln Leu Tyr
 690 695 700 705

gcc atg gcc tac ggc acc gtc ccc gtc gtg cat gcc gtc ggt ggc ctg 2338
 Ala Met Ala Tyr Gly Thr Val Pro Val His Ala Val Gly Gly Leu
 710 715 720

agg gac acc gtg ccg ccg ttc gac ccc ttc aac cac tcc ggg ctc ggg 2386
 Arg Asp Thr Val Pro Pro Phe Asp Pro Phe Asn His Ser Gly Leu Gly
 725 730 735

tgg acg ttc gac cgc gca gag gcg cag aag ctg atc gag gcg ctc ggg 2434
 Trp Thr Phe Asp Arg Ala Glu Ala Gln Lys Leu Ile Glu Ala Leu Gly
 740 745 750

cac tgc ctc cgc acc tac ccg gac tac aag gag agc tgg agg ggg ctc 2482
 His Cys Leu Arg Thr Tyr Arg Asp Tyr Lys Glu Ser Trp Arg Gly Leu
 755 760 765

cag gag cgc ggc atg tgc cag gac ttc agc tgg gag cat gcc gcc aag 2530
 Gln Glu Arg Gly Met Ser Gln Asp Phe Ser Trp Glu His Ala Ala Lys
 770 775 780 785

ctc tac gag gac gtc ctc gtc aag gcc aag tac cag tgg tgaacgctag 2579
 Leu Tyr Glu Asp Val Leu Val Lys Ala Lys Tyr Gln Trp
 790 795

ctgctagccg gtccagcccc gcatgcgtgc atgacaggat ggaattgcgc attgcgcacg 2639
 caggaagggtg ccatggagcg ccggcatccg cgaagtacag tgacatgagg tgtgtgtggt 2699
 tgagacgctg attccgatct ggtccgtagc agagtagagc ggaggtaggg aagcgctcct 2759
 tgttacaggt atatgggaat gttgttaact tggattgta atttgttatg ttgtgtgcat 2819
 tattacagag ggcaacgacg tcgcgccggcg caccggccca actgttgggc cggtcgacac 2879
 gcagccggtg gatccgaccg cctgggcccgt tggatcccac cgaaaaaaaa aaaaaaaaaa 2939

<210> 2

<211> 798

<212> PRT

<213> Triticum aestivum

<400> 2

Met Ser Ser Ala Val Ala Ser Ala Ala Ser Phe Leu Ala Leu Ala Ser
 1 5 10 15

- 5 -

Ala Ser Pro Gly Arg Ser Arg Arg Arg Thr Arg Val Ser Ala Ser Pro
 20 25 30
 Pro His Thr Gly Ala Gly Arg Leu His Trp Pro Pro Ser Pro Pro Gln
 35 40 45
 Arg Thr Ala Arg Asp Gly Ala Val Ala Ala Arg Ala Ala Gly Lys Lys
 50 55 60
 Asp Ala Gly Ile Asp Asp Ala Ala Pro Ala Arg Gln Pro Arg Ala Leu
 65 70 75 80
 Arg Gly Gly Ala Ala Thr Lys Val Ala Glu Arg Arg Asp Pro Val Lys
 85 90 95
 Thr Leu Asp Arg Asp Ala Ala Glu Gly Gly Ala Pro Ser Pro Pro Ala
 100 105 110
 Pro Arg Gln Glu Asp Ala Arg Leu Pro Ser Met Asn Gly Met Pro Val
 115 120 125
 Asn Gly Glu Asn Lys Ser Thr Gly Gly Gly Gly Ala Thr Lys Asp Ser
 130 135 140
 Gly Leu Pro Ala Pro Ala Arg Ala Pro Gln Pro Ser Ser Gln Asn Arg
 145 150 155 160
 Val Pro Val Asn Gly Glu Asn Lys Ala Asn Val Ala Ser Pro Pro Thr
 165 170 175
 Ser Ile Ala Glu Val Ala Ala Pro Asp Pro Ala Ala Thr Ile Ser Ile
 180 185 190
 Ser Asp Lys Ala Pro Glu Ser Val Val Pro Ala Glu Lys Ala Pro Pro
 195 200 205
 Ser Ser Gly Ser Asn Phe Val Pro Ser Ala Ser Ala Pro Gly Ser Asp
 210 215 220
 Thr Val Ser Asp Val Glu Leu Glu Leu Lys Lys Gly Ala Val Ile Val
 225 230 235 240
 Lys Glu Ala Pro Asn Pro Lys Ala Leu Ser Pro Pro Ala Ala Pro Ala
 245 250 255
 Val Gln Gln Asp Leu Trp Asp Phe Lys Lys Tyr Ile Gly Phe Glu Glu
 260 265 270
 Pro Val Glu Ala Lys Asp Asp Gly Arg Ala Val Ala Asp Asp Ala Gly
 275 280 285
 Ser Phe Glu His His Gln Asn His Asp Ser Gly Pro Leu Ala Gly Glu
 290 295 300
 Asn Val Met Asn Val Val Val Val Ala Ala Glu Cys Ser Pro Trp Cys
 305 310 315 320
 Lys Thr Gly Gly Leu Gly Asp Val Ala Gly Ala Leu Pro Lys Ala Leu
 325 330 335
 Ala Lys Arg Gly His Arg Val Met Val Val Val Pro Arg Tyr Gly Asp
 340 345 350
 Tyr Glu Glu Ala Tyr Asp Val Gly Val Arg Lys Tyr Tyr Lys Ala Ala

- 6 -

355	360	365
Gly Gln Asp Met Glu Val Asn Tyr Phe His Ala Tyr Ile Asp Gly Val		
370	375	380
Asp Phe Val Phe Ile Asp Ala Pro Leu Phe Arg His Arg Gln Glu Asp		
385	390	395 400
Ile Tyr Gly Gly Ser Arg Gln Glu Ile Met Lys Arg Met Ile Leu Phe		
	405	410 415
Cys Lys Ala Ala Val Glu Val Pro Trp His Val Pro Cys Gly Gly Val		
	420	425 430
Pro Tyr Gly Asp Gly Asn Leu Val Phe Ile Ala Asn Asp Trp His Thr		
	435	440 445
Ala Leu Leu Pro Val Tyr Leu Lys Ala Tyr Tyr Arg Asp His Gly Leu		
	450	455 460
Met Gln Tyr Thr Arg Ser Ile Met Val Ile His Asn Ile Ala His Gln		
465	470	475 480
Gly Arg Gly Pro Val Asp Glu Phe Pro Phe Thr Glu Leu Pro Glu His		
	485	490 495
Tyr Leu Glu His Phe Arg Leu Tyr Asp Pro Val Gly Gly Glu His Ala		
	500	505 510
Asn Tyr Phe Ala Ala Gly Leu Lys Met Ala Asp Gln Val Val Val Val		
	515	520 525
Ser Pro Gly Tyr Leu Trp Glu Leu Lys Thr Val Glu Gly Gly Trp Gly		
	530	535 540
Leu His Asp Ile Ile Arg Gln Asn Asp Trp Lys Thr Arg Gly Ile Val		
545	550	555 560
Asn Gly Ile Asp Asn Met Glu Trp Asn Pro Glu Val Asp Val His Leu		
	565	570 575
Lys Ser Asp Gly Tyr Thr Asn Phe Ser Leu Gly Thr Leu Asp Ser Gly		
	580	585 590
Lys Arg Gln Cys Lys Glu Ala Leu Gln Arg Glu Leu Gly Leu Gln Val		
	595	600 605
Arg Gly Asp Val Pro Leu Leu Gly Phe Ile Gly Arg Leu Asp Gly Gln		
	610	615 620
Lys Gly Val Glu Ile Ile Ala Asp Ala Met Pro Trp Ile Val Ser Gln		
625	630	635 640
Asp Val Gln Leu Val Met Leu Gly Thr Gly Arg His Asp Leu Glu Gly		
	645	650 655
Met Leu Arg His Phe Glu Arg Glu His His Asp Lys Val Arg Gly Trp		
	660	665 670
Val Gly Phe Ser Val Arg Leu Ala His Arg Ile Thr Ala Gly Ala Asp		
	675	680 685
Ala Leu Leu Met Pro Ser Arg Phe Glu Pro Cys Gly Leu Asn Gln Leu		
	690	695 700

- 7 -

Tyr Ala Met Ala Tyr Gly Thr Val Pro Val Val His Ala Val Gly Gly
705 710 715 720

Leu Arg Asp Thr Val Pro Pro Phe Asp Pro Phe Asn His Ser Gly Leu
725 730 735

Gly Trp Thr Phe Asp Arg Ala Glu Ala Gln Lys Leu Ile Glu Ala Leu
740 745 750

Gly His Cys Leu Arg Thr Tyr Arg Asp Tyr Lys Glu Ser Trp Arg Gly
755 760 765

Leu Gln Glu Arg Gly Met Ser Gln Asp Phe Ser Trp Glu His Ala Ala
770 775 780

Lys Leu Tyr Glu Asp Val Leu Val Lys Ala Lys Tyr Gln Trp
785 790 795

<210> 3

<211> 2842

<212> DNA

<213> Triticum aestivum

<220>

<221> CDS

<222> (89)..(2485)

<400> 3

gctgccacca cctccgcctg cgccgcgctc tgggcggagg accaaccgc gcatcgtaac 60

atcgcccgcc ccgatcccg cgcccgcc atg tcg tcg gcg gtc gcg tcc gcc 112
Met Ser Ser Ala Val Ala Ser Ala
1 5

gcg tcc ttc ctc gcg ctc gcc tcc gcc tcc ccc ggg aga tca cgc agg 160
Ala Ser Phe Leu Ala Leu Ala Ser Ala Ser Pro Gly Arg Ser Arg Arg
10 15 20

cgg gcg agg gtg agc gcg ccg cca ccc cac gcc ggg gcc ggc agg ctg 208
Arg Ala Arg Val Ser Ala Pro Pro Pro His Ala Gly Ala Gly Arg Leu
25 30 35 40

cac tgg ccg ccg tgg ccg ccg cag cgc acg gct cgc gac gga ggt gtg 256
His Trp Pro Pro Trp Pro Pro Gln Arg Thr Ala Arg Asp Gly Gly Val
45 50 55

gcc gcg cgc gcc gcc ggg aag aag gac gcg agg gtc gac gac gac gcc 304
Ala Ala Arg Ala Ala Gly Lys Lys Asp Ala Arg Val Asp Asp Asp Ala
60 65 70

gcg tcc gcg agg cag ccc cgc gca cgc cgc ggt ggc gcc gcc acc aag 352
Ala Ser Ala Arg Gln Pro Arg Ala Arg Gly Gly Ala Ala Thr Lys
75 80 85

gtc gcg gag ccg agg gat ccc gtc aag acg ctc gat cgc gac gcc gcg 400
Val Ala Glu Arg Arg Asp Pro Val Lys Thr Leu Asp Arg Asp Ala Ala
90 95 100

gaa ggt ggc gcg ccg gca ccg ccg gca ccg agg cag gac gcc gcc cgt 448
Glu Gly Gly Ala Pro Ala Pro Pro Ala Pro Arg Gln Asp Ala Ala Arg
105 110 115 120

cca ccg agt atg aac ggc acg ccg gtg aac ggt gag aac aaa tct acc 496
Pro Pro Ser Met Asn Gly Thr Pro Val Asn Gly Glu Asn Lys Ser Thr

- 8 -

125	130	135	
ggc ggc ggc ggc gcg acc aaa gac agc ggc ctg ccc gca ccc gca cgc Gly Gly Gly Gly Ala Thr Lys Asp Ser Gly Leu Pro Ala Pro Ala Arg 140 145 150			544
gcg ccc cat ccg tcg acc cag aac aga gta cca gtg aac ggt gaa aac Ala Pro His Pro Ser Thr Gln Asn Arg Val Pro Val Asn Gly Glu Asn 155 160 165			592
aaa gct aac gtc gcc tcg ccg ccg acg agc ata gcc gag gtc gtg gct Lys Ala Asn Val Ala Ser Pro Pro Thr Ser Ile Ala Glu Val Val Ala 170 175 180			640
ccg gat tcc gca gct acc att tcc atc agt gac aag gcg ccg gag tcc Pro Asp Ser Ala Ala Thr Ile Ser Ile Ser Asp Lys Ala Pro Glu Ser 185 190 195 200			688
gtt gtc cca gcc gag aag ccg ccg ccg tcg tcc ggc tca aat ttc gtg Val Val Pro Ala Glu Lys Pro Pro Pro Ser Ser Gly Ser Asn Phe Val 205 210 215			736
gtc tcg gct tct gct ccc agg ctg gac att gac agc gat gtt gaa cct Val Ser Ala Ser Ala Pro Arg Leu Asp Ile Asp Ser Asp Val Glu Pro 220 225 230			784
gaa ctg aag aag ggt gcg gtc atc gtc gaa gaa gct cca aac cca aag Glu Leu Lys Lys Gly Ala Val Ile Val Glu Glu Ala Pro Asn Pro Lys 235 240 245			832
gct ctt tcg ccg cct gca gcc ccc gct gta caa gaa gac ctt tgg gac Ala Leu Ser Pro Pro Ala Ala Pro Ala Val Gln Glu Asp Leu Trp Asp 250 255 260			880
ttc aag aaa tac att ggc ttc gag gag ccc gtg gag gcc aag gat gat Phe Lys Lys Tyr Ile Gly Phe Glu Glu Pro Val Glu Ala Lys Asp Asp 265 270 275 280			928
ggc tgg gct gtt gca gat gat gcg ggc tcc ttt gaa cat cac cag aac Gly Trp Ala Val Ala Asp Asp Ala Gly Ser Phe Glu His His Gln Asn 285 290 295			976
cat gat tcc gga cct ttg gca ggg gag aac gtc atg aac gtg gtc gtc His Asp Ser Gly Pro Leu Ala Gly Glu Asn Val Met Asn Val Val Val 300 305 310			1024
gtg gct gct gaa tgt tct ccc tgg tgc aaa aca ggt ggt ctt gga gat Val Ala Ala Glu Cys Ser Pro Trp Cys Lys Thr Gly Gly Leu Gly Asp 315 320 325			1072
gtt gcc ggt gct ttg ccc aag gct ttg gcg aag aga gga cat cgt gtt Val Ala Gly Ala Leu Pro Lys Ala Leu Ala Lys Arg Gly His Arg Val 330 335 340			1120
atg gtt gtg gta cca agg tat ggg gac tat gag gaa gcc tac gat gtc Met Val Val Val Pro Arg Tyr Gly Asp Tyr Glu Glu Ala Tyr Asp Val 345 350 355 360			1168
gga gtc cga aaa tac tac aag gct gct gga cag gat atg gaa gtg aat Gly Val Arg Lys Tyr Tyr Lys Ala Ala Gly Gln Asp Met Glu Val Asn 365 370 375			1216
tat ttc cat gct tat atc gat gga gtt gat ttt gtg ttc att gac gct Tyr Phe His Ala Tyr Ile Asp Gly Val Asp Phe Val Phe Ile Asp Ala 380 385 390			1264

- 9 -

cct ctc ttc cga cac cgc cag gaa gac att tat ggg ggc agc aga cag	1312
Pro Leu Phe Arg His Arg Gln Glu Asp Ile Tyr Gly Gly Ser Arg Gln	
395 400 405	
gaa att atg aag cgc atg att ttg ttc tgc aag gcc gct gtc gag gtt	1360
Glu Ile Met Lys Arg Met Ile Leu Phe Cys Lys Ala Ala Val Glu Val	
410 415 420	
cct tgg cac gtt cca tgc ggc ggt gtc cct tat ggg gat gga aat ctg	1408
Pro Trp His Val Pro Cys Gly Gly Val Pro Tyr Gly Asp Gly Asn Leu	
425 430 435 440	
gtg ttt att gca aat gat tgg cac acg gca ctc ctg cct gtc tat ctg	1456
Val Phe Ile Ala Asn Asp Trp His Thr Ala Leu Leu Pro Val Tyr Leu	
445 450 455	
aaa gca tat tac agg gac cat ggt ttg atg cag tac act cgg tcc att	1504
Lys Ala Tyr Tyr Arg Asp His Gly Leu Met Gln Tyr Thr Arg Ser Ile	
460 465 470	
atg gtg ata cat aac atc gcg cac cag ggc cgt ggc cca gta gat gaa	1552
Met Val Ile His Asn Ile Ala His Gln Gly Arg Gly Pro Val Asp Glu	
475 480 485	
ttc ccg ttc acc gag ttg cct gag cac tac ctg gaa cac ttc aga ctg	1600
Phe Pro Phe Thr Glu Leu Pro Glu His Tyr Leu Glu His Phe Arg Leu	
490 495 500	
tac gac ccc gtg ggt ggt gag cac gcc aac tac ttc gcc gcc ggc ctg	1648
Tyr Asp Pro Val Gly Gly Glu His Ala Asn Tyr Phe Ala Ala Gly Leu	
505 510 515 520	
aag atg gcg gac cag gtt gtc gtg gtg agc ccc ggg tac ctg tgg gag	1696
Lys Met Ala Asp Gln Val Val Val Val Ser Pro Gly Tyr Leu Trp Glu	
525 530 535	
ctc aag acg gtg gag ggc ggc tgg ggg ctt cac gac atc ata cgg cag	1744
Leu Lys Thr Val Glu Gly Gly Trp Gly Leu His Asp Ile Ile Arg Gln	
540 545 550	
aac gac tgg aag acc cgc ggc atc gtc aac ggc atc gac aac atg gag	1792
Asn Asp Trp Lys Thr Arg Gly Ile Val Asn Gly Ile Asp Asn Met Glu	
555 560 565	
tgg aac ccc gag gtg gac gtc cac ctc aag tcg gac ggc tac acc aac	1840
Trp Asn Pro Glu Val Asp Val His Leu Lys Ser Asp Gly Tyr Thr Asn	
570 575 580	
ttc tcc ctg ggg acg ctg gac tcc ggc aag cgg cag tgc aag gag gcc	1888
Phe Ser Leu Gly Thr Leu Asp Ser Gly Lys Arg Gln Cys Lys Glu Ala	
585 590 595 600	
ctg cag cgc gag ctg ggc ctg cag gtc cgc gcc gac gtg ccg ctg ctc	1936
Leu Gln Arg Glu Leu Gly Leu Gln Val Arg Ala Asp Val Pro Leu Leu	
605 610 615	
ggc ttc atc ggc cgc ctg gac ggg cag aag ggc gtg gag atc atc gcg	1984
Gly Phe Ile Gly Arg Leu Asp Gly Gln Lys Gly Val Glu Ile Ile Ala	
620 625 630	
gac gcc atg ccc tgg atc gtg agc cag gac gtg cag ctg gtc atg ctg	2032
Asp Ala Met Pro Trp Ile Val Ser Gln Asp Val Gln Leu Val Met Leu	
635 640 645	

- 10 -

ggc acc ggc cgc cac gac ctg gag agc atg ctg cgg cac ttc gag cgg 2080
 Gly Thr Gly Arg His Asp Leu Glu Ser Met Leu Arg His Phe Glu Arg
 650 655 660

gag cac cac gac aag gtg cgc ggg tgg gtg ggg ttc tcc gtg cgc ctg 2128
 Glu His His Asp Lys Val Arg Gly Trp Val Gly Phe Ser Val Arg Leu
 665 670 675 680

gcg cac cgg atc acg gcg ggc gcc gac gcg ctc ctc atg ccc tcc cgg 2176
 Ala His Arg Ile Thr Ala Gly Ala Asp Ala Leu Leu Met Pro Ser Arg
 685 690 695

ttc gag cgg tgc ggg ttg aac cag ctt tac gcc atg gcc tac ggc acc 2224
 Phe Glu Pro Cys Gly Leu Asn Gln Leu Tyr Ala Met Ala Tyr Gly Thr
 700 705 710

gtc ccc gtc gtg cac gcc gtc ggc ggg gtg agg gac acc gtg ccg ccg 2272
 Val Pro Val Val His Ala Val Gly Gly Val Arg Asp Thr Val Pro Pro
 715 720 725

ttc gac ccc ttc aac cac tcc ggc ctc ggg tgg acg ttc gac cgc gcc 2320
 Phe Asp Pro Phe Asn His Ser Gly Leu Gly Trp Thr Phe Asp Arg Ala
 730 735 740

gag gcg cac aag ctg atc gag gcg ctc ggg cac tgc ctc cgc acc tac 2368
 Glu Ala His Lys Leu Ile Glu Ala Leu Gly His Cys Leu Arg Thr Tyr
 745 750 755 760

cgg gac tac aag gag agc tgg agg ggc ctc cag gag cgc ggc atg tgc 2416
 Arg Asp Tyr Lys Glu Ser Trp Arg Gly Leu Gln Glu Arg Gly Met Ser
 765 770 775

cag gac ttc agc tgg gag cat gcc gcc aag ctc tac gag gac gtc ctc 2464
 Gln Asp Phe Ser Trp Glu His Ala Ala Lys Leu Tyr Glu Asp Val Leu
 780 785 790

ctc aag gcc aag tac cag tgg tgaacgctag ctgctagccg ctccagcccc 2515
 Leu Lys Ala Lys Tyr Gln Trp
 795

gcatgcgtgc atgcatgaga ggggtggaact gcgcattgcg cccgcaggaa cgtgccatcc 2575
 ttctcgatgg gagcgccggc atccgcgagg tgcagtgaca tgagaggtgt gtgtggttga 2635
 gacgctgatt ccgatctcga tctggtccgt agcagagtag agcggacgta gggaagcgct 2695
 ccttggttga ggtatatggg aatgttgta acttggtatt gtagtttgct atgttgatg 2755
 cgttattaca atgttggttac ttattcttgt taagtcggag gcaaagggcg aaagctagct 2815
 cacatgaaaa aaaaaaaaaa aaaaaaa 2842

<210> 4

<211> 799

<212> PRT

<213> Triticum aestivum

<400> 4

Met Ser Ser Ala Val Ala Ser Ala Ala Ser Phe Leu Ala Leu Ala Ser
 1 5 10 15

Ala Ser Pro Gly Arg Ser Arg Arg Arg Ala Arg Val Ser Ala Pro Pro
 20 25 30

- 11 -

Pro	His	35	Gly	Ala	Gly	Arg	Leu	His	Trp	Pro	Pro	Trp	Pro	Gln
Arg	Thr	50	Ala	Arg	Asp	Gly	Gly	Val	Ala	Ala	Arg	Ala	Ala	Gly
Asp	Ala	65	Arg	Val	Asp	Asp	Asp	Ala	Ala	Ser	Ala	Arg	Gln	Pro
Arg	Arg	Gly	Gly	Ala	Ala	Thr	Lys	Val	Ala	Glu	Arg	Arg	Asp	Pro
Lys	Thr	Leu	Asp	Arg	Asp	Ala	Ala	Glu	Gly	Gly	Ala	Pro	Ala	Pro
Ala	Pro	Arg	Gln	Asp	Ala	Ala	Arg	Pro	Pro	Ser	Met	Asn	Gly	Thr
Val	Asn	Gly	Glu	Asn	Lys	Ser	Thr	Gly	Gly	Gly	Gly	Ala	Thr	Lys
Ser	Gly	Leu	Pro	Ala	Pro	Ala	Arg	Ala	Pro	His	Pro	Ser	Thr	Gln
Arg	Val	Pro	Val	Asn	Gly	Glu	Asn	Lys	Ala	Asn	Val	Ala	Ser	Pro
Thr	Ser	Ile	Ala	Glu	Val	Val	Ala	Pro	Asp	Ser	Ala	Ala	Thr	Ile
Ile	Ser	Asp	Lys	Ala	Pro	Glu	Ser	Val	Val	Pro	Ala	Glu	Lys	Pro
Pro	Ser	Ser	Gly	Ser	Asn	Phe	Val	Val	Ser	Ala	Ser	Ala	Pro	Arg
Asp	Ile	Asp	Ser	Asp	Val	Glu	Pro	Glu	Leu	Lys	Lys	Gly	Ala	Val
Val	Glu	Glu	Ala	Pro	Asn	Pro	Lys	Ala	Leu	Ser	Pro	Pro	Ala	Ala
Ala	Val	Gln	Glu	Asp	Leu	Trp	Asp	Phe	Lys	Lys	Tyr	Ile	Gly	Phe
Glu	Pro	Val	Glu	Ala	Lys	Asp	Asp	Gly	Trp	Ala	Val	Ala	Asp	Asp
Gly	Ser	Phe	Glu	His	His	Gln	Asn	His	Asp	Ser	Gly	Pro	Leu	Ala
Glu	Asn	Val	Met	Asn	Val	Val	Val	Val	Ala	Ala	Glu	Cys	Ser	Pro
Cys	Lys	Thr	Gly	Gly	Leu	Gly	Asp	Val	Ala	Gly	Ala	Leu	Pro	Lys
Leu	Ala	Lys	Arg	Gly	His	Arg	Val	Met	Val	Val	Val	Pro	Arg	Tyr
Asp	Tyr	Glu	Glu	Ala	Tyr	Asp	Val	Gly	Val	Arg	Lys	Tyr	Tyr	Lys
Ala	Gly	Gln	Asp	Met	Glu	Val	Asn	Tyr	Phe	His	Ala	Tyr	Ile	Asp

- 12 -

Val Asp Phe Val Phe Ile Asp Ala Pro Leu Phe Arg His Arg Gln Glu
 385 390 395 400
 Asp Ile Tyr Gly Gly Ser Arg Gln Glu Ile Met Lys Arg Met Ile Leu
 405 410 415
 Phe Cys Lys Ala Ala Val Glu Val Pro Trp His Val Pro Cys Gly Gly
 420 425 430
 Val Pro Tyr Gly Asp Gly Asn Leu Val Phe Ile Ala Asn Asp Trp His
 435 440 445
 Thr Ala Leu Leu Pro Val Tyr Leu Lys Ala Tyr Tyr Arg Asp His Gly
 450 455 460
 Leu Met Gln Tyr Thr Arg Ser Ile Met Val Ile His Asn Ile Ala His
 465 470 475 480
 Gln Gly Arg Gly Pro Val Asp Glu Phe Pro Phe Thr Glu Leu Pro Glu
 485 490 495
 His Tyr Leu Glu His Phe Arg Leu Tyr Asp Pro Val Gly Gly Glu His
 500 505 510
 Ala Asn Tyr Phe Ala Ala Gly Leu Lys Met Ala Asp Gln Val Val Val
 515 520 525
 Val Ser Pro Gly Tyr Leu Trp Glu Leu Lys Thr Val Glu Gly Gly Trp
 530 535 540
 Gly Leu His Asp Ile Ile Arg Gln Asn Asp Trp Lys Thr Arg Gly Ile
 545 550 555 560
 Val Asn Gly Ile Asp Asn Met Glu Trp Asn Pro Glu Val Asp Val His
 565 570 575
 Leu Lys Ser Asp Gly Tyr Thr Asn Phe Ser Leu Gly Thr Leu Asp Ser
 580 585 590
 Gly Lys Arg Gln Cys Lys Glu Ala Leu Gln Arg Glu Leu Gly Leu Gln
 595 600 605
 Val Arg Ala Asp Val Pro Leu Leu Gly Phe Ile Gly Arg Leu Asp Gly
 610 615 620
 Gln Lys Gly Val Glu Ile Ile Ala Asp Ala Met Pro Trp Ile Val Ser
 625 630 635 640
 Gln Asp Val Gln Leu Val Met Leu Gly Thr Gly Arg His Asp Leu Glu
 645 650 655
 Ser Met Leu Arg His Phe Glu Arg Glu His His Asp Lys Val Arg Gly
 660 665 670
 Trp Val Gly Phe Ser Val Arg Leu Ala His Arg Ile Thr Ala Gly Ala
 675 680 685
 Asp Ala Leu Leu Met Pro Ser Arg Phe Glu Pro Cys Gly Leu Asn Gln
 690 695 700
 Leu Tyr Ala Met Ala Tyr Gly Thr Val Pro Val Val His Ala Val Gly
 705 710 715 720
 Gly Val Arg Asp Thr Val Pro Pro Phe Asp Pro Phe Asn His Ser Gly

- 13 -

725	730	735	
Leu Gly Trp Thr Phe Asp Arg Ala Glu Ala His Lys Leu Ile Glu Ala			
740	745	750	
Leu Gly His Cys Leu Arg Thr Tyr Arg Asp Tyr Lys Glu Ser Trp Arg			
755	760	765	
Gly Leu Gln Glu Arg Gly Met Ser Gln Asp Phe Ser Trp Glu His Ala			
770	775	780	
Ala Lys Leu Tyr Glu Asp Val Leu Leu Lys Ala Lys Tyr Gln Trp			
785	790	795	
 <210> 5			
<211> 2107			
<212> DNA			
<213> Triticum aestivum			
 <220>			
<221> CDS			
<222> (1)..(1791)			
 <400> 5			
cca gct gag aag acg ccg ccg tcg tcc ggc tca aat ttc gag tcc tcg			48
Pro Ala Glu Lys Thr Pro Pro Ser Ser Gly Ser Asn Phe Glu Ser Ser			
1	5	10	15
gcc tct gct ccc ggg tct gac act gtc agc gac gtg gaa caa gaa ctg			96
Ala Ser Ala Pro Gly Ser Asp Thr Val Ser Asp Val Glu Gln Glu Leu			
20	25	30	
aag aag ggt gcg gtc gtt gtc gaa gaa gct cca aag cca aag gct ctt			144
Lys Lys Gly Ala Val Val Val Glu Glu Ala Pro Lys Pro Lys Ala Leu			
35	40	45	
tcg ccg cct gca gcc ccc gct gta caa gaa gac ctt tgg gat ttc aag			192
Ser Pro Pro Ala Ala Pro Ala Val Gln Glu Asp Leu Trp Asp Phe Lys			
50	55	60	
aaa tac att ggt ttc gag gag ccc gtg gag gcc aag gat gat ggc cgg			240
Lys Tyr Ile Gly Phe Glu Glu Pro Val Glu Ala Lys Asp Asp Gly Arg			
65	70	75	80
gct gtc gca gat gat gcg ggc tcc ttt gaa cac cac cag aat cac gac			288
Ala Val Ala Asp Asp Ala Gly Ser Phe Glu His His Gln Asn His Asp			
85	90	95	
tcc gga cct ttg gca ggg gag aat gtc atg aac gtg gtc gtc gtg gct			336
Ser Gly Pro Leu Ala Gly Glu Asn Val Met Asn Val Val Val Val Ala			
100	105	110	
gct gag tgt tct ccc tgg tgc aaa aca ggt ggt ctg gga gat gtt gcg			384
Ala Glu Cys Ser Pro Trp Cys Lys Thr Gly Gly Leu Gly Asp Val Ala			
115	120	125	
ggt gct ctg ccc aag gct ttg gca aag aga gga cat cgt gtt atg gtt			432
Gly Ala Leu Pro Lys Ala Leu Ala Lys Arg Gly His Arg Val Met Val			
130	135	140	
gtg gta cca agg tat ggg gac tat gaa gaa cct acg gat gtc gga gtc			480
Val Val Pro Arg Tyr Gly Asp Tyr Glu Glu Pro Thr Asp Val Gly Val			
145	150	155	160

- 14 -

cga aaa tac tac aag gct gct gga cag gat atg gaa gtg aat tat ttc	528
Arg Lys Tyr Tyr Lys Ala Ala Gly Gln Asp Met Glu Val Asn Tyr Phe	
165 170 175	
cat gct tat atc gat gga gtt gat ttt gtg ttc att gac gct cct ctc	576
His Ala Tyr Ile Asp Gly Val Asp Phe Val Phe Ile Asp Ala Pro Leu	
180 185 190	
ttc cga cac cga gag gaa gac att tat ggg ggc agc aga cag gaa att	624
Phe Arg His Arg Glu Glu Asp Ile Tyr Gly Gly Ser Arg Gln Glu Ile	
195 200 205	
atg aag cgc atg att ttg ttc tgc aag gcc gct gtt gag gtt cca tgg	672
Met Lys Arg Met Ile Leu Phe Cys Lys Ala Ala Val Glu Val Pro Trp	
210 215 220	
cac gtt cca tgc ggc ggt gtc cct tat ggg gat gga aat ctg gtg ttt	720
His Val Pro Cys Gly Gly Val Pro Tyr Gly Asp Gly Asn Leu Val Phe	
225 230 235 240	
att gca aat gat tgg cac acg gca ctc ctg cct gtc tat ctg aaa gca	768
Ile Ala Asn Asp Trp His Thr Ala Leu Pro Val Tyr Leu Lys Ala	
245 250 255	
tat tac agg gac cat ggt ttg atg cag tac act cgg tcc att atg gtg	816
Tyr Tyr Arg Asp His Gly Leu Met Gln Tyr Thr Arg Ser Ile Met Val	
260 265 270	
ata cat aac atc gct cac cag ggc cgt ggc cct gta gat gaa ttc ccg	864
Ile His Asn Ile Ala His Gln Gly Arg Gly Pro Val Asp Glu Phe Pro	
275 280 285	
ttc acc gag ttg cct gag cac tac ctg gaa cac ttc aga ctg tac gac	912
Phe Thr Glu Leu Pro Glu His Tyr Leu Glu His Phe Arg Leu Tyr Asp	
290 295 300	
ccc gtg ggt ggt gaa cac gcc aac tac ttc gcc gcc ggc ctg aag atg	960
Pro Val Gly Gly Glu His Ala Asn Tyr Phe Ala Ala Gly Leu Lys Met	
305 310 315 320	
gcg gac cag gtt gtc gtg gtg agc ccc ggg tac ctg tgg gag ctg aag	1008
Ala Asp Gln Val Val Val Ser Pro Gly Tyr Leu Trp Glu Leu Lys	
325 330 335	
acg gtg gag ggc ggc tgg ggg ctt cac gac atc ata cgg cag aac gac	1056
Thr Val Glu Gly Gly Trp Gly Leu His Asp Ile Ile Arg Gln Asn Asp	
340 345 350	
tgg aag acc cgc ggc atc gtc aac ggc atc gac aac atg gag tgg aac	1104
Trp Lys Thr Arg Gly Ile Val Asn Gly Ile Asp Asn Met Glu Trp Asn	
355 360 365	
ccc gag gtg gac gcc cac ctc aag tcg gac ggc tac acc aac ttc tcc	1152
Pro Glu Val Asp Ala His Leu Lys Ser Asp Gly Tyr Thr Asn Phe Ser	
370 375 380	
ctg agg acg ctg gac tcc ggc aag cgg cag tgc aag gag gcc ctg cag	1200
Leu Arg Thr Leu Asp Ser Gly Lys Arg Gln Cys Lys Glu Ala Leu Gln	
385 390 395 400	
cgc gag ctg ggc ctg cag gtc cgc gcc gac gtg ccg ctg ctc ggc ttc	1248
Arg Glu Leu Gly Leu Gln Val Arg Ala Asp Val Pro Leu Leu Gly Phe	
405 410 415	
atc ggc cgc ctg gac ggg cag aag ggc gtg gag atc atc gcg gac gcc	1296

- 15 -

Ile Gly Arg Leu Asp Gly Gln Lys Gly Val Glu Ile Ile Ala Asp Ala
 420 425 430
 atg ccc tgg atc gtg agc cag gac gtg cag ctg gtg atg ctg ggc acc 1344
 Met Pro Trp Ile Val Ser Gln Asp Val Gln Leu Val Met Leu Gly Thr
 435 440 445
 ggg cgc cac gac ctg gag agc atg ctg cag cac ttc gag cgg gag cac 1392
 Gly Arg His Asp Leu Glu Ser Met Leu Gln His Phe Glu Arg Glu His
 450 455 460
 cac gac aag gtg cgc ggg tgg gtg ggg ttc tcc gtg cgc ctg gcg cac 1440
 His Asp Lys Val Arg Gly Trp Val Gly Phe Ser Val Arg Leu Ala His
 465 470 475 480
 cgg atc acg gcg ggg gcg gac gcg ctc ctc atg ccc tcc cgg ttc gtg 1488
 Arg Ile Thr Ala Gly Ala Asp Ala Leu Leu Met Pro Ser Arg Phe Val
 485 490 495
 ccg tgc ggg ctg aac cag ctc tac gcc atg gcc tac ggc acc gtc ccc 1536
 Pro Cys Gly Leu Asn Gln Leu Tyr Ala Met Ala Tyr Gly Thr Val Pro
 500 505 510
 gtc gtg cac gcc gtc ggc ggc ctc agg gac acc gtg ccg ccg ttc gac 1584
 Val Val His Ala Val Gly Gly Leu Arg Asp Thr Val Pro Pro Phe Asp
 515 520 525
 ccc ttc aac cac tcc ggg ctc ggg tgg acg ttc gac cgc gcc gag gcg 1632
 Pro Phe Asn His Ser Gly Leu Gly Trp Thr Phe Asp Arg Ala Glu Ala
 530 535 540
 cac aag ctg atc gag gcg ctc ggg cac tgc ctc cgc acc tac cga gac 1680
 His Lys Leu Ile Glu Ala Leu Gly His Cys Leu Arg Thr Tyr Arg Asp
 545 550 555 560
 ttc aag gag agc tgg agg gcc ctc cag gag cgc ggc atg tcg cag gac 1728
 Phe Lys Glu Ser Trp Arg Ala Leu Gln Glu Arg Gly Met Ser Gln Asp
 565 570 575
 ttc agc tgg gag cac gcc gcc aag ctc tac gag gac gtc ctc gtc aag 1776
 Phe Ser Trp Glu His Ala Ala Lys Leu Tyr Glu Asp Val Leu Val Lys
 580 585 590
 gcc aag tac cag tgg tgaacgctag ctgctagccg ctccagcccc gcatgcgtgc 1831
 Ala Lys Tyr Gln Trp
 595
 atgacaggat ggaactgcat tgcgcacgca ggaaagtgcc atggagcgcc ggcattccgcg 1891
 aagtacagtg acatgaggtg tgtgtggttg agacgtgat tccaatccgg cccgtagcag 1951
 agtagagcgg aggtatatgg gaatcttaac ttggtattgt aatttgttat gttgtgtgca 2011
 ttattacaat gttgttactt attcttggtta agtcggaggc caagggcgaa agctagctca 2071
 catgtctgat ggatgcaaaa aaaaaaaaaa aaaaaa 2107
 <210> 6
 <211> 597
 <212> PRT
 <213> Triticum aestivum
 <400> 6
 Pro Ala Glu Lys Thr Pro Pro Ser Ser Gly Ser Asn Phe Glu Ser Ser

- 16 -

1	5	10	15
Ala Ser Ala Pro Gly Ser Asp Thr Val Ser Asp Val Glu Gln Glu Leu	20	25	30
Lys Lys Gly Ala Val Val Val Glu Glu Ala Pro Lys Pro Lys Ala Leu	35	40	45
Ser Pro Pro Ala Ala Pro Ala Val Gln Glu Asp Leu Trp Asp Phe Lys	50	55	60
Lys Tyr Ile Gly Phe Glu Glu Pro Val Glu Ala Lys Asp Asp Gly Arg	65	70	75
Ala Val Ala Asp Asp Ala Gly Ser Phe Glu His His Gln Asn His Asp	85	90	95
Ser Gly Pro Leu Ala Gly Glu Asn Val Met Asn Val Val Val Val Ala	100	105	110
Ala Glu Cys Ser Pro Trp Cys Lys Thr Gly Gly Leu Gly Asp Val Ala	115	120	125
Gly Ala Leu Pro Lys Ala Leu Ala Lys Arg Gly His Arg Val Met Val	130	135	140
Val Val Pro Arg Tyr Gly Asp Tyr Glu Glu Pro Thr Asp Val Gly Val	145	150	155
Arg Lys Tyr Tyr Lys Ala Ala Gly Gln Asp Met Glu Val Asn Tyr Phe	165	170	175
His Ala Tyr Ile Asp Gly Val Asp Phe Val Phe Ile Asp Ala Pro Leu	180	185	190
Phe Arg His Arg Glu Glu Asp Ile Tyr Gly Gly Ser Arg Gln Glu Ile	195	200	205
Met Lys Arg Met Ile Leu Phe Cys Lys Ala Ala Val Glu Val Pro Trp	210	215	220
His Val Pro Cys Gly Gly Val Pro Tyr Gly Asp Gly Asn Leu Val Phe	225	230	235
Ile Ala Asn Asp Trp His Thr Ala Leu Leu Pro Val Tyr Leu Lys Ala	245	250	255
Tyr Tyr Arg Asp His Gly Leu Met Gln Tyr Thr Arg Ser Ile Met Val	260	265	270
Ile His Asn Ile Ala His Gln Gly Arg Gly Pro Val Asp Glu Phe Pro	275	280	285
Phe Thr Glu Leu Pro Glu His Tyr Leu Glu His Phe Arg Leu Tyr Asp	290	295	300
Pro Val Gly Gly Glu His Ala Asn Tyr Phe Ala Ala Gly Leu Lys Met	305	310	315
Ala Asp Gln Val Val Val Val Ser Pro Gly Tyr Leu Trp Glu Leu Lys	325	330	335
Thr Val Glu Gly Gly Trp Gly Leu His Asp Ile Ile Arg Gln Asn Asp	340	345	350

- 17 -

Trp Lys Thr Arg Gly Ile Val Asn Gly Ile Asp Asn Met Glu Trp Asn
 355 360 365
 Pro Glu Val Asp Ala His Leu Lys Ser Asp Gly Tyr Thr Asn Phe Ser
 370 375 380
 Leu Arg Thr Leu Asp Ser Gly Lys Arg Gln Cys Lys Glu Ala Leu Gln
 385 390 395 400
 Arg Glu Leu Gly Leu Gln Val Arg Ala Asp Val Pro Leu Leu Gly Phe
 405 410 415
 Ile Gly Arg Leu Asp Gly Gln Lys Gly Val Glu Ile Ile Ala Asp Ala
 420 425 430
 Met Pro Trp Ile Val Ser Gln Asp Val Gln Leu Val Met Leu Gly Thr
 435 440 445
 Gly Arg His Asp Leu Glu Ser Met Leu Gln His Phe Glu Arg Glu His
 450 455 460
 His Asp Lys Val Arg Gly Trp Val Gly Phe Ser Val Arg Leu Ala His
 465 470 475 480
 Arg Ile Thr Ala Gly Ala Asp Ala Leu Leu Met Pro Ser Arg Phe Val
 485 490 495
 Pro Cys Gly Leu Asn Gln Leu Tyr Ala Met Ala Tyr Gly Thr Val Pro
 500 505 510
 Val Val His Ala Val Gly Gly Leu Arg Asp Thr Val Pro Pro Phe Asp
 515 520 525
 Pro Phe Asn His Ser Gly Leu Gly Trp Thr Phe Asp Arg Ala Glu Ala
 530 535 540
 His Lys Leu Ile Glu Ala Leu Gly His Cys Leu Arg Thr Tyr Arg Asp
 545 550 555 560
 Phe Lys Glu Ser Trp Arg Ala Leu Gln Glu Arg Gly Met Ser Gln Asp
 565 570 575
 Phe Ser Trp Glu His Ala Ala Lys Leu Tyr Glu Asp Val Leu Val Lys
 580 585 590
 Ala Lys Tyr Gln Trp
 595

<210> 7

<211> 5346

<212> DNA

<213> Triticum aestivum

<220>

<221> CDS

<222> (29)..(4912)

<400> 7

cggcaccgagg ttttagtaggt tccgggaa atg gag atg tct ctc tgg cca cgg 52
 Met Glu Met Ser Leu Trp Pro Arg
 1 5

agc ccc ctg tgc cct cgg agc agg cag ccg ctc gtc gtc gtc cgg ccg 100
 Ser Pro Leu Cys Pro Arg Ser Arg Gln Pro Leu Val Val Val Arg Pro

- 18 -

10	15	20	
gcc ggc cgc ggc ggc ctc acg cag cct ttt ttg atg aat ggc aga ttt			148
Ala Gly Arg Gly Gly Leu Thr Gln Pro Phe Leu Met Asn Gly Arg Phe			
25	30	35	40
act cga agc agg acc ctt cga tgc atg gta gca agt tca gat cct cct			196
Thr Arg Ser Arg Thr Leu Arg Cys Met Val Ala Ser Ser Asp Pro Pro			
	45	50	55
aat agg aaa tca aga agg atg gta cca cct cag gtt aaa gtc att tct			244
Asn Arg Lys Ser Arg Arg Met Val Pro Pro Gln Val Lys Val Ile Ser			
	60	65	70
tct aga gga tat acg aca aga ctc att gtt gaa cca agc aac gag aat			292
Ser Arg Gly Tyr Thr Thr Arg Leu Ile Val Glu Pro Ser Asn Glu Asn			
	75	80	85
aca gaa cac aat aat cgg gat gaa gaa act ctt gat aca tac aat gcg			340
Thr Glu His Asn Asn Arg Asp Glu Glu Thr Leu Asp Thr Tyr Asn Ala			
	90	95	100
cta tta agt acc gag aca gca gaa tgg aca gat aat aga gaa gcc gag			388
Leu Leu Ser Thr Glu Thr Ala Glu Trp Thr Asp Asn Arg Glu Ala Glu			
105	110	115	120
act gct aaa gcg gac tcg tcg caa aat gct tta agc agt tct ata att			436
Thr Ala Lys Ala Asp Ser Ser Gln Asn Ala Leu Ser Ser Ser Ile Ile			
	125	130	135
ggg gaa gtg gat gtg gcg gat gaa gat ata ctt gcg gct gat ctg aca			484
Gly Glu Val Asp Val Ala Asp Glu Asp Ile Leu Ala Ala Asp Leu Thr			
	140	145	150
gtg tat tca ttg agc agt gta atg aag aag gaa gtg gat gca gcg gac			532
Val Tyr Ser Leu Ser Ser Val Met Lys Lys Glu Val Asp Ala Ala Asp			
	155	160	165
aaa gct aga gtt aaa gaa gac gca ttt gag ctg gat ttg cca gca act			580
Lys Ala Arg Val Lys Glu Asp Ala Phe Glu Leu Asp Leu Pro Ala Thr			
	170	175	180
aca ttg aga agt gtg ata gta gat gtg atg gat cat aat ggg act gta			628
Thr Leu Arg Ser Val Ile Val Asp Val Met Asp His Asn Gly Thr Val			
185	190	195	200
caa gag aca ttg aga agt gtg ata gta gat gtg atg gat cat aat ggg			676
Gln Glu Thr Leu Arg Ser Val Ile Val Asp Val Met Asp His Asn Gly			
	205	210	215
act gta caa gag aca ttg aga agt gtg ata gta gat gtg atg gat gat			724
Thr Val Gln Glu Thr Leu Arg Ser Val Ile Val Asp Val Met Asp Asp			
	220	225	230
gcg gcg gac aaa gct aga gtt gaa gaa gac gta ttt gag ctg gat ttg			772
Ala Ala Asp Lys Ala Arg Val Glu Glu Asp Val Phe Glu Leu Asp Leu			
	235	240	245
tca gga aat att tca agc agt gcg acg acc gtg gaa cta gat gcg gtt			820
Ser Gly Asn Ile Ser Ser Ser Ala Thr Thr Val Glu Leu Asp Ala Val			
	250	255	260
gac gaa gtc ggg cct gtt caa gac aaa ttt gag gcg acc tca tca gga			868
Asp Glu Val Gly Pro Val Gln Asp Lys Phe Glu Ala Thr Ser Ser Gly			
265	270	275	280

- 19 -

aat gtt tca aac agt gca acg gta cgg gaa gtg gat gca agt gat gaa Asn Val Ser Asn Ser Ala Thr Val Arg Glu Val Asp Ala Ser Asp Glu 285 290 295	916
gct ggg aat gat caa ggc ata ttt aga gca gat ttg tca gga aat gtt Ala Gly Asn Asp Gln Gly Ile Phe Arg Ala Asp Leu Ser Gly Asn Val 300 305 310	964
ttt tca agc agt aca aca gtg gaa gtg ggt gca gtg gat gaa gct ggg Phe Ser Ser Ser Thr Thr Val Glu Val Gly Ala Val Asp Glu Ala Gly 315 320 325	1012
tct ata aag gac agg ttt gag acg gat tcg tca gga aat gtt tca aca Ser Ile Lys Asp Arg Phe Glu Thr Asp Ser Ser Gly Asn Val Ser Thr 330 335 340	1060
agt gcg ccg atg tgg gat gca att gat gaa acc gtg gct gat caa gac Ser Ala Pro Met Trp Asp Ala Ile Asp Glu Thr Val Ala Asp Gln Asp 345 350 355 360	1108
aca ttt gag gcg gat ttg tcg gga aat gct tca agc tgc gca aca tac Thr Phe Glu Ala Asp Leu Ser Gly Asn Ala Ser Ser Cys Ala Thr Tyr 365 370 375	1156
aga gaa gtg gat gat gtg gtg gat gaa act aga tca gaa gag gaa aca Arg Glu Val Asp Asp Val Val Asp Glu Thr Arg Ser Glu Glu Glu Thr 380 385 390	1204
ttt gca atg gat ttg ttt gca agt gaa tca ggc cat gag aaa cat atg Phe Ala Met Asp Leu Phe Ala Ser Glu Ser Gly His Glu Lys His Met 395 400 405	1252
gca gtg gat tat gtg ggt gaa gct acc gat gaa gaa gag act tac caa Ala Val Asp Tyr Val Gly Glu Ala Thr Asp Glu Glu Glu Thr Tyr Gln 410 415 420	1300
cag caa tat cca gta ccg tct tca ttc tct atg tgg gac aag gct att Gln Gln Tyr Pro Val Pro Ser Ser Phe Ser Met Trp Asp Lys Ala Ile 425 430 435 440	1348
gct aaa aca ggt gta agt ttg aat cct gag ctg cga ctt gtc agg gtt Ala Lys Thr Gly Val Ser Leu Asn Pro Glu Leu Arg Leu Val Arg Val 445 450 455	1396
gaa gaa caa ggc aaa gta aat ttt agt gat aaa aaa gac ctg tca att Glu Glu Gln Gly Lys Val Asn Phe Ser Asp Lys Lys Asp Leu Ser Ile 460 465 470	1444
gat gat tta cca gga caa aac caa tcg atc att ggt tcc tat aaa caa Asp Asp Leu Pro Gly Gln Asn Gln Ser Ile Ile Gly Ser Tyr Lys Gln 475 480 485	1492
gat aaa tca att gct gat gtt gcg gga ccg acc caa tca att ttt ggt Asp Lys Ser Ile Ala Asp Val Ala Gly Pro Thr Gln Ser Ile Phe Gly 490 495 500	1540
tct agt aaa caa cac cgg tca att gtt gct ttc ccc aaa caa aac cag Ser Ser Lys Gln His Arg Ser Ile Val Ala Phe Pro Lys Gln Asn Gln 505 510 515 520	1588
tca att gtt agt gtc act gag caa aag cag tcc ata gtt gga ttc cgt Ser Ile Val Ser Val Thr Glu Gln Lys Gln Ser Ile Val Gly Phe Arg 525 530 535	1636

- 20 -

agt caa gat ctt tcg gct gtt agt ctc cct aaa caa aac gta cca att	1684
Ser Gln Asp Leu Ser Ala Val Ser Leu Pro Lys Gln Asn Val Pro Ile	
540 545 550	
gtt ggt acg tcg aga gag ggt caa aca aag caa gtt cct gtt gtt gat	1732
Val Gly Thr Ser Arg Glu Gly Gln Thr Lys Gln Val Pro Val Val Asp	
555 560 565	
aga cag gat gca ttg tat gtg aat gga ctg gaa gct aag gag gga gat	1780
Arg Gln Asp Ala Leu Tyr Val Asn Gly Leu Glu Ala Lys Glu Gly Asp	
570 575 580	
cac aca tcc gag aaa act gat gag gat gcg ctt cat gta aag ttt aat	1828
His Thr Ser Glu Lys Thr Asp Glu Asp Ala Leu His Val Lys Phe Asn	
585 590 595 600	
gtt gac aat gtg ttg cgg aag cat cag gca gat aga acc caa gca gtg	1876
Val Asp Asn Val Leu Arg Lys His Gln Ala Asp Arg Thr Gln Ala Val	
605 610 615	
gaa aag aaa act tgg aag aaa gtt gat gag gaa cat ctt tac atg act	1924
Glu Lys Lys Thr Trp Lys Lys Val Asp Glu Glu His Leu Tyr Met Thr	
620 625 630	
gaa cat cag aaa cgt gct gcc gaa gga cag atg gta gtt aac gag gat	1972
Glu His Gln Lys Arg Ala Ala Glu Gly Gln Met Val Val Asn Glu Asp	
635 640 645	
gag ctt tct ata act gaa att gga atg ggg aga ggt gat aaa att cag	2020
Glu Leu Ser Ile Thr Glu Ile Gly Met Gly Arg Gly Asp Lys Ile Gln	
650 655 660	
cat gtg ctt tct gag gaa gag ctt tca tgg tct gaa gat gaa gtg cag	2068
His Val Leu Ser Glu Glu Glu Leu Ser Trp Ser Glu Asp Glu Val Gln	
665 670 675 680	
tta att gag gat gat gga caa tat gaa gtt gac gag acc tct gtg tcc	2116
Leu Ile Glu Asp Gly Gln Tyr Glu Val Asp Glu Thr Ser Val Ser	
685 690 695	
gtt aac gtt gaa caa gat atc cag ggg tca cca cag gat gtt gtg gat	2164
Val Asn Val Glu Gln Asp Ile Gln Gly Ser Pro Gln Asp Val Val Asp	
700 705 710	
ccg caa gca cta aag gtg atg ctg caa gaa ctc gct gag aaa aat tat	2212
Pro Gln Ala Leu Lys Val Met Leu Gln Glu Leu Ala Glu Lys Asn Tyr	
715 720 725	
tcg atg agg aac aag ctg ttt gtt ttt cca gag gta gtg aaa gct gat	2260
Ser Met Arg Asn Lys Leu Phe Val Phe Pro Glu Val Val Lys Ala Asp	
730 735 740	
tca gtt att gat ctt tat tta aat cgt gac cta aca gct ttg gcg aat	2308
Ser Val Ile Asp Leu Tyr Leu Asn Arg Asp Leu Thr Ala Leu Ala Asn	
745 750 755 760	
gaa ccc gat gtc gtc atc aaa gga gca ttc aat ggt tgg aaa tgg agg	2356
Glu Pro Asp Val Val Ile Lys Gly Ala Phe Asn Gly Trp Lys Trp Arg	
765 770 775	
ctt ttc act gaa aga ttg cac aag agt gac ctt gga ggg gtt tgg tgg	2404
Leu Phe Thr Glu Arg Leu His Lys Ser Asp Leu Gly Gly Val Trp Trp	
780 785 790	
tct tgc aaa ctg tac ata ccc aag gag gcc tac aga tta gac ttt gtg	2452

- 21 -

Ser	Cys	Lys	Leu	Tyr	Ile	Pro	Lys	Glu	Ala	Tyr	Arg	Leu	Asp	Phe	Val	
		795					800					805				
ttc	ttc	aac	ggt	cgc	acg	gtc	tat	gag	aac	aat	ggc	aac	aat	gat	ttc	2500
Phe	Phe	Asn	Gly	Arg	Thr	Val	Tyr	Glu	Asn	Asn	Gly	Asn	Asn	Asp	Phe	
		810				815					820					
tgt	ata	gga	ata	gaa	ggc	act	atg	aat	gaa	gat	ctg	ttt	gag	gat	ttc	2548
Cys	Ile	Gly	Ile	Glu	Gly	Thr	Met	Asn	Glu	Asp	Leu	Phe	Glu	Asp	Phe	
		825			830					835					840	
ttg	gtt	aaa	gaa	aag	caa	agg	gag	ctt	gag	aaa	ctt	gcc	atg	gaa	gaa	2596
Leu	Val	Lys	Glu	Lys	Gln	Arg	Glu	Leu	Glu	Lys	Leu	Ala	Met	Glu	Glu	
				845					850					855		
gct	gaa	agg	agg	aca	cag	act	gaa	gaa	cag	cgg	cga	aga	aag	gaa	gca	2644
Ala	Glu	Arg	Arg	Thr	Gln	Thr	Glu	Glu	Gln	Arg	Arg	Arg	Lys	Glu	Ala	
			860					865						870		
agg	gct	gca	gat	gaa	gct	gtc	agg	gca	caa	gcg	aag	gcc	gag	ata	gag	2692
Arg	Ala	Ala	Asp	Glu	Ala	Val	Arg	Ala	Gln	Ala	Lys	Ala	Glu	Ile	Glu	
		875					880					885				
atc	aag	aag	aaa	aaa	ttg	caa	agt	atg	ttg	agt	ttg	gcc	aga	aca	tgt	2740
Ile	Lys	Lys	Lys	Lys	Leu	Gln	Ser	Met	Leu	Ser	Leu	Ala	Arg	Thr	Cys	
		890				895					900					
gtt	gat	aat	ttg	tgg	tac	ata	gag	gct	agc	aca	gat	aca	aga	gga	gat	2788
Val	Asp	Asn	Leu	Trp	Tyr	Ile	Glu	Ala	Ser	Thr	Asp	Thr	Arg	Gly	Asp	
		905			910				915					920		
act	atc	agg	tta	tat	tat	aac	aga	aac	tcg	agg	cca	ctt	gcg	cat	agt	2836
Thr	Ile	Arg	Leu	Tyr	Tyr	Asn	Arg	Asn	Ser	Arg	Pro	Leu	Ala	His	Ser	
			925						930					935		
act	gag	att	tgg	atg	cat	ggt	ggt	tac	aac	aat	tgg	aca	gat	gga	ctc	2884
Thr	Glu	Ile	Trp	Met	His	Gly	Gly	Tyr	Asn	Asn	Trp	Thr	Asp	Gly	Leu	
			940					945					950			
tct	att	gtt	gaa	agc	ttt	gtc	aag	tgc	aat	gac	aaa	gac	ggc	gat	tgg	2932
Ser	Ile	Val	Glu	Ser	Phe	Val	Lys	Cys	Asn	Asp	Lys	Asp	Gly	Asp	Trp	
		955					960					965				
tgg	tat	gca	gat	gtt	att	cca	cct	gaa	aag	gca	ctt	gtg	ttg	gac	tgg	2980
Trp	Tyr	Ala	Asp	Val	Ile	Pro	Pro	Glu	Lys	Ala	Leu	Val	Leu	Asp	Trp	
		970				975					980					
gtt	ttt	gct	gat	ggg	cca	gct	ggg	aat	gca	agg	aac	tat	gac	aac	aat	3028
Val	Phe	Ala	Asp	Gly	Pro	Ala	Gly	Asn	Ala	Arg	Asn	Tyr	Asp	Asn	Asn	
				990					995					1000		
gct	cga	caa	gat	ttc	cat	gct	att	ctt	ccg	aac	aac	aat	gta	acc	gag	3076
Ala	Arg	Gln	Asp	Phe	His	Ala	Ile	Leu	Pro	Asn	Asn	Asn	Val	Thr	Glu	
				1005					1010				1015			
gaa	ggc	ttc	tgg	gcg	caa	gag	gag	caa	aac	atc	tat	aca	agg	ctt	ctg	3124
Glu	Gly	Phe	Trp	Ala	Gln	Glu	Glu	Gln	Asn	Ile	Tyr	Thr	Arg	Leu	Leu	
			1020					1025					1030			
caa	gaa	agg	aga	gaa	aag	gaa	gaa	acc	atg	aaa	aga	aag	gct	gag	aga	3172
Gln	Glu	Arg	Arg	Glu	Lys	Glu	Glu	Thr	Met	Lys	Arg	Lys	Ala	Glu	Arg	
		1035						1040					1045			
agt	gca	aat	atc	aaa	gct	gag	atg	aag	gca	aaa	act	atg	cga	agg	ttt	3220
Ser	Ala	Asn	Ile	Lys	Ala	Glu	Met	Lys	Ala	Lys	Thr	Met	Arg	Arg	Phe	

- 22 -

1050	1055	1060	
ctg ctt tcc cag aaa cac att gtt tat acc gaa ccg ctt gaa ata cgt Leu Leu Ser Gln Lys His Ile Val Tyr Thr Glu Pro Leu Glu Ile Arg 1065	1070	1075	1080 3268
gcc gga acc aca gtg gat gtg cta tac aat ccc tct aac aca gtg cta Ala Gly Thr Thr Val Asp Val Leu Tyr Asn Pro Ser Asn Thr Val Leu 1085	1090	1095	3316
aat gga aag tcg gag ggt tgg ttt aga tgc tcc ttt aac ctt tgg atg Asn Gly Lys Ser Glu Gly Trp Phe Arg Cys Ser Phe Asn Leu Trp Met 1100	1105	1110	3364
cat tca agt ggg gca ttg cca ccc cag aag atg gtg aaa tca ggg gat His Ser Ser Gly Ala Leu Pro Pro Gln Lys Met Val Lys Ser Gly Asp 1115	1120	1125	3412
ggg ccg ctc tta aaa gca aca gtt gat gtt cca ccg gat gcc tat atg Gly Pro Leu Leu Lys Ala Thr Val Asp Val Pro Pro Asp Ala Tyr Met 1130	1135	1140	3460
atg gac ttt gtt ttc tcc gag tgg gaa gaa gat ggg atc tat gac aac Met Asp Phe Val Phe Ser Glu Trp Glu Glu Asp Gly Ile Tyr Asp Asn 1145	1150	1155	1160 3508
agg aat ggg atg gac tat cat att cct gtt tct gat tca att gaa aca Arg Asn Gly Met Asp Tyr His Ile Pro Val Ser Asp Ser Ile Glu Thr 1165	1170	1175	3556
gag aat tac atg cgt att atc cac att gcc gtt gag atg gcc ccc gtt Glu Asn Tyr Met Arg Ile Ile His Ile Ala Val Glu Met Ala Pro Val 1180	1185	1190	3604
gca aag gtt gga ggt ctt ggg gat gtt gtt aca agt ctt tca cgt gcc Ala Lys Val Gly Gly Leu Gly Asp Val Val Thr Ser Leu Ser Arg Ala 1195	1200	1205	3652
att caa gat cta gga cat act gtc gag gtt att ctc ccg aag tac gac Ile Gln Asp Leu Gly His Thr Val Glu Val Ile Leu Pro Lys Tyr Asp 1210	1215	1220	3700
tgt ttg aac caa agc agt gtc aag gat tta cat tta tat caa agt ttt Cys Leu Asn Gln Ser Ser Val Lys Asp Leu His Leu Tyr Gln Ser Phe 1225	1230	1235	1240 3748
tct tgg ggt ggt aca gaa ata aaa gta tgg gtt gga cga gtc gaa gac Ser Trp Gly Gly Thr Glu Ile Lys Val Trp Val Gly Arg Val Glu Asp 1245	1250	1255	3796
ctg acc gtt tac ttc ctg gaa cct caa aat ggg atg ttt ggc gtt gga Leu Thr Val Tyr Phe Leu Glu Pro Gln Asn Gly Met Phe Gly Val Gly 1260	1265	1270	3844
tgt gta tat gga agg aat gat gac cgc aga ttt ggg ttc ttc tgt cat Cys Val Tyr Gly Arg Asn Asp Asp Arg Arg Phe Gly Phe Phe Cys His 1275	1280	1285	3892
tct gct cta gag ttt atc ctc cag aat gaa ttt tct cca cat ata ata Ser Ala Leu Glu Phe Ile Leu Gln Asn Glu Phe Ser Pro His Ile Ile 1290	1295	1300	3940
cat tgc cat gat tgg tca agt gct ccg gtc gcc tgg cta tat aag gaa His Cys His Asp Trp Ser Ser Ala Pro Val Ala Trp Leu Tyr Lys Glu 1305	1310	1315	1320 3988

- 23 -

cac tat tcc caa tcc aga atg gca agc act cgg gtt gta ttt acc atc 4036
 His Tyr Ser Gln Ser Arg Met Ala Ser Thr Arg Val Val Phe Thr Ile
 1325 1330 1335

cac aat ctt gaa ttt gga gca cat tat att ggt aaa gca atg aca tac 4084
 His Asn Leu Glu Phe Gly Ala His Tyr Ile Gly Lys Ala Met Thr Tyr
 1340 1345 1350

tgt gat aaa gcc aca act gtt tct cct aca tat tca agg gac gtg gca 4132
 Cys Asp Lys Ala Thr Thr Val Ser Pro Thr Tyr Ser Arg Asp Val Ala
 1355 1360 1365

ggc cat ggc gcc att gct cct cat cgt gag aaa ttc tac ggc att ctc 4180
 Gly His Gly Ala Ile Ala Pro His Arg Glu Lys Phe Tyr Gly Ile Leu
 1370 1375 1380

aat gga att gat cca gat atc tgg gat ccg tac act gac aat ttt atc 4228
 Asn Gly Ile Asp Pro Asp Ile Trp Asp Pro Tyr Thr Asp Asn Phe Ile
 1385 1390 1395 1400

ccg gtc cct tat act tgt gag aat gtt gtc gaa ggc aag aga gct gca 4276
 Pro Val Pro Tyr Thr Cys Glu Asn Val Val Glu Gly Lys Arg Ala Ala
 1405 1410 1415

aaa agg gcc ttg cag cag aag ttt gga tta cag caa act gat gtc cct 4324
 Lys Arg Ala Leu Gln Gln Lys Phe Gly Leu Gln Gln Thr Asp Val Pro
 1420 1425 1430

att gtc gga atc atc acc cgt ctg aca gcc cag aag gga atc cac ctc 4372
 Ile Val Gly Ile Ile Thr Arg Leu Thr Ala Gln Lys Gly Ile His Leu
 1435 1440 1445

atc aag cac gca att cac cga act ctc gaa agc aac gga cat gtg gtt 4420
 Ile Lys His Ala Ile His Arg Thr Leu Glu Ser Asn Gly His Val Val
 1450 1455 1460

ttg ctt ggt tca gct cca gat cat cga ata caa ggc gat ttt tgc aga 4468
 Leu Leu Gly Ser Ala Pro Asp His Arg Ile Gln Gly Asp Phe Cys Arg
 1465 1470 1475 1480

ttg gcc gat gct ctt cat ggt gtt tac cat ggt agg gtg aag ctt gtt 4516
 Leu Ala Asp Ala Leu His Gly Val Tyr His Gly Arg Val Lys Leu Val
 1485 1490 1495

cta acc tat gat gag cct ctt tct cac ctg ata tac gct ggc tcg gac 4564
 Leu Thr Tyr Asp Glu Pro Leu Ser His Leu Ile Tyr Ala Gly Ser Asp
 1500 1505 1510

ttc ata att gtt cct tca atc ttc gaa ccc tgt ggc tta aca caa ctt 4612
 Phe Ile Ile Val Pro Ser Ile Phe Glu Pro Cys Gly Leu Thr Gln Leu
 1515 1520 1525

gtt gcc atg cgt tat gga tcg atc cct ata gtt cgg aaa act gga gga 4660
 Val Ala Met Arg Tyr Gly Ser Ile Pro Ile Val Arg Lys Thr Gly Gly
 1530 1535 1540

ctt cac gac aca gtc ttc gac gta gac aat gat aag gac cgg gct cgg 4708
 Leu His Asp Thr Val Phe Asp Val Asp Asn Asp Lys Asp Arg Ala Arg
 1545 1550 1555 1560

tct ctt ggt ctt gaa cca aat ggg ttc agt ttc gac gga gcc gac agc 4756
 Ser Leu Gly Leu Glu Pro Asn Gly Phe Ser Phe Asp Gly Ala Asp Ser
 1565 1570 1575

- 24 -

aat ggc gtg gat tat gcc ctc aac aga gca atc ggc gct tgg ttc gat 4804
 Asn Gly Val Asp Tyr Ala Leu Asn Arg Ala Ile Gly Ala Trp Phe Asp
 1580 1585 1590

gcc cgt gat tgg ttc cac tcc ctg tgt aag agg gtc atg gag caa gac 4852
 Ala Arg Asp Trp Phe His Ser Leu Cys Lys Arg Val Met Glu Gln Asp
 1595 1600 1605

tgg tcg tgg aac cgg ccc gca ctg gac tac att gaa ttg tac cat gcc 4900
 Trp Ser Trp Asn Arg Pro Ala Leu Asp Tyr Ile Glu Leu Tyr His Ala
 1610 1615 1620

gct cga aaa ttc tgacacccaa ctgaaccaat gacaagaaca agcgattgt 4952
 Ala Arg Lys Phe
 1625

gggatcgact agtcatacag ggctgtgcag atcgtcttgc ttcagttagt gccctcttca 5012

gttagttcca agcgactac agtcgtacat agctgaggat cctcttgccct cctaccaggg 5072

ggaacaaagc agaaatgcat gagtgcattg ggaagacttt tatgtatatt gttaaaaaaa 5132

tttcttttcc ttttcttcc ctgcacctgg aaatgggttaa gcgcacgcc gagataagaa 5192

ccgcagtgac attctgtgag tagctttgta tattctctca tcttggtgaaa actaatgttc 5252

atgttaggct gtctgatcat gtggaagctt tgttatatgt tacttatggt atacatcaat 5312

gatatttaca tttgtggaaa aaaaaaaaaa aaaa 5346

<210> 8

<211> 1628

<212> PRT

<213> Triticum aestivum

<400> 8

Met Glu Met Ser Leu Trp Pro Arg Ser Pro Leu Cys Pro Arg Ser Arg
 1 5 10 15

Gln Pro Leu Val Val Val Arg Pro Ala Gly Arg Gly Gly Leu Thr Gln
 20 25 30

Pro Phe Leu Met Asn Gly Arg Phe Thr Arg Ser Arg Thr Leu Arg Cys
 35 40 45

Met Val Ala Ser Ser Asp Pro Pro Asn Arg Lys Ser Arg Arg Met Val
 50 55 60

Pro Pro Gln Val Lys Val Ile Ser Ser Arg Gly Tyr Thr Thr Arg Leu
 65 70 75 80

Ile Val Glu Pro Ser Asn Glu Asn Thr Glu His Asn Asn Arg Asp Glu
 85 90 95

Glu Thr Leu Asp Thr Tyr Asn Ala Leu Leu Ser Thr Glu Thr Ala Glu
 100 105 110

Trp Thr Asp Asn Arg Glu Ala Glu Thr Ala Lys Ala Asp Ser Ser Gln
 115 120 125

Asn Ala Leu Ser Ser Ser Ile Ile Gly Glu Val Asp Val Ala Asp Glu
 130 135 140

Asp Ile Leu Ala Ala Asp Leu Thr Val Tyr Ser Leu Ser Ser Val Met

- 25 -

145	150	155	160
Lys Lys Glu Val Asp	Ala Ala Asp Lys	Ala Arg Val Lys	Glu Asp Ala
	165	170	175
Phe Glu Leu Asp	Leu Pro Ala Thr	Thr Leu Arg Ser	Val Ile Val Asp
	180	185	190
Val Met Asp His Asn	Gly Thr Val Gln	Glu Thr Leu Arg	Ser Val Ile
	195	200	205
Val Asp Val Met Asp	His Asn Gly Thr	Val Gln Glu Thr	Leu Arg Ser
	210	215	220
Val Ile Val Asp Val	Met Asp Asp Ala	Ala Asp Lys Ala	Arg Val Glu
	225	230	235
Glu Asp Val Phe Glu	Leu Asp Leu Ser	Gly Asn Ile Ser	Ser Ser Ala
	245	250	255
Thr Thr Val Glu Leu	Asp Ala Val Asp	Glu Val Gly Pro	Val Gln Asp
	260	265	270
Lys Phe Glu Ala Thr	Ser Ser Gly Asn	Val Ser Asn Ser	Ala Thr Val
	275	280	285
Arg Glu Val Asp Ala	Ser Asp Glu Ala	Gly Asn Asp Gln	Gly Ile Phe
	290	295	300
Arg Ala Asp Leu Ser	Gly Asn Val Phe	Ser Ser Ser Thr	Thr Val Glu
	305	310	315
Val Gly Ala Val Asp	Glu Ala Gly Ser	Ile Lys Asp Arg	Phe Glu Thr
	325	330	335
Asp Ser Ser Gly Asn	Val Ser Thr Ser	Ala Pro Met Trp	Asp Ala Ile
	340	345	350
Asp Glu Thr Val Ala	Asp Gln Asp Thr	Phe Glu Ala Asp	Leu Ser Gly
	355	360	365
Asn Ala Ser Ser Cys	Ala Thr Tyr Arg	Glu Val Asp Asp	Val Val Asp
	370	375	380
Glu Thr Arg Ser Glu	Glu Glu Thr Phe	Ala Met Asp Leu	Phe Ala Ser
	385	390	395
Glu Ser Gly His Glu	Lys His Met Ala	Val Asp Tyr Val	Gly Glu Ala
	405	410	415
Thr Asp Glu Glu Glu	Thr Tyr Gln Gln	Gln Tyr Pro Val	Pro Ser Ser
	420	425	430
Phe Ser Met Trp Asp	Lys Ala Ile Ala	Lys Thr Gly Val	Ser Leu Asn
	435	440	445
Pro Glu Leu Arg Leu	Val Arg Val Glu	Glu Gln Gly Lys	Val Asn Phe
	450	455	460
Ser Asp Lys Lys Asp	Leu Ser Ile Asp	Asp Asp Leu Pro	Gly Gln Asn
	465	470	475
Ser Ile Ile Gly Ser	Tyr Lys Gln Asp	Lys Ser Ile Ala	Asp Val Ala
	485	490	495

- 26 -

Gly Pro Thr Gln Ser Ile Phe Gly Ser Ser Lys Gln His Arg Ser Ile
 500 505 510
 Val Ala Phe Pro Lys Gln Asn Gln Ser Ile Val Ser Val Thr Glu Gln
 515 520 525
 Lys Gln Ser Ile Val Gly Phe Arg Ser Gln Asp Leu Ser Ala Val Ser
 530 535 540
 Leu Pro Lys Gln Asn Val Pro Ile Val Gly Thr Ser Arg Glu Gly Gln
 545 550 555 560
 Thr Lys Gln Val Pro Val Val Asp Arg Gln Asp Ala Leu Tyr Val Asn
 565 570 575
 Gly Leu Glu Ala Lys Glu Gly Asp His Thr Ser Glu Lys Thr Asp Glu
 580 585 590
 Asp Ala Leu His Val Lys Phe Asn Val Asp Asn Val Leu Arg Lys His
 595 600 605
 Gln Ala Asp Arg Thr Gln Ala Val Glu Lys Lys Thr Trp Lys Lys Val
 610 615 620
 Asp Glu Glu His Leu Tyr Met Thr Glu His Gln Lys Arg Ala Ala Glu
 625 630 635 640
 Gly Gln Met Val Val Asn Glu Asp Glu Leu Ser Ile Thr Glu Ile Gly
 645 650 655
 Met Gly Arg Gly Asp Lys Ile Gln His Val Leu Ser Glu Glu Glu Leu
 660 665 670
 Ser Trp Ser Glu Asp Glu Val Gln Leu Ile Glu Asp Asp Gly Gln Tyr
 675 680 685
 Glu Val Asp Glu Thr Ser Val Ser Val Asn Val Glu Gln Asp Ile Gln
 690 695 700
 Gly Ser Pro Gln Asp Val Val Asp Pro Gln Ala Leu Lys Val Met Leu
 705 710 715 720
 Gln Glu Leu Ala Glu Lys Asn Tyr Ser Met Arg Asn Lys Leu Phe Val
 725 730 735
 Phe Pro Glu Val Val Lys Ala Asp Ser Val Ile Asp Leu Tyr Leu Asn
 740 745 750
 Arg Asp Leu Thr Ala Leu Ala Asn Glu Pro Asp Val Val Ile Lys Gly
 755 760 765
 Ala Phe Asn Gly Trp Lys Trp Arg Leu Phe Thr Glu Arg Leu His Lys
 770 775 780
 Ser Asp Leu Gly Gly Val Trp Trp Ser Cys Lys Leu Tyr Ile Pro Lys
 785 790 795 800
 Glu Ala Tyr Arg Leu Asp Phe Val Phe Phe Asn Gly Arg Thr Val Tyr
 805 810 815
 Glu Asn Asn Gly Asn Asn Asp Phe Cys Ile Gly Ile Glu Gly Thr Met
 820 825 830
 Asn Glu Asp Leu Phe Glu Asp Phe Leu Val Lys Glu Lys Gln Arg Glu
 835 840 845

- 27 -

Leu Glu Lys Leu Ala Met Glu Glu Ala Glu Arg Arg Thr Gln Thr Glu
 850 855 860
 Glu Gln Arg Arg Arg Lys Glu Ala Arg Ala Ala Asp Glu Ala Val Arg
 865 870 875 880
 Ala Gln Ala Lys Ala Glu Ile Glu Ile Lys Lys Lys Lys Leu Gln Ser
 885 890 895
 Met Leu Ser Leu Ala Arg Thr Cys Val Asp Asn Leu Trp Tyr Ile Glu
 900 905 910
 Ala Ser Thr Asp Thr Arg Gly Asp Thr Ile Arg Leu Tyr Tyr Asn Arg
 915 920 925
 Asn Ser Arg Pro Leu Ala His Ser Thr Glu Ile Trp Met His Gly Gly
 930 935 940
 Tyr Asn Asn Trp Thr Asp Gly Leu Ser Ile Val Glu Ser Phe Val Lys
 945 950 955 960
 Cys Asn Asp Lys Asp Gly Asp Trp Trp Tyr Ala Asp Val Ile Pro Pro
 965 970 975
 Glu Lys Ala Leu Val Leu Asp Trp Val Phe Ala Asp Gly Pro Ala Gly
 980 985 990
 Asn Ala Arg Asn Tyr Asp Asn Asn Ala Arg Gln Asp Phe His Ala Ile
 995 1000 1005
 Leu Pro Asn Asn Asn Val Thr Glu Glu Gly Phe Trp Ala Gln Glu Glu
 1010 1015 1020
 Gln Asn Ile Tyr Thr Arg Leu Leu Gln Glu Arg Arg Glu Lys Glu Glu
 1025 1030 1035 1040
 Thr Met Lys Arg Lys Ala Glu Arg Ser Ala Asn Ile Lys Ala Glu Met
 1045 1050 1055
 Lys Ala Lys Thr Met Arg Arg Phe Leu Leu Ser Gln Lys His Ile Val
 1060 1065 1070
 Tyr Thr Glu Pro Leu Glu Ile Arg Ala Gly Thr Thr Val Asp Val Leu
 1075 1080 1085
 Tyr Asn Pro Ser Asn Thr Val Leu Asn Gly Lys Ser Glu Gly Trp Phe
 1090 1095 1100
 Arg Cys Ser Phe Asn Leu Trp Met His Ser Ser Gly Ala Leu Pro Pro
 1105 1110 1115 1120
 Gln Lys Met Val Lys Ser Gly Asp Gly Pro Leu Leu Lys Ala Thr Val
 1125 1130 1135
 Asp Val Pro Pro Asp Ala Tyr Met Met Asp Phe Val Phe Ser Glu Trp
 1140 1145 1150
 Glu Glu Asp Gly Ile Tyr Asp Asn Arg Asn Gly Met Asp Tyr His Ile
 1155 1160 1165
 Pro Val Ser Asp Ser Ile Glu Thr Glu Asn Tyr Met Arg Ile Ile His
 1170 1175 1180
 Ile Ala Val Glu Met Ala Pro Val Ala Lys Val Gly Gly Leu Gly Asp

- 28 -

185	1190	1195	1200
Val Val Thr Ser Leu Ser Arg Ala Ile Gln Asp Leu Gly His Thr Val			
1205		1210	1215
Glu Val Ile Leu Pro Lys Tyr Asp Cys Leu Asn Gln Ser Ser Val Lys			
1220		1225	1230
Asp Leu His Leu Tyr Gln Ser Phe Ser Trp Gly Gly Thr Glu Ile Lys			
1235		1240	1245
Val Trp Val Gly Arg Val Glu Asp Leu Thr Val Tyr Phe Leu Glu Pro			
1250		1255	1260
Gln Asn Gly Met Phe Gly Val Gly Cys Val Tyr Gly Arg Asn Asp Asp			
265		1270	1275
Arg Arg Phe Gly Phe Phe Cys His Ser Ala Leu Glu Phe Ile Leu Gln			
		1285	1290
Asn Glu Phe Ser Pro His Ile Ile His Cys His Asp Trp Ser Ser Ala			
		1300	1305
Pro Val Ala Trp Leu Tyr Lys Glu His Tyr Ser Gln Ser Arg Met Ala			
		1315	1320
Ser Thr Arg Val Val Phe Thr Ile His Asn Leu Glu Phe Gly Ala His			
		1330	1335
Tyr Ile Gly Lys Ala Met Thr Tyr Cys Asp Lys Ala Thr Thr Val Ser			
345		1350	1355
Pro Thr Tyr Ser Arg Asp Val Ala Gly His Gly Ala Ile Ala Pro His			
		1365	1370
Arg Glu Lys Phe Tyr Gly Ile Leu Asn Gly Ile Asp Pro Asp Ile Trp			
		1380	1385
Asp Pro Tyr Thr Asp Asn Phe Ile Pro Val Pro Tyr Thr Cys Glu Asn			
		1395	1400
Val Val Glu Gly Lys Arg Ala Ala Lys Arg Ala Leu Gln Gln Lys Phe			
		1410	1415
Gly Leu Gln Gln Thr Asp Val Pro Ile Val Gly Ile Ile Thr Arg Leu			
425		1430	1435
Thr Ala Gln Lys Gly Ile His Leu Ile Lys His Ala Ile His Arg Thr			
		1445	1450
Leu Glu Ser Asn Gly His Val Val Leu Leu Gly Ser Ala Pro Asp His			
		1460	1465
Arg Ile Gln Gly Asp Phe Cys Arg Leu Ala Asp Ala Leu His Gly Val			
		1475	1480
Tyr His Gly Arg Val Lys Leu Val Leu Thr Tyr Asp Glu Pro Leu Ser			
		1490	1495
His Leu Ile Tyr Ala Gly Ser Asp Phe Ile Ile Val Pro Ser Ile Phe			
505		1510	1515
Glu Pro Cys Gly Leu Thr Gln Leu Val Ala Met Arg Tyr Gly Ser Ile			
		1525	1530
			1535

- 29 -

Pro Ile Val Arg Lys Thr Gly Gly Leu His Asp Thr Val Phe Asp Val
1540 1545 1550

Asp Asn Asp Lys Asp Arg Ala Arg Ser Leu Gly Leu Glu Pro Asn Gly
1555 1560 1565

Phe Ser Phe Asp Gly Ala Asp Ser Asn Gly Val Asp Tyr Ala Leu Asn
1570 1575 1580

Arg Ala Ile Gly Ala Trp Phe Asp Ala Arg Asp Trp Phe His Ser Leu
585 1590 1595 1600

Cys Lys Arg Val Met Glu Gln Asp Trp Ser Trp Asn Arg Pro Ala Leu
1605 1610 1615

Asp Tyr Ile Glu Leu Tyr His Ala Ala Arg Lys Phe
1620 1625

<210> 9

<211> 3621

<212> DNA

<213> Triticum aestivum

<220>

<221> CDS

<222> (1)..(3177)

<400> 9

gat gca ttg tat gtg aat gga ctg gaa gct aag gag gga gat cac aca 48
Asp Ala Leu Tyr Val Asn Gly Leu Glu Ala Lys Glu Gly Asp His Thr
1 5 10 15

tcc gag aaa act gat gag gat gcg ctt cat gta aag ttt aat gtt gac 96
Ser Glu Lys Thr Asp Glu Asp Ala Leu His Val Lys Phe Asn Val Asp
20 25 30

aat gtg ttg cgg aag cat cag gca gat aga acc caa gca gtg gaa aag 144
Asn Val Leu Arg Lys His Gln Ala Asp Arg Thr Gln Ala Val Glu Lys
35 40 45

aaa act tgg aag aaa gtt gat gag gaa cat ctt tac atg act gaa cat 192
Lys Thr Trp Lys Lys Val Asp Glu Glu His Leu Tyr Met Thr Glu His
50 55 60

cag aaa cgt gct gcc gaa gga cag atg gta gtt aac gag gat gag ctt 240
Gln Lys Arg Ala Ala Glu Gly Gln Met Val Val Asn Glu Asp Glu Leu
65 70 75 80

tct ata act gaa att gga atg ggg aga ggt gat aaa att cag cat gtg 288
Ser Ile Thr Glu Ile Gly Met Gly Arg Gly Asp Lys Ile Gln His Val
85 90 95

ctt tct gag gaa gag ctt tca tgg tct gaa gat gaa gtg cag tta att 336
Leu Ser Glu Glu Glu Leu Ser Trp Ser Glu Asp Glu Val Gln Leu Ile
100 105 110

gag gat gat gga caa tat gaa gtt gac gag acc tct gtg tcc gtt aac 384
Glu Asp Asp Gly Gln Tyr Glu Val Asp Glu Thr Ser Val Ser Val Asn
115 120 125

gtt gaa caa gat atc cag ggg tca cca cag gat gtt gtg gat ccg caa 432
Val Glu Gln Asp Ile Gln Gly Ser Pro Gln Asp Val Val Asp Pro Gln
130 135 140

- 30 -

gca cta aag gtg atg ctg caa gaa ctc gct gag aaa aat tat tcg atg Ala Leu Lys Val Met Leu Gln Glu Leu Ala Glu Lys Asn Tyr Ser Met 145 150 155 160	480
agg aac aag ctg ttt gtt ttt cca gag gta gtg aaa gct gat tca gtt Arg Asn Lys Leu Phe Val Phe Pro Glu Val Val Lys Ala Asp Ser Val 165 170 175	528
att gat ctt tat tta aat cgt gac cta aca gct ttg gcg aat gaa ccc Ile Asp Leu Tyr Leu Asn Arg Asp Leu Thr Ala Leu Ala Asn Glu Pro 180 185 190	576
gat gtc gtc atc aaa gga gca ttc aat ggt tgg aaa tgg agg ctt ttc Asp Val Val Ile Lys Gly Ala Phe Asn Gly Trp Lys Trp Arg Leu Phe 195 200 205	624
act gaa aga ttg cac aag agt gac ctt gga ggg gtt tgg tgg tct tgc Thr Glu Arg Leu His Lys Ser Asp Leu Gly Gly Val Trp Trp Ser Cys 210 215 220	672
aaa ctg tac ata ccc aag gag gcc tac aga tta gac ttt gtg ttc ttc Lys Leu Tyr Ile Pro Lys Glu Ala Tyr Arg Leu Asp Phe Val Phe Phe 225 230 235 240	720
aac ggt cgc acg gtc tat gag aac aat ggc aac aat gat ttc tgt ata Asn Gly Arg Thr Val Tyr Glu Asn Asn Gly Asn Asn Asp Phe Cys Ile 245 250 255	768
gga ata gaa ggc act atg aat gaa gat ctg ttt gag gat ttc ttg gtt Gly Ile Glu Gly Thr Met Asn Glu Asp Leu Phe Glu Asp Phe Leu Val 260 265 270	816
aaa gaa aag caa agg gag ctt gag aaa ctt gcc atg gaa gaa gct gaa Lys Glu Lys Gln Arg Glu Leu Glu Lys Leu Ala Met Glu Glu Ala Glu 275 280 285	864
agg agg aca cag act gaa gaa cag cgg cga aga aag gaa gca agg gct Arg Arg Thr Gln Thr Glu Glu Gln Arg Arg Arg Lys Glu Ala Arg Ala 290 295 300	912
gca gat gaa gct gtc agg gca caa gcg aag gcc gag ata gag atc aag Ala Asp Glu Ala Val Arg Ala Gln Ala Lys Ala Glu Ile Glu Ile Lys 305 310 315 320	960
aag aaa aaa ttg caa agt atg ttg agt ttg gcc aga aca tgt gtt gat Lys Lys Lys Leu Gln Ser Met Leu Ser Leu Ala Arg Thr Cys Val Asp 325 330 335	1008
aat ttg tgg tac ata gag gct agc aca gat aca aga gga gat act atc Asn Leu Trp Tyr Ile Glu Ala Ser Thr Asp Thr Arg Gly Asp Thr Ile 340 345 350	1056
agg tta tat tat aac aga aac tcg agg cca ctt gcg cat agt act gag Arg Leu Tyr Tyr Asn Arg Asn Ser Arg Pro Leu Ala His Ser Thr Glu 355 360 365	1104
att tgg atg cat ggt ggt tac aac aat tgg tca gat gga ctc tct att Ile Trp Met His Gly Gly Tyr Asn Asn Trp Ser Asp Gly Leu Ser Ile 370 375 380	1152
gtt gaa agc ttt gtc aag tgc aat gac aaa gac gcc gat tgg tgg tat Val Glu Ser Phe Val Lys Cys Asn Asp Lys Asp Gly Asp Trp Trp Tyr 385 390 395 400	1200
gca gat gtt att cca cct gaa aag gca ctt gtg ttg gac tgg gtt ttt	1248

- 31 -

Ala Asp Val Ile Pro Pro Glu Lys Ala Leu Val Leu Asp Trp Val Phe	
405 410 415	
gct gat ggg cca gct ggg aat gca agg aac tat gac aac aat gct cga	1296
Ala Asp Gly Pro Ala Gly Asn Ala Arg Asn Tyr Asp Asn Asn Ala Arg	
420 425 430	
caa gat ttc cat gct att ctt ccg aac aac aat gta acc gag gaa ggc	1344
Gln Asp Phe His Ala Ile Leu Pro Asn Asn Asn Val Thr Glu Glu Gly	
435 440 445	
ttc tgg gcg caa gag gag caa aac atc tat aca agg ctt ctg caa gaa	1392
Phe Trp Ala Gln Glu Glu Gln Asn Ile Tyr Thr Arg Leu Leu Gln Glu	
450 455 460	
agg aga gaa aag gaa gaa acc atg aaa aga aag gct gag aga agt gca	1440
Arg Arg Glu Lys Glu Glu Thr Met Lys Arg Lys Ala Glu Arg Ser Ala	
465 470 475 480	
aat atc aaa gct gag atg aag gca aaa act atg cga agg ttt ctg ctt	1488
Asn Ile Lys Ala Glu Met Lys Ala Lys Thr Met Arg Arg Phe Leu Leu	
485 490 495	
tcc cag aaa cac att gtt tat acc cga acc gnc ttg aaa tac gtg ccc	1536
Ser Gln Lys His Ile Val Tyr Thr Arg Thr Xaa Leu Lys Tyr Val Pro	
500 505 510	
gga acc aca gtg gat gtg cta tac aat ccc tct aac aca gtg cta aat	1584
Gly Thr Thr Val Asp Val Leu Tyr Asn Pro Ser Asn Thr Val Leu Asn	
515 520 525	
gga aag tcg gag ggt tgg ttt aga tgc tcc ttt aac ctt tgg atg cat	1632
Gly Lys Ser Glu Gly Trp Phe Arg Cys Ser Phe Asn Leu Trp Met His	
530 535 540	
tca agt ggg gca ttg cca ccc cag aag atg gtg aaa tca ggg gat ggg	1680
Ser Ser Gly Ala Leu Pro Pro Gln Lys Met Val Lys Ser Gly Asp Gly	
545 550 555 560	
ccg ctc tta aaa gca aca gtt gat gtt cca ccg gat gcc tat atg atg	1728
Pro Leu Leu Lys Ala Thr Val Asp Val Pro Pro Asp Ala Tyr Met Met	
565 570 575	
gac ttt gtt ttc tcc gag tgg gaa gaa gat ggg atc tat gac aac agg	1776
Asp Phe Val Phe Ser Glu Trp Glu Glu Asp Gly Ile Tyr Asp Asn Arg	
580 585 590	
aat ggg atg gac tat cat att cct gtt tct gat tca att gaa aca gag	1824
Asn Gly Met Asp Tyr His Ile Pro Val Ser Asp Ser Ile Glu Thr Glu	
595 600 605	
aat tac atg cgt att atc cac att gcc gtt gag atg gcc ccc gtt gca	1872
Asn Tyr Met Arg Ile Ile His Ile Ala Val Glu Met Ala Pro Val Ala	
610 615 620	
aag gtt gga ggt ctt ggg gat gtt gtt aca agt ctt tca cgt gcc att	1920
Lys Val Gly Gly Leu Asp Val Val Thr Ser Leu Ser Arg Ala Ile	
625 630 635 640	
caa gat cta gga cat act gtc gag gtt att ctc ccg aag tac gac tgt	1968
Gln Asp Leu Gly His Thr Val Glu Val Ile Leu Pro Lys Tyr Asp Cys	
645 650 655	
ttg aac caa agc agt gtc aag gat tta cat tta tat caa agt ttt tct	2016
Leu Asn Gln Ser Ser Val Lys Asp Leu His Leu Tyr Gln Ser Phe Ser	

- 32 -

660	665	670	
tgg ggt ggt aca gaa ata aaa gta tgg gtt gga cga gtc gaa gac ctg Trp Gly Gly Thr Glu Ile Lys Val Trp Val Gly Arg Val Glu Asp Leu 675 680 685			2064
acc gtt tac ttc ctg gaa cct caa aat ggg atg ttt ggc gtt gga tgt Thr Val Tyr Phe Leu Glu Pro Gln Asn Gly Met Phe Gly Val Gly Cys 690 695 700			2112
gta tat gga agg aat gat gac cgc aga ttt ggg ttc ttc tgt cat tct Val Tyr Gly Arg Asn Asp Arg Arg Phe Gly Phe Phe Cys His Ser 705 710 715 720			2160
gct cta gag ttt atc ctc cag aat gaa ttt tct cca cat ata ata cat Ala Leu Glu Phe Ile Leu Gln Asn Glu Phe Ser Pro His Ile Ile His 725 730 735			2208
tgc cat gat tgg tca agt gct ccg gtc gcc tgg cta tat aag gaa cac Cys His Asp Trp Ser Ser Ala Pro Val Ala Trp Leu Tyr Lys Glu His 740 745 750			2256
tat tcc caa tcc aga atg gca agc act ccg gtt gta ttt acc atc cac Tyr Ser Gln Ser Arg Met Ala Ser Thr Arg Val Val Phe Thr Ile His 755 760 765			2304
aat ctt gaa ttt gga gca cat tat att ggt aaa gca atg aca tac tgt Asn Leu Glu Phe Gly Ala His Tyr Ile Gly Lys Ala Met Thr Tyr Cys 770 775 780			2352
gat aaa gcc aca act gtt tct cct aca tat tca agg gac gtg gca ggc Asp Lys Ala Thr Thr Val Ser Pro Thr Tyr Ser Arg Asp Val Ala Gly 785 790 795 800			2400
cat ggc gcc att gct cct cat cgt gag aaa ttc tac ggc att ctc aat His Gly Ala Ile Ala Pro His Arg Glu Lys Phe Tyr Gly Ile Leu Asn 805 810 815			2448
gga att gat cca gat atc tgg gat ccg tac act gac aat ttt atc ccg Gly Ile Asp Pro Asp Ile Trp Asp Pro Tyr Thr Asp Asn Phe Ile Pro 820 825 830			2496
gtc cct tat act tgt gag aat gtt gtc gaa ggc aag agg gct gca aaa Val Pro Tyr Thr Cys Glu Asn Val Val Glu Gly Lys Arg Ala Ala Lys 835 840 845			2544
agg gcc ttg cag cag aag ttt gga tta cag caa act gat gtc cct att Arg Ala Leu Gln Gln Lys Phe Gly Leu Gln Gln Thr Asp Val Pro Ile 850 855 860			2592
gtc gga atc atc acc cgt ctg aca gca cag aag gga atc cac ctc atc Val Gly Ile Ile Thr Arg Leu Thr Ala Gln Lys Gly Ile His Leu Ile 865 870 875 880			2640
aag cac gca att cac cga acc ctc gag agc aat gga caa gtg gtt ttg Lys His Ala Ile His Arg Thr Leu Glu Ser Asn Gly Gln Val Val Leu 885 890 895			2688
ctt ggt tca gct cca gat cat cga ata caa ggc gat ttt tgc aga ttg Leu Gly Ser Ala Pro Asp His Arg Ile Gln Gly Asp Phe Cys Arg Leu 900 905 910			2736
gcc gat gct ctt cac ggt gtt tac cat ggt agg gtg aag ctt gtt cta Ala Asp Ala Leu His Gly Val Tyr His Gly Arg Val Lys Leu Val Leu 915 920 925			2784

- 33 -

acc tac gat gag cct ctt tct cac ctg ata tac gct ggc tcc gac ttc 2832
 Thr Tyr Asp Glu Pro Leu Ser His Leu Ile Tyr Ala Gly Ser Asp Phe
 930 935 940

att att gtc cct tca atc ttt gaa ccc tgt ggc tta aca caa ctt gtt 2880
 Ile Ile Val Pro Ser Ile Phe Glu Pro Cys Gly Leu Thr Gln Leu Val
 945 950 955 960

gcc atg cgt tat gga tgc atc cct ata gtt cgg aaa acc gga gga ctt 2928
 Ala Met Arg Tyr Gly Ser Ile Pro Ile Val Arg Lys Thr Gly Gly Leu
 965 970 975

tac gac act gtc ttc gac gta gac aat gat aag gac cgg gct cgg tct 2976
 Tyr Asp Thr Val Phe Asp Val Asp Asn Asp Lys Asp Arg Ala Arg Ser
 980 985 990

ctt ggt ctt gaa cca aat ggg ttc agt ttc gac gga gcc gac agc aat 3024
 Leu Gly Leu Glu Pro Asn Gly Phe Ser Phe Asp Gly Ala Asp Ser Asn
 995 1000 1005

ggc gtg gat tat gcc ctg aac aga gca atc ggc gct tgg ttc gat gcc 3072
 Gly Val Asp Tyr Ala Leu Asn Arg Ala Ile Gly Ala Trp Phe Asp Ala
 1010 1015 1020

cgt gat tgg ttc cac tcc ctg tgt aag agg gtc atg gag caa gac tgg 3120
 Arg Asp Trp Phe His Ser Leu Cys Lys Arg Val Met Glu Gln Asp Trp
 1025 1030 1035 1040

tcg tgg aac cgg cct gca ctg gac tac att gaa ttg tac cat gcc gct 3168
 Ser Trp Asn Arg Pro Ala Leu Asp Tyr Ile Glu Leu Tyr His Ala Ala
 1045 1050 1055

cga aaa ttc tgacacccaa ctgaaccaat ggcaagaaca agcgattgt 3217
 Arg Lys Phe

gggatcgact acagtcatac agggctgtgc agatcgtctt gcttcagtta gtgccctctt 3277

cagttagtgc caagcgact acagtcgtac atagctgagg atcctcttgc ctctccacc 3337

aggggaaaca aagcagaaat gcataagtgc attgggaaga cttttatgta tattgttaaa 3397

tttttccttt tcttttcctt ccctgcacct ggaaatggtt aagcgcatcg ccgagataag 3457

aaccacagta acattctgtg agtagctttg tatattctct catcttgatg aaactaatgt 3517

gcatgttagg ctctctgac atgtggaagc tttgttatar gttacttatg gttatatggt 3577

atacatcaat gatatttaca tttgtggaaa aaaaaaaaaa aaaa 3621

<210> 10

<211> 1059

<212> PRT

<213> Triticum aestivum

<400> 10

Asp Ala Leu Tyr Val Asn Gly Leu Glu Ala Lys Glu Gly Asp His Thr
 1 5 10 15

Ser Glu Lys Thr Asp Glu Asp Ala Leu His Val Lys Phe Asn Val Asp
 20 25 30

Asn Val Leu Arg Lys His Gln Ala Asp Arg Thr Gln Ala Val Glu Lys
 35 40 45

- 34 -

Lys Thr Trp Lys Lys Val Asp Glu Glu His Leu Tyr Met Thr Glu His
 50 55 60
 Gln Lys Arg Ala Ala Glu Gly Gln Met Val Val Asn Glu Asp Glu Leu
 65 70 75 80
 Ser Ile Thr Glu Ile Gly Met Gly Arg Gly Asp Lys Ile Gln His Val
 85 90 95
 Leu Ser Glu Glu Glu Leu Ser Trp Ser Glu Asp Glu Val Gln Leu Ile
 100 105 110
 Glu Asp Asp Gly Gln Tyr Glu Val Asp Glu Thr Ser Val Ser Val Asn
 115 120 125
 Val Glu Gln Asp Ile Gln Gly Ser Pro Gln Asp Val Val Asp Pro Gln
 130 135 140
 Ala Leu Lys Val Met Leu Gln Glu Leu Ala Glu Lys Asn Tyr Ser Met
 145 150 155 160
 Arg Asn Lys Leu Phe Val Phe Pro Glu Val Val Lys Ala Asp Ser Val
 165 170 175
 Ile Asp Leu Tyr Leu Asn Arg Asp Leu Thr Ala Leu Ala Asn Glu Pro
 180 185 190
 Asp Val Val Ile Lys Gly Ala Phe Asn Gly Trp Lys Trp Arg Leu Phe
 195 200 205
 Thr Glu Arg Leu His Lys Ser Asp Leu Gly Gly Val Trp Trp Ser Cys
 210 215 220
 Lys Leu Tyr Ile Pro Lys Glu Ala Tyr Arg Leu Asp Phe Val Phe Phe
 225 230 235 240
 Asn Gly Arg Thr Val Tyr Glu Asn Asn Gly Asn Asn Asp Phe Cys Ile
 245 250 255
 Gly Ile Glu Gly Thr Met Asn Glu Asp Leu Phe Glu Asp Phe Leu Val
 260 265 270
 Lys Glu Lys Gln Arg Glu Leu Glu Lys Leu Ala Met Glu Glu Ala Glu
 275 280 285
 Arg Arg Thr Gln Thr Glu Glu Gln Arg Arg Arg Lys Glu Ala Arg Ala
 290 295 300
 Ala Asp Glu Ala Val Arg Ala Gln Ala Lys Ala Glu Ile Glu Ile Lys
 305 310 315 320
 Lys Lys Lys Leu Gln Ser Met Leu Ser Leu Ala Arg Thr Cys Val Asp
 325 330 335
 Asn Leu Trp Tyr Ile Glu Ala Ser Thr Asp Thr Arg Gly Asp Thr Ile
 340 345 350
 Arg Leu Tyr Tyr Asn Arg Asn Ser Arg Pro Leu Ala His Ser Thr Glu
 355 360 365
 Ile Trp Met His Gly Gly Tyr Asn Asn Trp Ser Asp Gly Leu Ser Ile
 370 375 380
 Val Glu Ser Phe Val Lys Cys Asn Asp Lys Asp Gly Asp Trp Trp Tyr

- 35 -

385		390		395		400
Ala Asp Val Ile	Pro Pro Glu Lys Ala	Leu Val Leu Asp Trp Val Phe				
	405	410			415	
Ala Asp Gly Pro	Ala Gly Asn Ala Arg Asn Tyr Asp Asn Asn Ala Arg					
	420	425			430	
Gln Asp Phe His	Ala Ile Leu Pro Asn Asn Asn Val Thr Glu Glu Gly					
	435	440			445	
Phe Trp Ala Gln	Glu Glu Gln Asn Ile Tyr Thr Arg Leu Leu Gln Glu					
	450	455			460	
Arg Arg Glu Lys	Glu Glu Thr Met Lys Arg Lys Ala Glu Arg Ser Ala					
	465	470			475	480
Asn Ile Lys Ala	Glu Met Lys Ala Lys Thr Met Arg Arg Phe Leu Leu					
	485	490			495	
Ser Gln Lys His	Ile Val Tyr Thr Arg Thr Xaa Leu Lys Tyr Val Pro					
	500	505			510	
Gly Thr Thr Val	Asp Val Leu Tyr Asn Pro Ser Asn Thr Val Leu Asn					
	515	520			525	
Gly Lys Ser Glu	Gly Trp Phe Arg Cys Ser Phe Asn Leu Trp Met His					
	530	535			540	
Ser Ser Gly Ala	Leu Pro Pro Gln Lys Met Val Lys Ser Gly Asp Gly					
	545	550			555	560
Pro Leu Leu Lys	Ala Thr Val Asp Val Pro Pro Asp Ala Tyr Met Met					
	565	570			575	
Asp Phe Val Phe	Ser Glu Trp Glu Glu Asp Gly Ile Tyr Asp Asn Arg					
	580	585			590	
Asn Gly Met Asp	Tyr His Ile Pro Val Ser Asp Ser Ile Glu Thr Glu					
	595	600			605	
Asn Tyr Met Arg	Ile Ile His Ile Ala Val Glu Met Ala Pro Val Ala					
	610	615			620	
Lys Val Gly Gly	Leu Gly Asp Val Val Thr Ser Leu Ser Arg Ala Ile					
	625	630			635	640
Gln Asp Leu Gly	His Thr Val Glu Val Ile Leu Pro Lys Tyr Asp Cys					
	645	650			655	
Leu Asn Gln Ser	Ser Val Lys Asp Leu His Leu Tyr Gln Ser Phe Ser					
	660	665			670	
Trp Gly Gly Thr	Glu Ile Lys Val Trp Val Gly Arg Val Glu Asp Leu					
	675	680			685	
Thr Val Tyr Phe	Leu Glu Pro Gln Asn Gly Met Phe Gly Val Gly Cys					
	690	695			700	
Val Tyr Gly Arg	Asn Asp Asp Arg Arg Phe Gly Phe Phe Cys His Ser					
	705	710			715	720
Ala Leu Glu Phe	Ile Leu Gln Asn Glu Phe Ser Pro His Ile Ile His					
	725	730			735	

- 36 -

Cys His Asp Trp Ser Ser Ala Pro Val Ala Trp Leu Tyr Lys Glu His
 740 745 750
 Tyr Ser Gln Ser Arg Met Ala Ser Thr Arg Val Val Phe Thr Ile His
 755 760 765
 Asn Leu Glu Phe Gly Ala His Tyr Ile Gly Lys Ala Met Thr Tyr Cys
 770 775 780
 Asp Lys Ala Thr Thr Val Ser Pro Thr Tyr Ser Arg Asp Val Ala Gly
 785 790 795 800
 His Gly Ala Ile Ala Pro His Arg Glu Lys Phe Tyr Gly Ile Leu Asn
 805 810 815
 Gly Ile Asp Pro Asp Ile Trp Asp Pro Tyr Thr Asp Asn Phe Ile Pro
 820 825 830
 Val Pro Tyr Thr Cys Glu Asn Val Val Glu Gly Lys Arg Ala Ala Lys
 835 840 845
 Arg Ala Leu Gln Gln Lys Phe Gly Leu Gln Gln Thr Asp Val Pro Ile
 850 855 860
 Val Gly Ile Ile Thr Arg Leu Thr Ala Gln Lys Gly Ile His Leu Ile
 865 870 875 880
 Lys His Ala Ile His Arg Thr Leu Glu Ser Asn Gly Gln Val Val Leu
 885 890 895
 Leu Gly Ser Ala Pro Asp His Arg Ile Gln Gly Asp Phe Cys Arg Leu
 900 905 910
 Ala Asp Ala Leu His Gly Val Tyr His Gly Arg Val Lys Leu Val Leu
 915 920 925
 Thr Tyr Asp Glu Pro Leu Ser His Leu Ile Tyr Ala Gly Ser Asp Phe
 930 935 940
 Ile Ile Val Pro Ser Ile Phe Glu Pro Cys Gly Leu Thr Gln Leu Val
 945 950 955 960
 Ala Met Arg Tyr Gly Ser Ile Pro Ile Val Arg Lys Thr Gly Gly Leu
 965 970 975
 Tyr Asp Thr Val Phe Asp Val Asp Asn Asp Lys Asp Arg Ala Arg Ser
 980 985 990
 Leu Gly Leu Glu Pro Asn Gly Phe Ser Phe Asp Gly Ala Asp Ser Asn
 995 1000 1005
 Gly Val Asp Tyr Ala Leu Asn Arg Ala Ile Gly Ala Trp Phe Asp Ala
 1010 1015 1020
 Arg Asp Trp Phe His Ser Leu Cys Lys Arg Val Met Glu Gln Asp Trp
 1025 1030 1035 1040
 Ser Trp Asn Arg Pro Ala Leu Asp Tyr Ile Glu Leu Tyr His Ala Ala
 1045 1050 1055
 Arg Lys Phe

<210> 11

<211> 728

- 37 -

<212> DNA

<213> *Triticum* sp.

<400> 11

gatcttgaac ggcacgtgaa agacttgtaa caacatcccc gagacctcca acctatgaga 60
tcatcgatca tgacagagca tagtattatg gcatagaatg aaaaaaaggc ataaggatgat 120
gagatctcca cgccagagcg ttgtattcca attttagttc tttccccgtg aggaggggag 180
gctaggcggg cgaggcagag gggatagggc agtcgcccgt gcgtggtgga ctgactggtg 240
tgggtgggtg tgggttttgc gggcgggggt tagtaggttc ccggaatgg agatggctct 300
ccggccacgg agccctctgt gccctcggag cagtcagccg ctcgtcgtcg tccggccggc 360
cggcccgggc ggccgcctcg cgcaggtacg ggtgattatg gttcttgatt cggtcgggtc 420
acggaatggt gtttgatttg gttctgtccc ggtcaggtt catagtattt ttattccgca 480
aaaaaaaaag gtttatagtg attttgattt ctttcatctc gggaacattt ttatatctgg 540
gagtcaaagg gcattgggtt tgatttgcag gcggaacata ttggttattt attaattgtg 600
tgagctggaa ttcatactgc ttaaaacgac gtgattttta ttgctggaag aggtaaagaa 660
catgaattct tgttatattt gttaaaaaaa atccccgtt ctagcgtttc aatctgcatg 720
atcatgga 728

<210> 12

<211> 2446

<212> DNA

<213> *Triticum* sp.

<400> 12

gtgggtctat aaaagacagg tttagcgga ttcgtcagga aatgtttcaa caagtgcgac 60
gatgtgggat gcaattgatg aaaccgtggc ttgatcaaga cgcagttgag gcggatttgt 120
cgggaaatgc ttcaagctgc gcgacataca gagaagtgga tgatgtggtg gatgaaacta 180
gatcagaaga ggaaacattt gcgatggatt tgtttgcaag tgaatcaggc catgagaaac 240
atatggcagt ggatcatgtg ggtgaagcta ccgatgaaga agagacttac caacagcaat 300
atccagtacc gtcttcattc tctatgtggg acaaggctat tgctaaaaca ggtgtaagtt 360
tgaatcctga gctgcgactt gtcagggttg aagaacaagg caaagtaaatt tttagtgata 420
aaaaagacct gtcaattgat gatttaccag gacaaaacca atcgatcatt ggttcctata 480
aacaagataa atcaattgct gatgttgagg gaccgacca atcaattttt ggttctagta 540
aacaacaccg gtcaattggt gctttcccca aacaaaacca gtcaattggt agtgctactg 600
agcaaaagca gtccatagtt ggattccgta gtcaagatct ttcggctggt agtctcccta 660
aacaaaacgt accaattggt ggtacgtcga gagagggtca aacaaagcaa gttcctgttg 720
ttgatagaca ggatgcgttg tatgtgaatg gactggaagc taaggaggga gatcacacat 780
ccgagaaaac cgataggat gtgcttcagt taaaatttaa tgttgacaat gtgttgcgga 840

- 38 -

```

agcatcaggc agatagaacc caagcagtgg aaacgataac ttggaagaaa gttgatgagg 900
aacatcttta catgactgaa catcagatag gtgctgccga aggacagatg gtagttaacg 960
aggatgagct ttctataact gaaattggaa tggggagagg tgataaaatt cagcatgtgc 1020
tttctgagga agagctttca tggctggaag atgaagtgcg gtttaattgag gatgatggac 1080
aatatgaagt tgatgagacc tctgtgtccg ttaacgttga acaagatatc caggggtcac 1140
cacaggatgt tgtggatccg caagcactaa aggtgatgct gcaagaactc gctgagaaaa 1200
attatcgcgag gaggaacaag ctgtttgttt ttccagaggt agtgaaagct gattcagtta 1260
ttgatcttta tttcaatcgt gacctaacag ctttggcgaa tgaacccgat gttgtcatca 1320
aaggagcatt caatggttgg aaatggaggc ttttactga aagattgcat aagagtgacc 1380
ttggaggggt ttggtggtct tgcaactgt acatacccaa ggaggcctac agattagact 1440
ttgtgttctt caacggtcgc acggtctatg agaacaatgg caacaatgat ttctgtatag 1500
gaatagaagg cactatgaat gaagatctgt ttgaggatgt cttggttaaa gaaaagcaaa 1560
gggagcttga gaaacttgcc atggaagaag ctgaaaggag gacacagact gaagaacagc 1620
ggcgaagtaa ggaagcaagg gctgcagatg aagctgtcag ggcaacagcg aaggccgaga 1680
tagagatcaa gaacaaaaaa ttgcagagta tgttgagttt ggccagaaca tgtgttgata 1740
atgtgtggtg catagaggct agcacagata caagcggaga tactatcagg ttatactata 1800
acagaaactc gagggcactt gcgcatagta ctgagatttg gatgcatggt gggtacaaca 1860
attggtcaga tggactctct attgttgaaa gctttgtcaa gtgcaatgac agagacggcg 1920
attggtggtg tgcagatggt acgacacctc aacctttgta cataaggcaa cattgttttg 1980
atgttttttg ttgaggaaac atttgttttg attctagcat aatgctccta caaatatggc 2040
atgaatttcc ttgttttatt gatgtcatga gaaagtattt tattaactcg aaggccatgg 2100
aagctcaaca ttaccatag acagacgctt aaagatcatt tgtattccgt ggatcatata 2160
tgtaatgtaa tacctgtctt ttctctatat gtacagttat tccacctgaa aaagcacttg 2220
tgttggactg ggtttttgct gatgggccag ctgggaatgc aaggaaactat gacaacaatg 2280
ctcgacaaga tttccatgct attcttccaa acaacaatgt aaccgaggaa ggcttctggg 2340
tgcaagagga gcaaaacatc tatacaaggc ttctgcaaga aaggagagaa aaggaagaaa 2400
ccatgaaaag aaaggtgagt tgcaacaaaa tctttgcata tagatc 2446

```

<210> 13

<211> 1032

<212> DNA

<213> Triticum sp.

<400> 13

gatctctata attttggcag ttaacccttg agtgatggca aatatattcc ctttcgtcta 60

ttttccaaat tcaaaatgca tggttccatg caagcttctc caaaatcact tgataatata 120

- 39 -

ccaatcacaa cataactttg ttaccataa gaacattcct acttaaaatt tgcaaggtaa 180
 ctccctttcg aggctggttg gcttgatgag taactggcaa ttaacaaaga aaagatatat 240
 ctgatgtttg gaacaaaaca tatgatcagg gttgtttggg ttgactcatg ttccttttta 300
 cctacacagg ctgagagaag tgcaaatatc aaagctgaga tgaaggcaaa aactatgcga 360
 aggtttctgc tttcccagaa acacattggt tataccgaac cgcttgaaat acgtgccgga 420
 accacagtgg atgtgctata caatccctct aacacagtgc taaatggaaa gccggagggt 480
 tgggttagat gctcttttaa cctttggatg catccaagtg gagcattgcc accccagaag 540
 atggtgaaat caggggatgg gccgctctta aaagccacag gtttattgcg ttattacatc 600
 actgttatta gtatatatat aaccattttt atgcaatcaa tagagtcaag tgcaactaat 660
 gatgcacaga taggatcaca tcattaggag aatgatgtga tggacaagac ccaatcctaa 720
 gcatagcaca agatcgtgta gttcgttcgc tagagctttt ctaatgtcaa gtatcatttc 780
 cttagaccat gagattgtgc aactcccga tatcgtagga gtgctttggg tgtatcaaat 840
 gtcacaacgt aactgggtga ctataaaggt gactacagg tatctccgaa agtttctgtt 900
 gggttggcac gaatcgagac tgggatttgt cactccgtat gacggagagg tatctttggg 960
 cccactcggg aatgcatcat cataatgagc tcaatgtgac taaggagta gccacgggat 1020
 cgagaattcc cg 1032

<210> 14

<211> 892

<212> DNA

<213> Triticum sp.

<400> 14

aatatttctt gttctattat tgtaataat tagctagttt aatgccataa gcccataaca 60
 gatatgcaac tactccctcc aatccatatt acttgctgca actttggtac aactttagta 120
 caaagttata ctaaagctgt gacaagtaat atggaccgga gggagtacta tataagcttg 180
 tagctgtttt gagaccgagt gtctgctcgg gtggctagct ggagcgggct gaagtgcttg 240
 caggcacctc ttctctaaa aaaagtgtt gcagccccc cgccccctcc atagggtgag 300
 tggtcacctt tcttcttaaa aattatggca ccaagggaat ttctcggctg gtcgagcttg 360
 tagctatttt ttcggagcgt gaatgggagc gtctttctgt ataaggccta taggcttact 420
 ttgatataata ttgtgaagtc acttaagcct tgtaaaaacg tagaaactta gttccgcaac 480
 ttggccaaat ccctgttaaa ttggtttact gtgtactaga tgcatcgatg gcgcagagtc 540
 ccggggggta ataaagcttc cattttctac aatgaagta attatcctac ttgccttgta 600
 attactgagt acaatacaga gcaccgaaaa gctgtatcct tcctacttcc ttatgtttat 660
 ctgtgttccct tgtctagtta atgttccacc ggaatgcctat atgatggact ttgtttctc 720
 cgagtgggaa gaagatggga tctatgacaa caggaatggg atggactatc atattcctgt 780

- 40 -

ttctgattca attgaaacag agaattacat gcgtattatc cacattgccg ttgagatggc 840
ccccgttgca aaggtaatat aattctaagg ctagtttctt tgatgcgagg cg 892

<210> 15
<211> 871
<212> DNA
<213> Triticum sp.

<400> 15
aggttatcct ccagaatgaa tttttccag tacgtattat ttagaatact agcggatat 60
tgactttttc tttgtgagac tacactttct tgtttaccat tccagtgcac catgttcaaa 120
atcttgatt cagcgcgtta ctttcagttt ctttactact agcttatttg gtgcattggt 180
gtttcctttc ctactctact atctgaatgc tacttggtt ttcgcaacag ttgcttcttt 240
atccccttcc atttctcagt taaaaaaact tgcactctgta ttcacgtgac agcatataat 300
acattgccat gattggtcaa gtgctccggt cgctggcta tataaggaac actattcca 360
atccagaatg gcaagcactc gggttgtatt taccatccac aatcttgaat ttggagcaca 420
ttatattggt aaagcaatga catactgtga taaagccaca actgtgagtg ccttactgtc 480
ttgtaatttt taatctttct gtttggcgca cagaaaatct tccacatttt acagaatcat 540
gttcttggtg tttgtacgta ttcaactatt tccacccaaa cttttcaggt ttctcctaca 600
tattcaaggg acgtggcagg ccatggtgcc attgctcctc atcgtgagaa attctacggc 660
attctcaatg gaattgatcc agatatctgg gatcctgatt gccaacatgc tgtttggtcg 720
tctcgaggtc ttacattgc tgggtgctct taccocgact ttctggcgtg aatgatggag 780
taatacgtga aaacattaat tcttttctca acaagggacg gacaaacgag cgagattgcc 840
tcctacctgg cttcggaact gaaagaactg g 871

<210> 16
<211> 1592
<212> DNA
<213> Triticum sp.

<400> 16
cgggaattct cgtatccggtg gctaactcct tagtcacatt gagtcatta tgatgatgca 60
ttaccgagtg ggcccaaaga tacctctccg tcatacggag tgacaaatcc cagtctcgat 120
tcgtgccaac ccaacagaaa ctttcggaga tacctgtagt gcacctttat agtcacccag 180
ttacgttggtg acatttgata cacccaaagc actcctacga tatccgggag ttgcacaatc 240
tcatggtcta aggaaatgat acttgacatt agaaaagctc tagcgaacga actacacgat 300
cttggtgctat gcttaggatt gggcttctgc catcacatca ttctcctaatt gatgtgatcc 360
atacactgac aattttatcc cgttaccaga ttttttcca gagtgcaagt agatatatac 420
caaggccaca gatagtttta tgcttaacta tgtgtttcat actacttcag gtcccttata 480
cttgtagagaa tgttgtcgaa ggcaagagag ctgcaaaaag ggccttgag cagaagtttg 540

- 41 -

gattacagca aactgatgtc cctattgtcg gaatcatcac ccgtctgaca gcccagaagg 600
 gaatccacct catcaagcac gcaattcacc gaaccctcga aagcaacgga caggttcac 660
 atcccttggtg aacgaataaa catcaaactg tttgtttata aaaagttgct tactatttgt 720
 tttgttttac ttcaaaacaa aagtctgaaa atgaagtgtt tgggttcctag gtgggtttgc 780
 ttgggttcagc tccagatcat cgaatacaag gcgatttttg cagattggcc gatgctcttc 840
 acggtgttta ccacggtagg gtgaagcttg ttctaacctt cgatgagcct ctttctcacc 900
 tggtagagctc caataccta cacaccatct agccagccct tcattatggg agctggagac 960
 tactttataa tttaggttga tgatcgatca tgctgcagat atacgctggc tccgacttca 1020
 ttattgtccc ttcaatcttc gaaccctgtg gcttaacaca acttgttgcc atgcgttatg 1080
 gatcgatccc tatagtccgg aaaaccggag gtgtgtgact atttctctcc attatgctgc 1140
 actgatttgc atatgtcgag ctgttgagca tgaatggaa actatccttt ggtatcgag 1200
 gactttacga cactgtcttc gacgtagaca atgataagga ccgggctcgg tctcttggtc 1260
 ttgaacaaa tgggttcagt ttcgacggag ccgacagcaa cggcgtggat tatgccctca 1320
 acaggcaagt atcgttcttc aattagccct gaattcagca gtatgctag gttatttacc 1380
 ttgcatgttc catacctcat ttcagagcaa tcggcgcttg gttcagtgcc cgtgattggt 1440
 tccactccct gtgtaagagg gtcattgaac aagactggc atggaaccgg cccgactgg 1500
 actacattga attgtacat gccgctcgaa aattctgaca cccaactgaa ccaatggcaa 1560
 gaacaagcgc attgtgggat cgagaattcc cg 1592

<210> 17

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:PEPTIDE MOTIF

<400> 17

Asp Val Gln Leu Val Met Leu Gly Thr Gly
 1 5 10

<210> 18

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:PEPTIDE MOTIF

<400> 18

Ala Ala Gly Lys Lys Asp Ala Gly Ile Asp
 1 5 10

<210> 19

- 42 -

<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:PEPTIDE MOTIF

<400> 19
Ala Thr Gly Lys Lys Asp Ala Gly Ile Asp
1 5 10

<210> 20
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:PEPTIDE MOTIF

<400> 20
Ala Leu Gly Lys Lys Asp Ala Gly Ile Asp
1 5 10

<210> 21
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:PEPTIDE MOTIF

<400> 21
Ala Thr Gly Lys Lys Asp Ala Leu
1 5

<210> 22
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:PEPTIDE MOTIF

<400> 22
Ala Leu Gly Lys Lys Asp Ala Leu
1 5

<210> 23
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:PEPTIDE MOTIF

<400> 23
Ala Ala Gly Lys Lys Asp Ala Arg Val Asp Asp Ala Ala
1 5 10

- 43 -

<210> 24
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:PEPTIDE MOTIF

<400> 24
Ala Leu Gly Lys Lys Asp Ala Gly Ile Val Asp Gly Ala
1 5 10

<210> 25
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:PRIMER

<400> 25
tggtgaggtt ccatggcacg ttc

23

<210> 26
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:PRIMER

<400> 26
agtcggtctg ccgtatgatg tcg

23

<210> 27
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:PRIMER

<400> 27
ccaagtacca gtggtgaacg c

21

<210> 28
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:PRIMER

<400> 28
cggtgggatc caacggccc

19

<210> 29
<211> 20
<212> DNA
<213> Artificial Sequence

- 44 -

<220>

<223> Description of Artificial Sequence:PRIMER

<400> 29

ggaggtccttg gtgatgttgt

20

<210> 30

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:PRIMER

<400> 30

cttgaccaat catggcaatg

20

<210> 31

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:PRIMER

<400> 31

cattgccatg attggtcaag

20

<210> 32

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:PRIMER

<400> 32

accacctgtc cgttccgttg c

21

<210> 33

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:PRIMER

<400> 33

gcacggtcta tgagaacaat ggc

23

<210> 34

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:PRIMER

<400> 34

- 45 -

tctgcatacc accaatcgcc g

21

<210> 35

<211> 25

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:PEPTIDE MOTIF

<400> 35

Lys	Val	Gly	Gly	Leu	Gly	Asp	Val	Val	Thr	Ser	Leu	Ser	Arg	Ala	Val
1				5					10					15	

Gln	Asp	Leu	Gly	His	Asn	Val	Glu	Val
			20				25	

<210> 36

<211> 25

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:PEPTIDE MOTIF

<400> 36

Lys	Val	Gly	Gly	Leu	Gly	Asp	Val	Val	Thr	Ser	Leu	Ser	Arg	Ala	Ile
1				5					10					15	

Gln	Asp	Leu	Gly	His	Thr	Val	Glu	Val
			20				25	

<210> 37

<211> 9024

<212> DNA

<213> Triticum sp.

<400> 37

```

aatatgaaa ccaaaaaaaaa aatagaaaaa ggaaaggtaa aatagaaagt taaataggaa 60
taatggataa aaaataaaac atcaaagaaa aacgaaatgc agaagaaaaa aacgtcactt 120
gttccttat tatctcccggt gcaccccggt agcgtaggac aaaaagaaaa aatagaacgg 180
accaacgtc acaagctcac acatgccag cgagagaaaa gaaaaatggt gcgacaaaaa 240
aaaggaaacg ggctgagagc cgaaacacat gggctgcgct ttgttcgcta cgaagctctc 300
ccctcgacaa aatatgaatc gcgacgtgat tggatcctat ggtggaaaaa gtgaatgaga 360
ccaaaagaat tctcagctga atgagtttta gcaagactga tcattatatc caacataaat 420
agattttttt ttgcaaaaa taatccaaat ctattagcaa agttcagtag aagtacaaag 480
catctcgaac attataaaca ttacttgag attccaggac caccaaaciaa cccactactg 540
ccgcgaaaag aaaaggattc ggaagacaga aattatccaa accacgttcg tccttggttg 600
ttggtctcat tgcgcgctaa acaacctgga cagcagaaga agcaaagcag tgtgcttccg 660
ctccgcagca agaagacaag tcgtcacatg tcagacgccg tcaactcaagc aagcaaactg 720

```

- 46 -

caatgcttct cgttcggttt atcccctagc acgcacgaac gcatgtgccg caccgcgtca 780
cgcaacgcat gcatgcacaa accaacaac gaaacagtgc agttgcagtg ctctatctac 840
atatacgcaa tcaacgcggg cctcctcctt cgccgcgagc cccgttcctt cctcgttctt 900
cacgtggatt ttgcaacttc cttccagcag cttgtcacca cggacgcttc ctctctgaca 960
actggccccg tgggcggaac ggggcctccg ctgcgccctt gcgaaacca cggctcgtcc 1020
gttcgcttct ctacgaggca ccgacagaag gggccggcgc agggtaggac caggctgtca 1080
gctggtgagg agcctgccgc tcgttgtgcc gcagctggag accgagcggg gcaacggaac 1140
ggctgccgcc ctctgtgct gctcgcgtgg cagccgcaa cggcaccggg cccgctttcc 1200
agcgtgctcg cccgcaaac gcagaccaa cagccagcc gccagggggc cgttcgtacg 1260
taccgcgcc tcgtgtaaag ccgcccgt cgtcccgct ccccgctcgc ggccatttct 1320
tcggcctgac cccgttcgtt tacccccaca cagagcacac tccagtccag tccagcccac 1380
tgccaccgag ctactctcca ctcccactgc caccacctcc gcctgcgcgc cgctctgggc 1440
ggaccaaccc gcgaaccgta ccctctcccg ccccgatcca tgcgtcggc ggtcgcgtcc 1500
gccgcatcct tctcgcgt cgcgtcagcc tccccggga gatcacgag gcgggcgagg 1560
gtgagcgcgc agccaccca cgccggggcc ggcaggttg actggccgc gtggccgccg 1620
cagcgcacgg ctgcgacgg agctgtggcg gcgctcgcgc ccgggaagaa ggacgcgggg 1680
atcgacgag ccgcccgtc cgtgaggcag ccccgcgac tccgcggtg cgcgccacc 1740
aaggtagtta gttatgacca agttatgacg cgtgcgcgc cctcgagatc atcgtcgtct 1800
cgctcacgaa ttgtttat atacaaaacg cagcccgcgc tgtgcaggtc gcggagcgaa 1860
gggatcccg caagacgctc gaccgcgac ccgcggaagg cggcgggccg tccccgccg 1920
cagcgaggca ggacgccgc cgtccgccga gtatgaacg catgccggtg aacggcgaga 1980
acaaatctac cggcggggc ggcgcgacta aagacagcgg gctgcccacg cccgcacgcg 2040
cgccccatcc gtcgaccag aacagagcac cgggaacg tgaaaacaa gctaacgtcg 2100
cctcgcgcgc gacagcata gccgaggccg cggcttcgga tccgcagct accatttcca 2160
tcagcgacaa ggcgcggag tccgtgtcc cagctgagaa gacgccgcgc tcgtccggct 2220
caaatttca gtcctcggc tctgtcccg ggtctgacac tgcagcgac gtggaacaag 2280
aactgaagaa gggcgggtc gttgtcgaag aagctccaa gccaaaggct ctttcgccgc 2340
ctgcagcccc cgtgtacaa gaagacctt gggatttcaa gaaatacatt ggtttcgagg 2400
agcccggtga ggccaaggat gatggccgg cgtgcgcaga tgatgcgggc tctttgaac 2460
accaccagaa tcacgactcc ggacctttg caggggagaa tgcataaac gtggtcgtcg 2520
tggctgctga gtgttctccc tggtgcaaaa caggcatgga cattacctct tcagtctctc 2580
ttctgttgt tcataaaact ttgtcgaat tactcataag aacaaacatt gtgttgata 2640

gggtggtctg gagatgttgc ggggtgctctg cccaaggctt tggcaaagag aggacatcgt 2700
gttatggtac tacaagcttt catttaactc tgttgggtcc atatgttcga ataatatcag 2760
tgagtagtat aatgttatta agtgcaagac atgaaagtgt tcttctgtca tactccctcc 2820
gtaaattaat ataagagcgt ttagattact actttagtga tctaaacgct cttatagtag 2880
tttacagacg gagtagagta tttcatagcc aaccctggag gttaggttgc tgaggcctac 2940
tgggtggggg aggggggttg aaacaagtgg tggtagcag ccagatttca caaagaagga 3000
ggctgataac cacaccatca gtgaaggaaat gaatgtcggg taccgatcg accgttttgc 3060
ccaacgtcgg gtttaccgc cctatagatc cgaataagta gttcctatct tcaattaggt 3120
accaaataat gccagcgccc gtgtgtgtat ttatactact ggatgatcaa tttatcaaca 3180
tttccggtta atgggtttcta tcatattcac tgtaattgtt agtaaacagt agatgtttgt 3240
aatgtagatg atggataaat gtatgttgc gagctttcat ttcaatgcaa ttttgattgg 3300
gagctagttt cgcggttcgg ttagagccat caaaaccca gaatttttg gagttggctt 3360
gtgagagagg gttttggga gttactttc gggattcagt tagagacgct cttactagtt 3420
ccagtaaaga gtaaactatt ttctgcaggc atcccaatta ttctgtagaa attagaagtg 3480
gaaaatagtt atggtatcat ataaaccata tattattcaa aatctagaat catggacttg 3540
gctagacttt gataatctga aattttaaat ttgatgataa ttgagaaatg atcctttcta 3600
tcttaggttg tggtagcaag gtatggggac tatgaagaag cctacgatgt cggagtccga 3660
aaatactaca aggctgctgg acaggtaagc aaaaatgcaa tcgaagggga gctgaaattt 3720
tattgcttat tgtcataata aatcaatttt taagtgtttt tttgtcctg caggatatgg 3780
aagtgaatta tttccatgct tatatcgatg gagttgattt tgtgttcatt gacgctctc 3840
tcttccgaca ccgtcaggaa gacatttatg ggggcagcag acaggttaat cttctatatg 3900
ttggtgtttg attgcactga taaactgaga acaagccaag gcctactgac tggcatatga 3960
ttacacattt tttttttca ggaaattatg aagcgcatga tttgttctg caaggccgt 4020
gttgaggtat ctctccaact caattgacaa cctattacca ctatacaatt atgtgtatgc 4080
atgtatttca acagatacat aatctcttgt gaagtgcata tatactaata acatttcaat 4140
acctacatg cacatttggc caagcgttat gatttaactt ctgataatct attgcactga 4200
tgaacaatta tcttgatgat ccttgttact tcatcggtat gttccatgt tctcttcacc 4260
gcgaattgat ttggaaatag catttccacc tgccacaaac aataatatac actcctactt 4320
tcatccaatt tagatatatt cgtacttggc atatcatccc attaaatatt attggtccat 4380
catttttatt cctctataat ttgcaggttc catggcacgt tccatgcggc ggtgtccctt 4440
atggggatgg aaatctggtg tttattgcaa atgattggca cacggcactc ctgcctgtct 4500
atctgaaagc atattacagg gaccatggtt tgatgcagta cactcgggtcc attatggtga 4560
tacataacat cgtccaccag gttccttttc tctaattctt gatttttctc tagtctctac 4620

- 48 -

tatttactcc acattgtttg aggaaactaa acgggttgca aaattatgat ggcttatgaa 4680
agttatagtc ttatagaggt aaatgcacca gtggtgcttg aacttgtcac gcgtgttcac 4740
tttggtgctt acagttgtag actatgaaaa acgggtgcaa aaacttgctg ttgtgtgcca 4800
tacggtgcat tttccgtatg taggagtcaa acgttgcccta tgtgggcatt gtattcccg 4860
ctatagctgt tagaccgtgc ctacgtcgcc attgggcccacacactctct atttacctgt 4920
gggccccact tgtcaacctg tgacataaat aaatggaaat ttataataaa aatgatggcc 4980
tggggtcttg aaaatgggac ctgcgaggtg tgctggtagc cagcacgccc taaacattaa 5040
tcccctatgc acttcatgtc ttgtgtatgt gtgtgtctgt gtggggaggg gggggatgc 5100
atgctgtttt tctttggttc aaggctacca tgctcaacaa gccacactcc gcttcaacac 5160
ggccagcgcc ttcattgatg ccaagtgtc ccgcaccatc gctcaaagcg gcaacgtcgt 5220
tgtcatgacc atccaccaac ccaacacaca aaatcctcaa catccgcaaa tagtgagcat 5280
gcccctcttg tcttttcccc tegtacccaa acatgtcttg ataacccttg gagctgcaca 5340
agttgtgacc atgcctgcg tcgcctcata gageccgacc tagccggacc gttatagaag 5400
cctacttggg agcccatacc tccctgcaca tctcctctt tccccataga tcgtgccgc 5460
atcgcaaacc aacttctcct ctctctctcc cactctggcc gtttcccccg ccgcgaagct 5520
gcaatacatg ccgagttggc catggcccta tcccccaatt gctcgacta ggagtcctc 5580
ctctaagcct agcacctttt cccctcacca attgcaagtt ggggagcccc tcgcgagctc 5640
cctacgtcgg ctgcagttgc ctgccgcctc aactctgatc cagacctcgt tcccgtggcc 5700
tcggcgacat ctctcgacc tccattcca cagtggcct ggcgaggatc accgcatgtt 5760
catccatgtg aaccgaatca tcatagaact aacaccggag aggtcatccc gacggcgtcg 5820
cactgttctt ctattcccc caagccgtgt cgcgtcataa tataagacgg acttatttgt 5880
atcccttggg tcatcggttc aatggtatt tctttctcct gtctactgat aagtgggacc 5940
cacacgccac actaagccct ttctttctcc taccggtga taagtgggac ccacacacag 6000
tacttagcca gagagagaac atgagcttgt tggtgccacg tcggcaagcc atgtcagcag 6060
tcttaacggc tacaacaac ggatattgtg tcacgtgagc gtttacgaat ggaaagtga 6120
tcatactgca tgcgagagcc agagccaggt ttttgacca gttttctgta ttttacaact 6180
gcgagcatca aagtgtacat atgccgaacc aaagtgaaca tggtaggtcc attcttttct 6240
gggtgcggtg gtggctcaaa gacaccccaa tagaagctat tgccctccgac attgccaatt 6300
cggtgccgaa ccatattgaa gtggtgaggt cagttgcttg tgctatgact actaggtatt 6360
ggatgagggg cataaaggat ctcataaata ttgcaatgtt cattcaaatt cttacattt 6420
gcgaagcgct tcatgatttc catctcccct agatcagaga cacttggtcg tgtacactga 6480
atttctcagg tcgttctcg tctaaatccg catatgtagc tcacttcaat gacttgctt 6540

- 49 -

tggtccagct aacgccatth gcgtagcaaa tttttcatat ggctcgctct gcgcaagagg 6600
atttggatca cgggcagacg cgctagacaa ggtcttccgc acaatgaaca ttgagttttt 6660
tgatccgctc tccccgaaga cacttgatgat cttattacga gttgtgccat ttcaaacatc 6720
tgtctctcca tggtcgcccc agccatagat gccttggtct ctgaatgggtg ggtttcagct 6780
aggaacaggg tgccaccttc ggacaagaag ttgcgtagtt tggtcgctct aactgcttg 6840
ttgatttgga aggaacacaa caacagtctt tgaaggcaaa gctaattcct tcgatcaagt 6900
tattagacgg atcaagtgtg atgaatccta ctggtacaat gccgttgcta gttgcttgga 6960
gtcactatth ggctaggtcg cttgccatcc cgctctgtgc taagcgcttg gggtcgctth 7020
tgctcaatth gtatthtgtt gttatgtgtt ttagtaatg taacctgaac tttctggact 7080
aagtagaaaa aaattctcct ccataatgat cacatacagt tctcctgcat gggtcgaaaa 7140
aaaaatgaga acatccgttg caagttaag caccaccggt gcatttttac ctcaaagtta 7200
tatacaacac tgacatgccg aattacatgc tttggtcagt tattccattc ttcggttactc 7260
cggtgggcta attctttctc ttcattgtgc atgcagggcc gtggccctgt agatgaattc 7320
ccgttcaccg agttgcctga gcactacctg gaacacttca gactgtacga ccccgtaggt 7380
ggtgaacacg ccaactactt cgccgccggc ctgaagatgg cggaccaggt tgcgtgggtg 7440
agccccgggt acctgtggga gctgaagacg gtggagggcg gctgggggct tcacgacatc 7500
atacggcaga acgactggaa gaccgcggc atcgtcaacg gcatcgacaa catggagtgg 7560
aaccggagg tggaagccca cctcaagtgc gacggctaca ccaacttctc cctgaggacg 7620
ctggactccg gcaagcgga gtgcaaggag gccctgcagc gcgagctggg cctgcaggtc 7680
cgcgccgacg tgccgctgtt cggcttcatc ggccgcctgg acgggcagaa gggcgtagg 7740
atcatcgcg acgcatgcc ctggatcgtg agccaggacg tgcagctggt gatgctgggc 7800
accgggcgcc acgacctgga gagcatgctg cggcacttcg agcgggagca ccacgacaag 7860
gtgcgagggt ggggtggggt ctccgtgcgc ctggcgacc ggatcacggc gggggcgac 7920
gcgtctctca tgccctcccg gttcgagccg tgcgggctga accagctcta cgccatggc 7980
tacggcaccg tccccgtgt gcacgccgtt ggccgcctca gggacaccgt gccgcgttc 8040
gaccccttca accactccg gctcgggtg acgttcgacc gcgccgaggc gcacaagctg 8100
atcgaggcgc tcgggactg cctccgcacc taccgagact tcaaggagag ctggagggcc 8160
ctccaggagc gcggcatgtc gcaggacttc agctgggagc acgccgcaa gctctacgag 8220
gacgtctctg tcaaggccaa gtaccagtgg tgaacgctag ctgctagccg ctccagcccc 8280
gcatgcgtgc atgacaggat ggaactgcat tgcgcacgca ggaaagtgcc atggagcgcc 8340
ggcatccgag aagtacagt acatgagggt tgtgtggtg agacgctgat tccaatccgg 8400
cccgtagcag agtagagcg aggtatatg gaatctaac ttggtattgt aattgttat 8460
gttgtgtgca ttattacaat gttgttactt attctgttta agtcggaggc caagggcgaa 8520

- 50 -

agctagctca catgtctgat ggatgcacgt gccatggttg gtttggtagc gcagtgc aaa 8580
cggcaagaat gggaaagtga ttcctccctg cttgaattag cactttcagt aataatcagt 8640
cagttaaaac aatagcactt cgagtggag tgaacaagaa aaccaacatc acacccggta 8700
tggaactcata gcatgttacc aaaaaatgcc tttcgccccg ctgtatatat aaagcaacga 8760
ccatcaacat ttgaacctat acaactaga acacaccact caaaacccac acactcaggg 8820
ccagatacat aggtgccaaa gggctacaac cacaacacac cgaaagactc acatagacta 8880
caagtgaagg caacaagcat cactacggag cctccggcgt ccttccgatg aagaaatcat 8940
gaagagttga agttgtgatt tgacgaaacc gtgcgtcca aaacggtgcc ttcaggaagg 9000
acacgtcacc gtccaatcca aaga 9024

<210> 38
<211> 11611
<212> DNA
<213> *Triticum aestivum*

<400> 38
taatccgttt gtctaataa atatattga tgggagagga tttggagcat tggggtgctc 60
cacccccccc ctatatgagt attaaattca aaaaacaaac cgaggatatt caaaaagtct 120
acaatttttg gatactaaac ctggatgctc agtctactcc catgtgaagt ttcattgaaa 180
aaatatcagg aaacgtattc tcagtaaaaa cagacaaaaa attcttatgc acagaaaaaa 240
ctgtttgggt ggatcatagg tcagactata tttcttcca tggatacatg tcatggtatt 300
ttttcacaaa acttcacatg agagtagatt tgggcatcca agtttgatat ccccatattc 360
caagttcttt cgaattttcc tagtattttt tgaaattaat attcgtatag gggaggagca 420
tccaggagct ctggtgtatt tttcaatata tgtatggtta tttaaaaaa aactcgtaca 480
acaatctcag aaaaaactgg acggtttatt ctactgtatt ttgtgtgcag tttcccataa 540
tcagaagtgg cctcagccc ctactcttc ttcctctac cttctgtct gtcttcgct 600
tctgcacga acattcgcgt tgaagtttt tcaaaagaaa acaatatact tgctggaaaa 660
agaaagcaag tacaaaaaac accagccatc caccaccgtc cgttactggt ccacctgcat 720
ttccatgtgt gcgcacacgg agaagcagct cgaacaaaaa aaccaaacga aaataaagga 780
tcgaagctgc tctcgacaa aatggttgaa ggacgaagga gcctttttgg tgcgcagatc 840
tccacgccag agcgttgat tccaatttta gttctttccc cgtgaggagg ggaggctagg 900
cgggcgaggc agaggggata gggcagtcgc cgctgcgtgg tggactgact ggtgtggtgg 960
gtggtgggtt ttgcgggcgg ggttttagtag gttcccgga atggagatgg ctctccggcc 1020
acggagccct ctgtgccctc ggagcagtc gccgctcgtc gtcgtccggc cggccggccg 1080
cggcggcggc ctgcgcagg tacgggtgat tatggttctt gattcggtcg gttcacggaa 1140
tggtgtttga tttggttctg tcccggttca ggttcatagt gatatttatt cgcaaaaaa 1200

- 51 -

aaaggtttat agtgattttg atttctttca tctcgggaac atttttatat ctgggagtca 1260
aagggcattg gttttgattt gcatgcggaa catattgggtt atttattaat gtggtgagct 1320
ggaattcata ctgcttaaaa cgacgtgatt ttaattgctg gaagaggtaa agaacatgaa 1380
ttctgttata tttgttaaaa aaaatcccct gttctagcgt ttcagtctgc atgatcatgg 1440
aaatgttaat gttaatgctg gttaatttgg agtgaagatt tccacggcaa gagtttcgaa 1500
caagaaacag aaattcattg cgaaaaaatg gtggagcgaa ttcggagagt atttacattg 1560
tctgcacctt gtatgtttgt gatgaagtta tttccatata ttttttgca taaagttact 1620
tccgtatgta aggcgagcat tgccatcttt ctataagctg gtatttgtct gccagatagc 1680
gagtgtatca gtagttcgaa ttgcgctaatt gttttttgac gaaacgaaac tatgaagacg 1740
atataaattg gattacatcc tttctgttga acggagaaat ttatccttgc ttagaagtga 1800
ggtcagaaaa tgagatacag tggggacctt cctactgta ttatgctaaa aagaagaagt 1860
gaggtcagaa ggcgatttca gtagaattta tatgagaggc ataaataatt tggtaggatt 1920
aaatgacctt gataattctg ttccgattgt tcgcaaatac cttcggattt tctcaagcat 1980
tatctataag aaggtttcct ttttacgctc aaacatgttg agctgcacaa cttattttcc 2040
cttttggtt ttccagcctt ttttgatgaa tggcagattt actcgaagca ggacccttcg 2100
atgcatggtg gcaagttcag gtttgaggaa taatctgtca aatggcctat cattctatct 2160
gtttggaagc aatgtcttat tcaaacctca gtattttgat actacggtt tctatagcga 2220
tgacaatgaa tactgtagtt tatgaaacca acagtctttc taagtatttc ggcaacagtg 2280
gtatgtttgg caatcaaaag tatacagcgt tgcaataggc caccagtaga caaggccttt 2340
gttgcgtttc tcagtttttt aaaaagaggt cccaactact ttttttaata ctgcaaaaac 2400
actacagttt tgtggatact gtagtttata atactacaat ttttattaca gccaaacacc 2460
tcaaagtatt taaaaccata gtttttagaa aaactgtagt atccttgaaa tactttgaga 2520
atactttgca acgaaacaca gccagatgt tctgttaact tcatgtcttt ccaaattgca 2580
tcattcagat cctcctaata ggaaatcaag aaagatggta tcacctcagg ttaaagtcatt 2640
ttcttctaga ggatatacga caagactcat tgttgaacca agcaccgaga atatagaaca 2700
caataatcgg gatgaagaaa ctcttgatag atacaatgag ctattaagta ccgagacagc 2760
agaatggaca gatactagag aagccgagac tgctaaagcg gactcgtcgc aaaatgcttt 2820
aagcagttct ataatcgggg gagtggatgt ggcggatgaa gatatacttg cggctgatct 2880
gacagtgaat tcattaagca gtataacgaa gaaggaagtg gatgcagtgg acaaagctag 2940
agttaaagaa gacgtatttg agctggattt gccagcaact acattgagaa gtgtgatagt 3000
ggatgtgatg gatcataatg ggactgtaca agagacattg agaagtgtga tagtagatgt 3060
gatggatgat gcggcggaca aagctagagt tgaagaagac gtatttgagc tggatttgct 3120

- 52 -

aggaaatatt tcaagcagtg cgacgaccgt ggaactagat gcggttgacg aagtcgggcc 3180
tggtcaagac acatttgagg cgaactcgtc aggaaatggt tcaaacagtg caacggtacg 3240
ggaagtggat acgagtgctg aagctgggaa tgatcaaggc atatttagag cagatttgctc 3300
aggaaatggt ttttcaagca gtacaacagt ggaagtgggt gcagtggatg aagctgggtc 3360
tataaaagac aggtttgaga cggattcgtc aggaaatggt tcaacaagtg cgacgatgtg 3420
ggatgcaatt gatgaaaccg tggctgatca agacgcagtt gaggcggatt tgcgggaaa 3480
tgcttcaagc tgcgcgacat acagagaagt ggatgatgtg gtggatgaaa ctagatcaga 3540
agaggaaaca ttgcgatgg atttgtttgc aagtgaatca ggccatgaga aacatatggc 3600
agtggatcat gtgggtgaag ctaccgatga agaagagact taccaacagc aatatccagt 3660
accgtcttca ttctctatgt gggacaaggc tattgctaaa acaggtgtaa gtttgaatcc 3720
tgagctgcca ctgtcaggg ttgaagaaca aggcaaagta aatttttagtg ataaaaaaga 3780
cctgtcaatt gatgatttac caggacaaaa ccaatcgatc attggttcct ataaacaaga 3840
taaatacaatt gctgatgttg cgggaccgac ccaatcaatt ttggttcta gtaaacaaca 3900
ccggtcaatt gttgctttcc ccaaacaaaa ccagtcaatt gttagtgtca ctgagcaaaa 3960
gcagtccata gttggattcc gtagtcaaga tctttcggct gttagtctcc ctaaacaaaa 4020
cgtaccaatt gttggtacgt cgagagaggg tcaaacaag caagttcctg ttgttgatag 4080
acaggatgag ttgtatgtga atggactgga agctaaggag ggagatcaca catccgagaa 4140
aaccgatgag gatgtgcttc atgtaaaatt taatgttgac aatgtgttg ggaagcatca 4200
ggcagataga acccaagcag tggaacgat aacttgaag aaagttgatg aggaacatct 4260
ttacatgact gaacatcaga taggtgctgc cgaaggacag atggtagtta acgaggatga 4320
gctttctata actgaaattg gaatggggag aggtgataaa attcagcatg tgctttctga 4380
ggaagagctt tcatggtctg aagatgaagt gcagttaatt gaggatgatg gacaatatga 4440
agttgatgag acctctgtgt ccgttaacgt tgaacaagat atccaggggt caccacagga 4500
tgttgtggat ccgcaagcac taaaggtgat gctgcaagaa ctcgctgaga aaaattattc 4560
gatgaggaac aagctgtttg tttttccaga ggtagtgaag gctgattcag ttattgatct 4620
ttatttcaat cgtgacctaa cagctttggc gaatgaaccc gatgttgtca tcaaaggagc 4680
attcaatggt tggaatgga ggcttttcac tgaaagattg cataagagtg accttgagg 4740
ggtttggtgg tcttgcaaac tgtacatacc caaggaggcc tacagattag actttgtgtt 4800
cttcaacggt cgcacggtct atgagaacaa tggcaacaat gatttctgta taggaataga 4860
aggcactatg aatgaagatc tgtttgagga ttcttggtt aaagaaaagc aaaggagct 4920
tgagaaactt gccatggaag aagctgaaag gaggcacag actgaagaac agcggcgaag 4980
taaggaagca agggctgcag atgaagctgt cagggcacia gcgaaggccg agatagagat 5040
caagaacaaa aaattgcaga gtatgttgag tttggccaga acatgtgttg ataattgtg 5100

gtacatagag gctagcacag atacaagcgg agatactatc aggttatact ataacagaaa 5160
ctcgaggcca cttgcgcata gtactgagat ttggatgcat ggtggttaca acaattggtc 5220
agatggactc tctattgttg aaagccttgt caagtgaat gacagagacg gcgattgggtg 5280
gtatgcagat ggtacgacac ctcaaccttt gtacataagg caacattggt ttgatttttt 5340
ttgttgagga aacatttggt ttgattctag cataatgctc ctacaaatat ggcataaatt 5400
tccttgtttt attgatgtca tgagaaagta ttttattaac tcgaaggcca tggaagctca 5460
acatttacca tagacagacg cttaaagatc atttgatttc cgtggatcat atatgtaatg 5520
taatacctgt ctttctctta tatgtacagt tttccacct gaaaaagcac ttgtgttgga 5580
ctgggttttt gctgatgggc cagctgggaa tgcaaggaaac tatgacaaca atgctcgaca 5640
agatttccat gctattcttc caaacaacaa tgtaaccgag gaaggcttct gggtgcaaga 5700
ggagcaaac atctatacaa ggcttctgca agaaaggaga gaaaaggag aaaccatgaa 5760
aagaaagggtg agttgcaaca aaatcttgc atatgatctc tataattttg gcagttaacc 5820
cctgagtgat ggcaaatata ttcccttcg tctattttcc aaattcaaaa tgcattggtc 5880
catgcaagct tatccaaat cacttgataa tataccaatc acaacataac ttgttttacc 5940
ataagaacat tcctacttaa aatttgcaag gtaactccct ttcgaggctg gttggcttga 6000
tgagtaactg gcaattaaca aagaaaagat atatctgatg tttggaacaa aacatatgat 6060
cagggttggt tgggttgact catgttcctt tttacctaca caggctgaga gaagtgc aaa 6120
tatcaaagct gagatgaagg caaaaactat gcgaagggtt ctgctttccc agaaacacat 6180
tgtttatacc gaaccgcttg aaatacgtgc cggaaccaca gtggatgtgc tataaatcc 6240
ctctaacaca gtgctaaatg gaaagccgga ggtttggtt agatgctctt ttaacctttg 6300
gatgcatcca agtgagcat tgccaccca gaagatgggt aaatcagggg atgggcccgt 6360
cttaaagcc acaggtttat tgcgttatta catcactgtt attagtatat atataaccat 6420
ttttatgcaa tcaatagagt caagtgaac taatgatgca cagataggat ccaatatttc 6480
ttgttctatt attgtaata attagctagt ttaatgcat aagccataa cagatatgca 6540
actactccct ccaatccata ttacttgctg caactttggt acaactttag taaaaagtta 6600
tactaaagct gtgacaagta atatggaccg gagggagtag tatataagct ttagctgtt 6660
ttgagaccga gtgtctgctc ggtggctag ctggagcggg ctgaagtgtc tgcaggcacc 6720
tcttctctaa aaaaagtgc ttgcagcccc cccgccccct ccatagggtg agtggtcacc 6780
tttcttctta aaaattatgg caccaaggga aattctcgcc tggctgagct ttagctatt 6840
tttcggagc gtgaatggga gcgtcttct gtataaggcc tataggctta ctttgatata 6900
tattgtgaag tcaactaagc cttgttaaaa cgtagaaact tagttccgca acttgccaa 6960
atccctgtta aattggttta ctgtgtacta gatgcatcga tggcgcagag tccgggggt 7020

- 54 -

aataaagctt ccattttcta caatgaagtt aattatccta cttgccttgt aattactgag 7080
tacaatacag agcaccgaaa agctgtatcc ttcctacttc cttatgttta tctgtgttcc 7140
ttgtctagtt aatgttcac cggatgccta tatgatggac tttgttttct ccgagtggga 7200
agaagatggg atctatgaca acaggaatgg gatggactat catattcctg tttctgattc 7260
aattgaaaca gagaattaca tgcgtattat ccacattgcc gttgagatgg cccccgttgc 7320
aaaggaata taattctaag gctagtttct ttgatgcgag gcgagatctc atcaccttat 7380
gccttttttt cattctatgc cataatacta tgctctgtca tgatcgatga tctcataggt 7440
tggaggtctc ggggatgttg ttacaagtct ttcacgtgcc gttcaagatc tagggcatac 7500
tgtcgaggtt attctcccg agtacgactg tttgaaccaa agcagtgtaa gttgaagtac 7560
tgtactacat aatctattca cttagtcttt aaaatttcaa ctcaaatgc cacgaagctt 7620
caactgaagc taaagaattc tgagctgcga tggagcgag tagggtgga cagatcccaa 7680
taaaccaata tatgaccaat aaggggtgc caagatcagt aggcactaat gaatttcctt 7740
tgttttatat ccattataca ttattaatca agttacatct atttcaatgc aggtcaagga 7800
tttacattta tatcaaagt tttcttggg tggtagagaa ataaaagtat gggttggacg 7860
agtcgaagc ctgaccgttt acttcttggg acctcaaat gggtagaat cagctaagt 7920
atagtttttt ttgtgggaaa tgtatagttg agtgatataa aacatattac ttcttttcac 7980
aaaattatta ggctagagcc ttgtactggt taataatgtg taccttttct tcattcatat 8040
aactacttat cgtagactat agaagccaat tagtaacaca atacattggc cttggcattc 8100
caggctgaga gctagttata acaatgatat gtgagattag tggctctata accacttttg 8160
agctaaagga atttgctgct agatgagcca atcaatcaa ctaattttta attccatgat 8220
caccctagga cacgcagcct gcacaaccaa gaacacagct aagatcatcg cgtgggcaca 8280
aaaggttgtg cattaaggct aggccctggt cagtggctgt caaggactcc atggggctcc 8340
ttacagtttt tattctgata tctcttgcgc ccatatgacg ctaccaaacg cttgtaacct 8400
gtagcaaaact attgccatct gtcactcaat gataaggtag acaatcttct ctttcccttt 8460
aagatgttca acctttatct atgcttgagg atgcgttga ttgtcaaatt tcagtttctc 8520
tagattgcag acacacttgc acgtgctgtg tacaccttcc attatctggc atgggatttg 8580
catttcaatt aagagaaata tgaaagaaag aaatgttatc acctgaatgt tagagcttaa 8640
aaggcacaag caatcagcac catttatcaa aaataaatga tttacttgtc tagttgtctc 8700
tttttggttc tcttctgtga agtggatgcc aatatctcaa gaactctcct gaggattttt 8760
cttcacaacc tattcatttt gacatttctt tttctaggat gtttggcgtc ggatgtgtat 8820
atggaaggaa tgatgaccgc agatttgggt tcttctgtca ttctgctctt gagtttatcc 8880
tccagaatga attttctcca gtacgtatta tttagaatac tagctgctat attgactttt 8940
tctttgtgag actacacttt cttgtttacc attccagtgc accatgttca aaatcttgta 9000

- 55 -

ttcagcgcgt tactttcagt ttctttacta ctagcttatt tggcgcattg gtgtttcctt 9060
tcctactcta ctatctgaat gctacttggt ttttcgcaac agttgcttct ttatcccctt 9120
ccattttctca gttaaaaaaa cttgcatctg tattcacgtg acagcatata atacattgcc 9180
atgattggtc aagtgtctcg gtcgcctggc tatataagga aactatttcc caatccagaa 9240
tggcaagcac tcgggttgta ttaccatcc acaatcttga atttgagca cattatattg 9300
gtaaagcaat gacatactgt gataaagcca caactgtgag tgccttactg tcttgtaatt 9360
tttaatcttt ctgtttggcg cacagaaaat ctccacatt ttacagaatc atgttcttgt 9420
gttttgtagc tattcaacta tttccacca aacttttcag gtttctccta catattcaag 9480
ggacgtggca ggccatggg ccattgctcc tcatcgtgag aaattctacg gcattctcaa 9540
tggaattgat ccagatatct gggatccata cactgacaat tttatcccgg taccagattt 9600
tttccagag tgcaagtaga tatataccaa ggccacagat agttttatgc ttaactatgt 9660
gtttcatact acttcaggtc ccttatactt gtgagaatgt tgcgaaggc aagagagctg 9720
caaaaagggc cttgcagcag aagtttgat tacagcaaac tgatgtccct attgtcggaa 9780
tcatcaccg tctgacagcc cagaaggga tccacctcat caagcacgca attcaccgaa 9840
ccctcgaaag caacggacag gtcatcatc cttgtgaac gaataaacat caaacgtttt 9900
gtttataaaa agttgcttac tatttgttt tgtttacttc aaaacaaaag tctgaaaatg 9960
aagtgttggt ttcttaggtg gttttgcttg gttcagctcc agatcatcga atacaaggcg 10020
atttttgcag attggccgat gctcttcacg gtgtttacca cggtaggggtg aagcttgctt 10080
taacctacga tgagcctctt tctcacctgg tgagctccaa tatcctacac accatctagc 10140
cagcccttca ttatgggagc tggagactac ttataattt aggttgatga tcgatcatgc 10200
tgcagatata cgctggctcc gacttcatta ttgtcccttc aatcttcgaa ccctgtggct 10260
taacacaact tgttgccatg cgttatggat cgatccctat agttcggaaa accggagggtg 10320
tgtgactatt tctctccatt atgctgcact gatttgcata tgtcgagctg ttggacatga 10380
aatggaaact atccttgggt atcgcaggac ttacgacac tgtcttcgac gtagacaatg 10440
ataaggaccg ggctcggctt cttggtcttg aaccaaatgg gttcagtttc gacggagccg 10500
acagcaacgg cgtggattat gccctcaaca gagcaagtat cgttcctcaa ttagccctga 10560
attcagcagt agtgctaggt tatttacctt gcatgttcca tacctcattt cagagcaatc 10620
ggcgttggt tcgatgcccg tgattggctt cactccctgt gtaagagggt catggaacaa 10680
gactggcat ggaaccggcc cgcactggac tacattgaat tgtaccatgc cgctcgaaaa 10740
ttctgacacc caactgaacc aatggcaaga acaagcgcgt tgtgggatcg actacagtca 10800
tacagggtg tgcagatcgt cttgcttcag ttagttccaa gcgcactgca gtcgtacata 10860
gctgaggatc ctcttcctc ctccaccagg gggaacaaag cagaaatgca tgagtgcatt 10920

- 56 -

gggaagactt ttatgtatat tgttaagatt ttccttttct ttccttccc tgcacctgga 10980
 aatgggtaag cgcacggca atataagaac cgcagtgaca ttttgtgagt agctttgtat 11040
 attctctcat ctgtgcaaa cttatgtgca tgctaggctc tctgatcatg tggaagcttt 11100
 gttatatgtt acttatggta tacatcaatg atatttacat ttgtggatga gctactgcac 11160
 ttggtttctg ctatctgttt tgtgaaatgg cagggccatg attatgcaga ttcactggtt 11220
 ctgaaacaga cagctcctc taagctgtga ctgtgagctc tgaaaacagc attgttaaca 11280
 tctattagta taaactaagg tacatcaacg gtgaagattt acgagctaaa ctccgtttgg 11340
 ttgtagacat tcactagaag tataagcgcg cttttctgcg ccgcctaggc tgcaatgatt 11400
 ttttttttat gtgtgtgtgg atatttcaat atgacctgtg ggcaaaaggc tggccgagat 11460
 ttaggaagcg ctcaagcaat tggccaatgg gaaggtgccg gccctgatgg tttcacggcc 11520
 cagttcttgc gctcctgctg ggatatcatc aagggagatc gagaattccc gggatccgcg 11580
 gccgcgagct tccctatagt gagtcgtatt a 11611

<210> 39
 <211> 11
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence:PEPTIDE

<400> 39
 Lys Val Gly Gly Leu Gly Asp Val Val Thr Ser
 1 5 10

<210> 40
 <211> 11
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence:PEPTIDE

<400> 40
 Gly His Thr Val Glu Val Ile Leu Pro Lys Tyr
 1 5 10

<210> 41
 <211> 16
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence:PEPTIDE

<400> 41
 His Asp Trp Ser Ser Ala Pro Val Ala Trp Leu Tyr Lys Glu His Tyr
 1 5 10 15

<210> 42

- 57 -

<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:PEPTIDE

<400> 42
Gly Ile Leu Asn Gly Ile Asp Pro Asp Ile Trp Asp Pro Tyr Thr Asp
1 5 10 15

<210> 43
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:PEPTIDE

<400> 43
Asp Val Pro Ile Val Gly Ile Ile Thr Arg Leu Thr Ala Gln Lys Gly
1 5 10 15

<210> 44
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:PEPTIDE

<400> 44
Asn Gly Gln Val Val Leu Leu Gly Ser Ala
1 5 10

<210> 45
<211> 27
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:PEPTIDE

<400> 45
Ala Gly Ser Asp Phe Ile Ile Val Pro Ser Ile Phe Glu Pro Cys Gly
1 5 10 15

Leu Thr Gln Leu Val Ala Met Arg Tyr Gly Ser
20 25

<210> 46
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:PEPTIDE

<400> 46
Thr Gly Gly Leu Val Asp Thr Val
1 5

- 58 -

<210> 47
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:PEPTIDE

<400> 47
Lys Thr Gly Gly Leu Gly Asp Val Ala Gly Ala
1 5 10

<210> 48
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:PEPTIDE

<400> 48
Gly His Arg Val Met Val Val Val Pro Arg Tyr
1 5 10

<210> 49
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:PEPTIDE

<400> 49
Asn Asp Trp His Thr Ala Leu Leu Pro Val Tyr Leu Lys Ala Tyr Tyr
1 5 10 15

<210> 50
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:PEPTIDE

<400> 50
Gly Ile Val Asn Gly Ile Asp Asn Met Glu Trp Asn Pro Glu Val Asp
1 5 10 15

<210> 51
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:PEPTIDE

<400> 51
Asp Val Pro Leu Leu Gly Phe Ile Gly Arg Leu Asp Gly Gln Lys Gly
1 5 10 15

- 59 -

<210> 52
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:PEPTIDE

<400> 52
Asp Val Gln Leu Val Met Leu Gly Thr Gly
1 5 10

<210> 53
<211> 27
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:PEPTIDE

<400> 53
Ala Gly Ala Asp Ala Leu Leu Met Pro Ser Arg Phe Xaa Pro Cys Gly
1 5 10 15

Leu Asn Gln Leu Tyr Ala Met Ala Tyr Gly Thr
20 25

<210> 54
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:PEPTIDE

<400> 54
Val Gly Gly Xaa Arg Asp Thr Val
1 5

INTERNATIONAL SEARCH REPORT

International application No.
PCT/AU00/00385

A. CLASSIFICATION OF SUBJECT MATTER																						
Int. Cl. ⁷ : C12N 15/54, 15/11; C12N 9/10; C12Q 1/48, 1/68; A01H 1/00, 5/00; C08B 3/02.																						
According to International Patent Classification (IPC) or to both national classification and IPC																						
B. FIELDS SEARCHED																						
Minimum documentation searched (classification system followed by classification symbols) WORLD PATENT INDEX (WPI).																						
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched GENBANK, EMBL, SWISS-PROTEINS, PIR																						
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) KW: WPI Starch synthase. Seq id nos 2, 4, 6, 8, 10 and 39-54.																						
C. DOCUMENTS CONSIDERED TO BE RELEVANT																						
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.																				
P, X	Li Z <i>et al</i> "The localization and expression of the class II starch synthases of wheat" Plant Physiol 1999 Aug 120(4) pp 1147-1156. See the whole document.	1-59.																				
P, X	GenPept accession no. CAB86618, and GenBank accession no. AJ269502, published 7 April 2000. Gao M and Chibbar R N "Isolation, characterization and expression analysis of starch synthase IIa c DNA from wheat (<i>Triticum aestivum</i> L.)" See the whole document.	1-8, 10-19 and 21 (seq id nos 1-6, 50 and 53)																				
X; Y	WO 97/45545 A (HOECHST SCHERING AGREVO GmbH) 4 December 1997. See the whole document especially the examples and seq id no 5.	1-8, 10-19, 21-38 and 41-59 (seq id nos 1-6, 50 and 53)																				
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C <input checked="" type="checkbox"/> See patent family annex																						
<p>* Special categories of cited documents:</p> <table border="0"> <tr> <td>"A"</td> <td>document defining the general state of the art which is not considered to be of particular relevance</td> <td>"T"</td> <td>later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</td> </tr> <tr> <td>"E"</td> <td>earlier application or patent but published on or after the international filing date</td> <td>"X"</td> <td>document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</td> </tr> <tr> <td>"L"</td> <td>document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</td> <td>"Y"</td> <td>document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</td> </tr> <tr> <td>"O"</td> <td>document referring to an oral disclosure, use, exhibition or other means</td> <td>"&"</td> <td>document member of the same patent family</td> </tr> <tr> <td>"P"</td> <td>document published prior to the international filing date but later than the priority date claimed</td> <td></td> <td></td> </tr> </table>			"A"	document defining the general state of the art which is not considered to be of particular relevance	"T"	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention	"E"	earlier application or patent but published on or after the international filing date	"X"	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone	"L"	document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y"	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art	"O"	document referring to an oral disclosure, use, exhibition or other means	"&"	document member of the same patent family	"P"	document published prior to the international filing date but later than the priority date claimed		
"A"	document defining the general state of the art which is not considered to be of particular relevance	"T"	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention																			
"E"	earlier application or patent but published on or after the international filing date	"X"	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone																			
"L"	document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y"	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art																			
"O"	document referring to an oral disclosure, use, exhibition or other means	"&"	document member of the same patent family																			
"P"	document published prior to the international filing date but later than the priority date claimed																					
Date of the actual completion of the international search 16 June 2000		Date of mailing of the international search report 20 JUN 2000																				
Name and mailing address of the ISA/AU AUSTRALIAN PATENT OFFICE PO BOX 200, WODEN ACT 2606, AUSTRALIA E-mail address: pct@ipaustalia.gov.au Facsimile No. (02) 6285 3929		Authorized officer J.H. CHAN Telephone No : (02) 6283 2340																				

International application No.
PCT/AU00/00385

Patent Document Cited in Search Report

WO	9745545	AU	30302/97	BR	9709487	CN	1219970
		CZ	9803890	DE	19621588	EP	907741
		SK	1636/98	ZA	9704657		

END OF ANNEX